BCO-DMO's

Biological & Chemical Oceanography Data Management Office
migration to ERDDAP

ESIP Marine Data Cluster
24 October 2019

Mathew Biddle

Outline

1. Intro/overview of BCO-DMO
2. How do we meet FAIR recommendations?
3. Our current data serving system
4. Why ERDDAP?
5. Background on ERDDAP
6. How have we deployed it?
7. Gotchas during migration
8. Future

	A	B	C	D
1	Table. Pore water chemical concentration data and lo			
2	Some Mn and Fe values are below detection and are			
3				
4	Core	Depth	pH	alkalinity
5		cm		mmol/kg
6	METHOD		electrode	titration
7				
8	2014 bottom water		7.92	2.32
9				
10	J2-733-PC 1 - Did not hit bottom (18.24) and was pos			
11		2	7.69	2.08
12		6	7.69	2.11
13		10	7.71	2.20
14		13	7.7	2.22
15		16	7.69	2.22
16		18	7.71	2.22
17				
18	J2-733-PC 2 - Did not hit bottom (18.27) and was positioned next to PC 1, 22			
19		2	7.69	2.13
20		7	7.70	2.19
21		11	7.73	548
22		15	7.70	
23		18	7.72	
24		20	7.70	
25		22	7.72	
26				
27	J2-733-PC 4 - Hit bottom (18.01) and was			
28		3	7.67	
29		6	7.69	
30		8	7.71	
31		10	7.75	
32		12	7.71	
33		14	7.73	
34				
35	J2-733-PC 6 - Did not hit bottom (19.28)			
36		4	7.71	
37		7	7.71

	A	B	C
1	Site Code	Site Code	Deployment Dates
2	1	Dittliff Point	6/1/16 - 3/22/17
3			3/27/17 - 6/22/17
4	2	Cocoloba Cay	5/29/16 - 3/22/17
5			3/27/17 - 7/11/17
6			5/29/16 - 10/22/16
7	3	Joel's Shoal	11/10/16 - 3/22/17
8			3/28/16 - 7/11/17
9			5/29/16 - 10/21/16
10	4	White Point	10/23/16 - 3/23/17
11			5/29/16 - 10/21/16
12	5	Europa Bay	10/23/16 - 12/12/16
13			5/29/16 - 10/21/16
14	6	Tektite	11/5/16 - 3/20/17
15			3/28/17 - 6/11/17

BCO-DMO Background

- Established in 2006, through the merging of the two data management office's for the U.S. GLOBEC and JGOFS projects.
- The Biological and Chemical Oceanography Data Management Office (BCO-DMO) is funded by the U.S. National Science Foundation (NSF) to provide data management services to NSF-funded projects in Biological and Chemical Oceanography and the Division of Polar Programs Antarctic Organisms and Ecosystems program at no cost to the investigators.
- We now manage data from over 1,000 projects from researchers (PIs) across the U.S. studying a wide variety of scientific domains.

Who are we?

BCO-DMO: Biological and Chemical Oceanography Data Management Office

Mission

To work with principal investigators to curate and serve data and information from research projects funded by the National Science Foundation's Biological and Chemical Oceanography Sections and the Division of Polar Programs Antarctic Organisms and Ecosystems program.

Data Management Philosophy / Strategy

- Keep the barriers to metadata/data submission low
 - No prescribed metadata/data formats
- Preserve as much of the PI-supplied information as possible, including:
 - parameter names
 - parameter units
 - specific parameter formatting

BCO-DMO supports data stewardship throughout the data lifecycle

- Provide guidance on data formatting and standards;
- Apply gross QC (e.g lat/lon error checking);
- Capture and record metadata;
- Make data and metadata available online (restricted or public access as appropriate);
- Ensure final archive of data in appropriate national data center;
- Provide Data Management Planning template;
- Assign dataset digital object identifiers (DOIs).

Data submission process

Making Data FAIR

F_{indable}

A_{ccessible}

I_{nteroperable}

R_{eusable}

Original article describing FAIR data principles: Wilkinson, M.D., et al. (2016) The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data*, 3, 160018, <https://doi.org/10.1038/sdata.2016.18>

Article more specific to FAIR in our domain: Stall, S., et al. (2018), Advancing FAIR data in Earth, space, and environmental science, *Eos*, 99, <https://doi.org/10.1029/2018EO109301>

Accomplishing FAIR alignment

1. Building robust metadata
2. Aligning vocabularies
3. Creating machine actionable information (LOD)
4. Harmonizing data into common formats

among other activities...

Current data serving system

Dataset: GT10-11 - cellular element quotas

Get Data

Map It

Cite This Dataset

DOI:10.1575/1912/bco-dmo.641155

/BCO/GEOTRACES/NorthAtlanticTransect/cellular_trace_elements_v2_joined ---- Level 2

Directory Documentation Download & Other Operations

Level 0 Next Level Flat Listing

Please note that data may not be final, pending intercalibration results and further analysis. If you are interested in following changes to US GEOTRACES WAT data, there is an RSS feed available via the BCO-DMO US GEOTRACES project page.

GT10-11 - cellular element quotas
B. Twining (Bigelow)
version 2 (2015-02-17): revised station 9 depths: sample 5636 from 50m to 28m and 5638 from 28m to 50m.
replaces version 2015-02-10.
Sorted by cruise, station, grid#

cruise_id project

KNI99-04 NAZT

station_GEOTRC sta_P1 lat lon cast_GEOTRC event_GEOTRC

S 31.0021 -21.9999 1 2084

depth_GEOTRC_CTD	depth_GEOTRC_CTD_round	sample_GEOTRC	sample_bottle_GEOTRC	bottle_GEOTRC	grid_type	grid_num	SKRF_run	mda_id	cell_type	cell_vol	cell_C	cell_Si	cell_P
30.7	31	5331	24	GF-1	Au	5331e-up	20112	170	AF1ag	152.57	2.002e-12	0.002e+00	5.922e-14
30.7	31	5331	24	GF-1	Au	5331e-up	20112	171	AF1ag	261.04	3.358e-12	2.178e-16	7.612e-14
30.7	31	5331	24	GF-1	Au	5331e-up	20112	172	AF1ag	5.21	8.475e-14	2.562e-16	1.042e-15
30.7	31	5331	24	GF-1	Au	5331e-up	20112	173	AF1ag	9.07	1.438e-13	nd	2.652e-15
30.7	31	5331	24	GF-1	Au	5331e-up	20112	174	Ap1co	3.26	5.439e-14	3.702e-16	1.332e-15
30.7	31	5331	24	GF-1	Au	5331e-up	20112	175	AF1ag	6.87	1.102e-13	3.942e-16	1.682e-15
30.7	31	5331	24	GF-1	Au	5331e-up	20112	176	AF1ag	5.85	9.458e-14	1.630e-16	1.232e-15
30.7	31	5331	24	GF-1	Au	5331e-up	20112	177	AF1ag	3.71	6.162e-14	1.442e-16	5.792e-16
30.7	31	5331	24	GF-1	Au	5331e-up	20112	178	AF1ag	6.93	1.112e-13	4.112e-17	8.382e-16
30.7	31	5331	24	GF-1	Au	5331e-up	20112	180	AF1ag	16.48	1.032e-13	1.422e-16	3.192e-15
30.7	31	5331	24	GF-1	Au	5331e-up	20112	181	AF1ag	7.79	1.242e-13	1.392e-16	9.362e-16
30.7	31	5331	24	GF-1	Au	5331e-up	20112	186	AF1ag	6.71	1.088e-13	1.902e-16	8.042e-16
30.7	31	5331	24	GF-1	Au	5331e-up	20112	187	Ap1co	2.41	4.432e-14	2.472e-16	8.862e-16
30.7	31	5331	24	GF-1	AL	5331e-low	20112	345	AF1ag	482.61	5.962e-12	nd	1.702e-14
30.7	31	5331	24	GF-1	AL	5331e-low	20112	346	AF1ag	11.63	1.802e-13	nd	2.002e-15
30.7	31	5331	24	GF-1	AL	5331e-low	20112	347	AF1ag	34.38	4.992e-13	nd	1.302e-15
30.7	31	5331	24	GF-1	AL	5331e-low	20112	349	AF1ag	43.58	6.232e-13	nd	7.402e-16
30.7	31	5331	24	GF-1	AL	5331e-low	20112	350	AF1ag	418.3	5.212e-12	nd	6.002e-15
30.7	31	5331	24	GF-1	AL	5331e-low	20112	351	AF1ag	5.34	8.682e-14	nd	1.102e-17
30.7	31	5331	24	GF-1	AL	5331e-low	20112	352	Ap1co	3.34	1.142e-12	nd	nd
30.7	31	5331	24	GF-1	AL	5331e-low	20112	353	AF1ag	83.25	1.142e-12	nd	3.402e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	268	AF1ag	43.1	6.172e-13	nd	1.502e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	269	Ap1co	12.57	1.942e-13	nd	1.102e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	270	AF1ag	287.61	3.672e-12	nd	1.202e-13
101.3	101	5337	18	GF-7	AL	5337a-low	20112	271	AF1ag	389.16	4.872e-12	nd	1.402e-13
101.3	101	5337	18	GF-7	AL	5337a-low	20112	272	AF1ag	11.25	1.752e-13	nd	1.102e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	273	AF1ag	263.73	3.382e-12	nd	7.902e-14
101.3	101	5337	18	GF-7	AL	5337a-low	20112	274	AF1ag	57.27	8.052e-13	nd	2.802e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	274	Ap1co	7.01	1.122e-13	nd	3.102e-16
101.3	101	5337	18	GF-7	AL	5337a-low	20112	240	AF1ag	53.52	7.562e-13	nd	3.402e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	241	AF1ag	9.85	1.542e-13	1.112e-16	4.942e-16
101.3	101	5337	18	GF-7	AL	5337a-low	20112	242	AF1ag	14.07	2.152e-13	1.412e-16	1.542e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	243	AF1ag	7.06	1.132e-13	5.382e-17	3.612e-16
101.3	101	5337	18	GF-7	AL	5337a-low	20112	244	AF1ag	24.43	3.452e-13	7.842e-19	8.582e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	245	AF1ag	6.88	1.102e-13	1.012e-16	3.002e-16
101.3	101	5337	18	GF-7	AL	5337a-low	20112	246	AF1ag	6.71	1.082e-13	1.072e-16	1.112e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	247	AF1ag	16.92	2.562e-13	1.042e-16	2.592e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	248	AF1ag	6.16	9.922e-14	1.252e-16	4.402e-16
101.3	101	5337	18	GF-7	AL	5337a-low	20112	249	AF1ag	25.46	3.742e-13	1.842e-16	2.522e-15
101.3	101	5337	18	GF-7	AL	5337a-low	20112	256	AF1ag	5.58	9.042e-14	1.522e-17	3.592e-16
101.3	101	5337	18	GF-7	AL	5337a-low	20112	257	Ap1co	3.37	5.632e-14	6.762e-17	4.112e-16
101.3	101	5337	18	GF-7	AL	5337a-low	20112	258	AF1ag	114.09	1.542e-12	1.072e-14	3.302e-14
101.3	101	5337	18	GF-7	AL	5337a-low	20112	259	AF1ag	136.94	1.832e-12	1.592e-16	4.872e-16

station_GEOTRC sta_P1 lat lon cast_GEOTRC event_GEOTRC

9 17.3505 -18.2545 2 2164

depth_GEOTRC_CTD depth_GEOTRC_CTD_round sample_GEOTRC sample_bottle_GEOTRC bottle_GEOTRC grid_type grid_num SKRF_run mda_id cell_type cell_vol cell_C cell_Si cell_P

al Extent: N:39.68403 E:-18.2545 S:17.3505 W:-69.8139 Temporal Extent: 2010-10-01 - 2011-11-30

ject: U.S. GEOTRACES North Atlantic Transect (U.S. GEOTRACES NAT)

incipal Investigator: Benjamin Twining (Bigelow Laboratory for Ocean Sciences)

BCO-DMO Data Manager: Nancy Copley (Woods Hole Oceanographic Institution, WHOI BCO-DMO)

ision Date: 2015-02-17

stricted: No

dated: Yes

urrent State: Final no updates expected

URL: <https://www.bco-dmo.org/dataset/549122/data>

cellular elemental content of individual phytoplankton cells collected during US GEOTRACES North Atlantic transect cruises in the Subtropical western and eastern North Atlantic Ocean during Oct and Nov, 2010 and 2011

and/Collapse All

Archival Copy

Version Date	Archive	Persistent Identifier	Date Assigned
2015-02-17	Marine Biological Laboratory/Woods Hole Oceanographic Institution Library (MBLWHOI DLA)	10.1575/1912/bco-dmo.641155	2016-03-29

Description

Individual phytoplankton cells were collected on the GEOTRACES North Atlantic Transect cruises were analyzed for elemental content using SXRF (Synchrotron radiation X-Ray Fluorescence). Carbon was calculated from biovolume using the relationships of Menden-Deuer & Lessard (2000). Trace metal concentrations are reported.

Download zipped images:

Chlorophyll

Light

SKRF maps

SYDE graphs

Current data serving system

/BCO/GEOTRACES/NorthAtlanticTransect/cellular_trace_elements_v2_joined ---- Level 2

Directory Documentation Download & Other Operations

Level 0 Next Level **Flat Listing**

Please note that data may not be final, pending intercalibration results and
further analysis. If you are interested in following changes to US GEOTRACES
WAT data, there is an RSS feed available via the BCO-DMO US GEOTRACES
[RSS feed page](#).

UT10-11 - cellular element quotas
B. Twining (Bigelow)
version 2 (2015-02-17): revised station 9 depths: sample 5636 from 50m to 28m and 5638 from 28m to 101.3m
replaces version 2015-02-10.
Sorted by cruise, station, grid#

cruise_id	project	station_GEO	sta_P1	lat	lon	cast_GEO	event_GEO	depth_GEO	CTD	depth_GEO	CTD	round	sample_GEO	sample	bottle_GEO	bottle_GEO	grid_type	grid_num	SVF	num	mda	id	cell_type	cell_vol	cell_C	cell_S1	cell_P	cell_C
9	17.3505	-18.2545	2	2164																								
depth_GEO	CTD	depth_GEO	CTD	round	sample_GEO	sample	bottle_GEO	bottle_GEO	grid_type	grid_num	SVF <td>num</td> <td>mda<td>id</td><td>cell_type</td><td>cell_vol</td><td>cell_C</td><td>cell_S1</td><td>cell_P</td><td>cell_C</td></td>	num	mda <td>id</td> <td>cell_type</td> <td>cell_vol</td> <td>cell_C</td> <td>cell_S1</td> <td>cell_P</td> <td>cell_C</td>	id	cell_type	cell_vol	cell_C	cell_S1	cell_P	cell_C								
9	17.3505	-18.2545	2	2164																								

Current data serving system

/BCO/GEOTRACES/NorthAtlanticTransect/cellular_trace_elements_v2_joined ---- Level

[Directory](#)
[Documentation](#)
[Download & Other Operations](#)

Level 0 Next Level Flat Listing

```
# Please note that data are not final, pending intercalibration results and
# further analysis. If you are interested in following changes to US GEOTRACES
# NAT data, there is an RSS feed available via the BCO-DMO US GEOTRACES
# project page.

# GT10-11 - cellular element quotas
# B. Twining (Bigelow)
# version 2 (2015-02-17): revised station 9 depths: sample 5636 from 50m to 28m and 5638 from 28m to
# 50m; replaced version 2015-02-10.
# Sorted by cruise, station, grid#
```

[illegible]

cellule id	project	station	geomtric	sta	SI	lat
cell_type	cell_well	cell_C				cell_P
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
152.25	2.022E-12	0.000E+00	5.92E-14	3.54E-14		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
152.25	2.177E-16	7.61E-16	4.16E-16	4.16E-16		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
8.71E-14	2.56E-16	1.04E-15	1.76E-15			
KN1999-04	NAIT					31.0
9.07	1.43E-13	nd	2.65E-15	2.73E-15		
211717:15:00:00	NAIT					31.0
KN1999-04	NAIT					31.0
3.26	5.45E-14	3.70E-18	1.33E-15	1.03E-15		
211717:15:00:00	NAIT					31.0
6.87	1.10E-13	3.94E-16	1.68E-15	7.54E-15		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
9.94	9.94E-14	1.43E-16	1.23E-15	1.03E-15		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
7.71	6.16E-14	1.64E-16	5.79E-16	4.54E-16		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
6.93	1.11E-13	4.11E-17	8.38E-16	1.05E-15		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
10.48	1.63E-13	1.62E-16	3.19E-15	1.63E-15		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
1.05E-13	1.39E-16	9.36E-16	1.29E-15			
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
1.05E-13	1.90E-16	8.04E-16	1.01E-15			
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
2.61	4.43E-14	2.67E-16	8.86E-16	6.27E-16		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
482.61	5.96E-12	nd	1.70E-14	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
11.63	1.80E-13	nd	2.00E-15	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
1.38E-13	4.53E-15	nd	1.30E-15	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
34.38	6.63E-13	nd	7.40E-16	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
418.3	5.21E-12	nd	6.00E-15	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
5.34	8.68E-14	nd	1.10E-17	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
3.34	5.59E-14	nd	nd	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
1.25	1.10E-12	nd	3.60E-16	nd		
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
KN1999-04	NAIT					31.0
211717:15:00:00	NAIT					31.0
1.50E-15	nd					

Download and Other Operations Menu

Current object is: [//data.bco-dmo.org:80/BCO/GEOTRACES/NorthAtlanticTransect/cellular_trace_elements_v2_joined](https://data.bco-dmo.org:80/BCO/GEOTRACES/NorthAtlanticTransect/cellular_trace_elements_v2_joined)

- **Listing data**

- List at this level
- Other data listing formats

- **Downloading data**

- [Matlab file format](#) of all data at this level and further in. (Download will also 'do' matlab)
- [netcdf file format](#)
- [ODV file format](#)
- [Download utility](#)
- [Download inquiry/data pickup](#)

- **Manipulating data**

- [Math operations](#) for calculating values from existing parameters. [Help](#)
- [Join 2 objects](#) having at least 1 parameter in common. [Help](#)
- [Time field splitting](#) [Help](#)
- [Time conversions](#)
- [Statistics](#)

- **Plotting data**

- Simple X-Y plot

- **Persistent objects**

- Directory of available objects
- Save/remove current object

- Subsetting data

otheropt version 2.2h 9 Mar 13
server: production-Apr17

[illegible]

crulus_id	proj	station	depth	st	pl	lon	lat	GEOSFC	depth	GEOSFC	depth	GEOSFC	depth	round	name	GEOSFC	ch	
cell_type	cell	cell_C	cell_F	cell_F	cell_C	lon	lat	cell_F	cell_C	lon	lat	lon	lat	lon	lat	lon	lat	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						3.52E-12	0.0000	5.92E-12	3.52E-12	1.40E-12	4.21E-16	2.13E-12	20112_170_NF	30.7		21271_170_NF	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						7.61E-14	0.0000	4.16E-14	7.26E-18	6.77E-17	1.99E-17	3.24E-17	20112_171_NF	30.7		21271_171_NF	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						5.21	8.47E-14	2.56E-16	1.04E-15	1.78E-15	5.44E-18	3.40E-19	20112_172_NF	30.7		21271_172_NF	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						2.73E-15	0.0000	8.02E-19	4.21E-16	5.04E-19	5.04E-19	1.35E-18	20112_173_NF	30.7		21271_173_NF	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						3.26	5.45E-14	3.70E-16	1.33E-15	1.03E-15	8.94E-20	4.90E-18	2.34E-19	20112_174_NF	30.7		21271_174_NF	24
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						3.94E-16	1.68E-15	7.54E-15	6.75E-19	8.35E-18	1.35E-19	4.48E-17	20112_175_NF	30.7		21271_175_NF	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						5.48	9.45E-14	1.43E-16	1.23E-15	1.03E-15	1.40E-19	3.99E-18	1.81E-19	20112_176_NF	30.7		21271_176_NF	24
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						3.71	6.18E-14	5.40E-16	5.79E-16	4.54E-16	1.47E-19	1.34E-18	1.59E-19	20112_178_NF	30.7		21271_178_NF	24
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						4.11E-17	8.38E-16	1.13E-15	2.01E-19	2.40E-18	2.40E-18	1.02E-18	20112_179_NF	30.7		21271_179_NF	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						10.48	1.63E-13	1.62E-16	3.19E-15	1.80E-15	4.64E-19	3.93E-18	3.61E-19	20112_180_NF	30.7		21271_180_NF	24
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						7.79	1.24E-13	1.39E-16	9.34E-16	1.39E-15	2.08E-19	3.18E-18	1.63E-19	20112_181_NF	30.7		21271_181_NF	24
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						1.90E-16	8.04E-16	1.01E-15	1.40E-19	2.40E-18	5.79E-19	1.56E-18	20112_186_NF	30.7		21271_186_NF	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						2.61	4.43E-14	2.67E-16	8.86E-16	6.27E-16	1.88E-19	3.00E-18	7.63E-20	20112_187_NF	30.7		21271_187_NF	24
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						12.42	4.43E-14	nd	1.70E-14	nd	1.70E-14	3.04E-17	2.01E-16	1.24E-15	20112_145_NF	30.7	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						11.63	1.60E-13	5.20E-15	nd	nd	nd	5.14E-18	6.14E-17	1.73E-18	20112_146_NF	30.7	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						34.38	4.99E-13	1.30E-15	nd	nd	nd	8.25E-18	3.95E-17	2.36E-18	20112_147_NF	30.7	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						11.58	4.28E-13	7.40E-16	nd	nd	nd	3.43E-18	1.40E-17	2.71E-18	20112_149_NF	30.7	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						418.3	5.23E-12	6.00E-15	nd	nd	nd	3.27E-17	2.09E-16	1.20E-17	20112_150_NF	30.7	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						134	8.84E-14	1.10E-17	nd	nd	nd	1.35E-19	2.28E-19	2.80E-19	20112_151_NF	30.7	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						34	5.96E-14	nd	nd	nd	nd	5.59E-20	1.03E-19	20112_152_NF	30.7	24		
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	30.7				31		S331	24	
2127171500.00						83.25	1.14E-12	3.60E-15	nd	nd	nd	2.30E-17	5.26E-17	6.34E-18	20112_153_NF	30.7	24	
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	101.3	101			31		S337	18	
2127171500.00						1.1	1.50E-18	3.03E-17	1.05E-18	1.24E-17	1.24E-17	20112_248_NF	30.7		21271_248_NF	24		
KH199-04	NAT2	5				31.0021	-21.9999	1	2084	101.3	101			31		S337	18	

[illegible]

How do we make it easier for scientists to use the data?

- ✓ Reduce time from data discovery to research.
- ✓ Provide the data in multiple file formats.
- ✓ Provide a coupled metadata+data product.
- ✓ Provide web accessible urls for automated data access.

ERDDAP!

What is ERDDAP? (simple)

- ERDDAP is a NOAA developed **data server**
- middle-man that facilitates **open** and **accessible** data download in a variety of formats applicable to various communities.
- **Accepts a variety of file formats** on the backend (ASCII text, netCDF, compressed files, image files, audio files, and others)
- Allows for **data and metadata** coupling and download
- Provides **web accessible urls** for advanced data download and subsetting via other software packages

Loading a dataset into ERDDAP

ERDDAP

BCO-DMO's current deployment strategy

- Loading datasets that have a **DOI**
 - Translated to ASCII TSV files
 - Robust metadata record
 - Appropriately identified latitude, longitude, depth, and time variables (if applicable).
- Providing **direct download links** on the dataset metadata pages to commonly used data file formats within our community.
- Serving only the **most recent version** of the data

Our migration process

Current D.M. process

ERDDAP D.M. process

Gotchas during development

- Legacy metadata
- Procedural changes in metadata development
- Identifying latitude, longitude, depth, and time variables
- Dealing with time variables
- Populating a netCDF like key value pair metadata structure with hierarchical metadata
 - projects, deployments, people, instruments, etc...
- ERDDAP's trouble with large ASCII files (11GB)

Future

- Upgrade to ERDDAP v2.*
 - Deals with ASCII files much more efficiently
 - Allows for data restriction using ORCID and Google
 - Adds AWS S3 cloud capability
- Continue migrating our DOI'd datasets via automated process
- Serve data via legacy service and ERDDAP side-by-side
- Migrate completely to ERDDAP for data serving
- Develop specialized access portals?

Additional Resources

- ERDDAP Bible: <https://coastwatch.pfeg.noaa.gov/erddap/download/setup.html>
- ERDDAP Docker container: <https://github.com/axiom-data-science/docker-erddap>
- Quick ERDDAP deployment: <https://github.com/ioos/erddap-gold-standard>
- BCO-DMO Jupyter Notebooks: <https://github.com/BCODMO/Data-Use-Examples/tree/master/jupyter>
- 2017-08-31 ESIP Tech Dive: "ERDDAP lightning talks"
<https://www.youtube.com/watch?v=2-ydBBYB0M&t=1564s>

Thank you

Questions?

Demo?

Mathew Biddle

Biological and Chemical Oceanography Data Management Office

Woods Hole Oceanographic Institution

Phone: 508-289-3438 | Email: mbiddle@whoi.edu

ORCID: 0000-0003-4897-1669