





Woods Hole Oceanographic Institution

1998 Annual Report





Per Billgren

A multi-corer goes over the side from R/V *Knorr* during an October 1998 cruise to the Pacific for paleoceanographic studies.

1998 Annual Report

Director's Comments	1	Sea Grant Program	28
Comments from the Director of Research	3	Dean's Report	30
Science Departments		Research Voyages	32
Applied Ocean Physics & Engineering	4	Trustee & Corporation Members	34
Biology	8	Director's Council	36
Geology & Geophysics	13	Scientific & Technical Staff	37
Marine Chemistry & Geochemistry	16	Support Staff	40
Physical Oceanography	21	Degree Recipients	44
Marine Policy Center	26	Fellows, Students, & Visitors	45
Rinehart Coastal Research Center	27	Financial Statements	48

COVER: Our 1998 "WHOI at Work" cover photos illustrate the breadth of activities ashore and afloat that all help to make the Institution a first-rate scientific enterprise.

Photos by Per Billgren, Lou-Anne Conroy, Craig Dickson, Christopher Griner, Brian Guest, Christopher Knight, Tom Kleindinst.



Woods Hole Oceanographic Institution

Woods Hole, MA 02543 • (508) 457-2000

www.whoi.edu

Editor: Vicky Cullen • Designer: Jim Canavan



Director Bob Gagosian presented several awards at the October 1998 Employee Recognition Ceremony.

1998 was designated by the United Nations as “The Year of the Ocean,” and it provided both a backdrop and a spotlight for the Woods Hole Oceanographic Institution’s numerous accomplishments.

The Institution’s major achievements, of course, are advances in science and engineering and accompanying educational activities. We have a stunning research staff and student body whose dedication and scientific vision push the frontier of ocean exploration each day. An array of awards from the external oceanographic community received in 1998 attests to the quality of their efforts and their ability to compete with the best. (These awards are noted in the scientific department chairs’ comments.)

We also received commendation this year from a more unusual place: No. 10 Downing Street, the address of British Prime Minister Tony Blair, who lauded the performance of our Deep Submergence Laboratory (DSL) in solving the riddle of what caused the 1980 sinking of *Derbyshire*, a 964-foot British bulk carrier with 44 people aboard. The answer relieved the anguish suffered by the families of the lost mariners and also pointed to ways to improve maritime safety. In a letter to President Clinton, Blair wrote: “This investigation was one of the greatest feats of underwater detective work ever undertaken.... The survey results have shown that the marine community can now investigate accidents even in the deepest oceans.... The outcome would not have been possible without the technology developed by the Woods Hole Oceanographic Institut[ion] who maintain


the United States Deep Submergence Science Facility.”

Our educational program also received a stellar review. As other academic institutions do, we periodically ask visiting committees, comprised of elite scientists and educators from other institutions, to give us an objective review of our departments and

practices. We find their advice invaluable in planning for staffing and infrastructure to remain at the forefront of ocean sciences.

Such a visiting committee completed a review of the MIT/WHOI Joint Graduate Program in 1998, which marked the thirtieth anniversary of the program. We are grateful for the contributions of the review committee members, and what they concluded is a tribute to our faculty, students, and education staff: “The MIT/WHOI Joint Program is the top graduate program—or arguably one of the two top programs—in marine science in the world.”

Newly minted oceanographers will be entering the field on the verge of an entirely new era. The strategy of mapping and sampling the oceans, which has served us well since World War II, is reaching its limits. We are shifting paradigms and creating the technology to make continuous, long-term



Special recognition for John Hayes, right, in 1998 included election to the National Academy of Sciences. Here he discusses the operation of the National Ocean Sciences Accelerator Mass Spectrometry Facility with California Congressman Sam Farr, who visited WHOI in May 1998 to pursue his long term interest in the oceans.

observations of ocean processes and phenomena. Two important steps toward this goal were achieved last year as WHOI scientists led efforts to deploy the first permanent deep seafloor observatory and to plan for the establishment of a permanent coastal observatory off Martha’s Vineyard.

H2O, the Hawaii-2 Observatory, takes advantage of an abandoned 35-year-old AT&T trans-Pacific telephone cable to provide power and two-way communication to a 5,000-meter-deep seafloor observatory for an assortment of scientific instruments, such as devices to record earthquakes and listen for marine mammals. The Martha’s Vineyard observatory will collect information 24 hours a day on the dynamic, but little-understood coastal processes that affect beach erosion, sand transport, weather conditions, waves, and coastal biological communities, as well as the interactions that occur where sea and air meet. Data from the observatory will be shared in real time with local officials, students, other scientists, and the public through the Internet.

WHOI scientists are also developing and building other kinds of observatories— instrument-packed arrays that can be moored in the oceans or that can float and drift for long periods throughout the oceans. These are the harbingers of technology that will allow us to “wire” the ocean—to receive continuous real-time information about it, much the way meteorologists now assemble data on atmospheric conditions.

We were also very pleased to obtain another type of “observatory,” the Navy’s deep submersible *Sea Cliff* with a diving capability of 6,100 meters. We are currently examining ways to combine the best of *Sea Cliff* with the 4,500-meter *Alvin*, which is now this nation’s only deep-sea research submersible.

The “Year of the Ocean” offered many excellent opportunities for public outreach. We participated significantly in the National Oceans Conferences in Monterey, California, where I had the unexpected opportunity to brief President Bill Clinton, Vice President Al Gore, and Cabinet members on ocean issues. WHOI played a lead role in the US pavilion at Expo 98 in Lisbon, Portugal. We produced a video, “Discover Planet Ocean,” that formed the centerpiece of the exhibit, as well as a display on the



Lawrence Carpenter

From left, Beecher Wooding, Seth Hitchings, Alan Chave, Skip Gleason, and Fred Duennebie (University of Hawaii) set up the junction box for the Hawaii-2 (H₂O) observatory aboard *Thomas Thompson* (University of Washington).

Institution. During Expo 98's "US Day," I participated on a panel with the Secretaries of the Navy and Education, and also presented a keynote talk on the importance of the oceans to our future.

The PBS *Visionaries* series aired an excellent program on WHOI in 1998 and the Discovery Channel featured DSL's efforts in a documentary on the *Derbyshire* project. Our scientists continue their own outreach efforts, which range from one-on-one mentoring of young students preparing for science fair competitions to Internet interactions that have the potential to reach millions throughout the world. These are truly exciting times for communications, and I look forward to many more outreach successes—especially with the completion in early 2000 of a new addition to Fenno House, which will consolidate development, communications, and Director's office staffs under one roof. With an eye on space needs, we also initiated a campus-wide space planning effort in 1998, beginning with a review of scientific departments' needs. We will work over the next year toward assembling a 10- to 15-year campus space plan. Other infrastructure activity includes upgrading our docking facilities and telecommunication capabilities.

Our government-sponsored research income for 1998 was 7 percent ahead of budget, and prospects for ocean science funding appear brighter than they have for

several years. The 1999 National Science Foundation budget is up 8.8 percent for research and related activities, and the Office of Naval Research basic research budget is up by 4 percent. In the National Science Foundation budget report, Congress noted the importance of ocean, earth, and atmospheric programs. This represents a turnaround in attitude and language from previous years.

We believe that our efforts in Washington, along with those of many others in the science community, are bearing fruit. We continue to intensify our work with Congress and with sponsoring agencies. Pam Hart, Executive Assistant to the Director, coordinates our Washington efforts, an important stewardship assignment that entails broadening the base of good working relationships there, analyzing events in light of their impact on the Institution, and educating key officials about the importance of the ocean for the future of the country.

For Congress and federal funding agencies, K-12 science education is an increasingly important priority. We proudly look forward to the release of the Turnstone Ocean Science Kits, books, and supplemental materials on ocean science for grades four through nine. These classroom materials are the result of a partnership between WHOI and two publishing groups, Turnstone Publishing and Steck-Vaughn, a division of Harcourt Brace &

Company, and we believe that they will help attract students to science by communicating the thrill of discovery—through the oceans. These materials were scheduled to be premiered in the spring of 1999 at the National Science Teacher's Association meeting in Boston, where I was invited to be a keynote speaker. We also launched a partnership with BBH Exhibits, Inc. to build a 6,000-square-foot museum exhibit that highlights WHOI's role in the exploration of the "Extreme Deep." The exhibit is scheduled to debut at the Boston Museum of Science in the fall of 1999 and travel to venues across the nation over the next several years.

We closed the books on fund raising for 1998 at \$8.5 million—a good year for Woods Hole and our best non-campaign year ever. These private funds encourage and support new science, engineering, and education initiatives in oceanography, such as the new Mentorship Program, designed to foster interaction between junior and senior scientists, which has been applauded by all the scientific staff. The new Stanley W. Watson Graduate Student Fellowships are beginning to support students in their first two years at WHOI—a critical financial and intellectual juncture in their careers. The new Mary Sears Senior Scientist Chair adds to our means for recognizing and rewarding excellence within the senior staff.

Significant funds are targeted to meet new requirements to match federal grants and contracts. This practice—once a luxury we *tried* to afford, but now a necessity we *have* to afford—puts funds to work to secure regional observatories, bid for important federal grants and contracts, and start up visionary scientific research programs. According to many scientific staff, this flexibility and license to "think outside the box" is what being—and staying—at the Woods Hole Oceanographic Institution is all about.

The "Year of the Ocean" was an excellent year for us. But every year is "a year of the ocean" for us at WHOI. We continually strive to penetrate the oceans' vastness and to learn how they work. A primary goal is to provide the scientific foundation for making wise decisions on how to protect, use, and manage the oceans, which sustain life, and the quality of life, on our planet.

—Robert B. Gagosian, Director

In 1998, we signed a Memorandum of Agreement (MOA) with the National Oceanic and Atmospheric Administration (NOAA) to establish a formal partnership, the Cooperative Institute for Climate and Ocean Research (CICOR). WHOI and NOAA have collaborated for a number of years in such areas as long-term climate studies and fisheries research; the MOA reaffirms our common interests and provides a basis for consolidating established cooperative programs and common research interests.

CICOR is structured to improve the long-term effectiveness of NOAA and academia through sponsored research organized around three broad themes. The coastal-ocean and near-shore processes theme includes scientific research on fundamental processes of biology, physical oceanography, and sediment and sand transport, as well as the effects of contaminants and the changing environment upon ecosystems and habitats for marine mammals, fish, and humans. This research is interdisciplinary in nature—finding solutions to the problems requires basic understanding of processes relevant to several fields. In addition, there will be an emphasis on the development of predictive capability, which requires a sustained effort to make meaningful observations of phenomena on scales comparable to the physical variability and to incorporate critical data into models. Making these observations on appropriate spatial and temporal scales requires new technology, so there will be a substantial focus on developing and exploiting acoustic technology, as well as recent advances in chemical and biological sensors.

CICOR's second theme is the ocean's role in climate and climate variability. Over the past 25 years, there has been growing recognition of the critical role of sub-basin-scale oceanographic processes in the dynamics of the overall climate system. The time scales on which these processes operate and interact range from seasonal to millennial and beyond. Sustained observational studies and process experiments can provide important information about relatively high frequency processes. Paleoceanographers contribute information



Dave Gray

R/V *Knorr* will be among the US ships important to the work of the new National Oceanic and Atmospheric Administration/Woods Hole Oceanographic Institution Cooperative Institute for Climate and Ocean Research.

about longer frequency processes to promote understanding of oceanographic and climate variability on long time scales. Analysis of high resolution proxy records such as corals, ice cores, and sedimentary records can also be used to bridge the so-called spectral gap between the instrumental climate record and lower resolution geological records.


Marine ecosystem processes analysis is CICOR's third broad theme. It encompasses a wide range of community and ecosystem level studies. Many of these investigations concern the interaction of biological composition and structure with physical, chemical, or geological characteristics of the environment. Research on the species composition, trophic structure, and evolutionary history of a variety of marine ecosystems has long been a central strength of WHOI.

In more recent years, there has been greater emphasis on the processes of ecosystem function—fluxes of energy and materials, growth of individuals and populations, competitive and predatory

interactions, succession of species and populations. CICOR's environmental studies will range from coastal estuaries and salt marshes to offshore shelf and bank regions, the oceanic water column, the abyssal seafloor, and the hydrothermal vents of ocean ridges.

Senior Scientist Bob Weller is CICOR's first director. Six principal investigators have already been funded through CICOR and more proposals are pending.

—James Luyten, *Senior Associate Director and Director of Research*



Jay Shiner

CICOR will be a contributor to the international Argo Program, currently in the planning stages, intended to seed the world ocean with some 3,000 profiling floats (red dots) and approximate for the ocean the data gathering capabilities of the worldwide network of balloon-borne radiosondes that contribute to accurate three- to five-day weather forecasts.



The Applied Ocean Physics & Engineering (AOP&E) Department, with 156 staff members and 34 students, continues to make significant advances spanning diverse areas in ocean science, technology, and engineering research. In 1998, 44 principal investigators led 146 projects.

Ocean science research ranged from air-sea interaction and various mixing processes to sediment transport and benthic biology, and included acoustical oceanography, estuarine and coastal hydrodynamics, internal waves, and physical-biological interactions. In the technology category, AOP&E staff are developing a wide variety of ocean sensors, data acquisition systems, and telemetry systems. They continue to develop or enhance various sensor platforms, including bottom-mounted systems and moorings as well as submersible, autonomous, and remotely operated underwater vehicles. Engineering

research encompasses signal processing, underwater communication, autonomous vehicle control theory, image analysis, hydrodynamic modeling of vehicles and cables, dynamics of moorings, and fish propulsion.

Several department members were promoted this year, including Al Bradley and Chris von Alt to Principal Engineer, Roger Stokey to Senior Engineer, Dudley Foster and Andy Bowen to Research Specialist, and John Kemp to Senior Engineering Assistant II. Dan Lynch of Dartmouth College was appointed Adjunct Scientist to complement the department's research in coastal circulation processes. Ann Henry completed a 27-year association with the Institution, retiring as Department Administrator, and she was succeeded by Tom Nemmers.

AOP&E staff recognized in 1998 for their accomplishments include John Colosi and Dennis McGillicuddy, who were both

named Office of Naval Research Young Investigators, and Cheryl Ann Butman, who was awarded the Institution's Stanley W. Watson Chair. Senior Technical Staff awards went to Dan Frye and Barrie Walden for extraordinary accomplishments in engineering and instrument development as well as mentoring younger staff members. Andy Bowen, Jon Howland, Steve Lerner, and Dana Yoerger were commended in a letter from British Prime Minister Tony Blair to President Bill Clinton for their roles in the survey of the sunken bulk carrier *Derbyshire*. Lane Abrams received a 1998 Lucent Technologies Patent Recognition Award for work he did while employed by AT&T Bell Laboratories from 1986 to 1991, and Wade McGillis was named a fellow of the NOAA/University of Miami Cooperative Institute for Marine and Atmospheric Studies.

—Timothy K. Stanton, Department Chair


Modal Mapping in a Complex Shallow Water Environment

George V. Frisk, Senior Scientist

Sound propagation in shallow water is affected by a number of oceanographic features, such as fronts, internal waves, and surface gravity waves. However, the single most important factor influencing the complexity of the acoustic field in shallow water environments is the seabed, a multilayered structure that can support a variety of different wave types. The spatial variability of the bottom depth and subbottom composition is accentuated by the complicated geological processes that form the continental shelf and the coastal zone. High-resolution measurements of the sound field in shallow water are therefore of considerable interest because they can be used to infer these geoacoustic properties. Shallow water acoustics research is also a top priority for the modern Navy in its quest to conduct effective anti-submarine warfare in shallow water.

This complex shallow water environment is typically incorporated into our understanding of acoustic propagation through a method called "normal modes." In this approach, the sound field is described in terms of some number of natural modes of vibration whose properties are determined by the detailed nature of the sea surface, water column, and bottom. Specifically, the field is decomposed into a set of standing waves that are trapped between the surface

and the seabed and are analogous to the modes of a vibrating string. Each mode also has a radially propagating component that allows the sound to travel outward, sometimes to long ranges. The combination of the surface, water column, and bottom thus form a waveguide for the acoustic field. In situations where the properties of this waveguide vary



Experimental configuration for the Modal Mapping Experiment (MOMAX).

Jayne Doucette




slowly with range, the modes adapt to the local environment and are described by a technique known as “adiabatic mode theory.”

In an effort to increase our understanding of the intimate connection between the acoustic field and the complex shallow water environment, our group designed and carried out an experiment, sponsored by the Office of Naval Research, which is called the Modal Mapping Experiment (MOMAX). The experimental configuration is depicted in the figure opposite. A low-frequency sound source, suspended from an anchored or drifting ship, transmits several pure tones in the band 50 to 300 hertz to several freely drifting buoys out to ranges of about 10 kilometers. These buoys are similar to sonobuoys used by the Navy to detect submarines in that each one is equipped with a suspended hydrophone to receive the signals and a radio link to transmit the data back to the ship.

Unlike a typical sonobuoy, however, each MOMAX buoy also contains a Global Positioning System (GPS) antenna and receiver, and its position is also transmitted to the ship. These data, when combined with GPS positioning of the sound source, enable the creation of a local differential GPS

network that provides sub-meter accuracy in determining the position of the buoys relative to the source.

In this manner, high-resolution, two-dimensional measurements of the lateral variation in the sound field can be made. An example of the magnitude of the field measured on three buoys at 50 hertz in 70 meters of water off the New Jersey coast is shown in the figure at left and illustrates one type of “modal map” that can be generated. Because we also measure the low-frequency phase, the drifting buoys create two-dimensional, synthetic aperture horizontal arrays. These arrays can be steered to determine the strength of the sound field in different propagation directions, thereby providing information about the characteristic spatial frequencies of the normal modes and perhaps a method for inferring the source position and relative velocity. The evolution of the modal amplitudes and characteristic frequencies as a function of position provides another type of modal map that characterizes the waveguide. Knowledge of the modal evolution can ultimately be used to determine the three-dimensional acoustic properties of the seabed using inverse techniques.



Searching for the Ocean’s Carbon Dioxide Sink

Wade R. McGillis, Assistant Scientist

James B. Edson, Associate Scientist


Carbon dioxide (CO₂) and water vapor are the most important gases affecting the earth’s radiative balance. The radiative transfer properties of CO₂ permit short-wave radiation (sunlight) to pass through the atmosphere to warm the earth’s surface, but traps long-wave (infrared) radiation emitted from the heated planet that would otherwise be lost to space. Thus, the presence of CO₂ in the atmosphere provides us with a significantly warmer planet than if the earth had a CO₂-free atmosphere.

Human activity, including the burning of carbon-rich fuels such as coal, natural gas, and oil, adds CO₂ to the atmosphere. For this reason, atmospheric CO₂ levels are now higher than they have been for over 200,000 years. CO₂ released by human activity cycles naturally through three major earth systems: the atmosphere, the ocean, and the terrestrial biosphere, with about half residing in the atmosphere. One of the crucial questions is how these systems will respond over time to the large accumulation of CO₂ in the atmosphere, and, in particular, how the oceans and land take up CO₂, thereby functioning as sinks for the increasing atmospheric component.

Depending on the time of year, different regions of the ocean can be sources or sinks for atmospheric CO₂. On average, it is estimated that the ocean as a whole currently acts as a sink, taking up about 2 gigatons per year of the approximately 5.5 gigatons of carbon pro-

duced by industrial and agricultural activity each year. However, there is significant uncertainty in this estimate.

To improve future predictions of atmospheric CO₂ levels, we must understand the mechanisms controlling the rate at which CO₂ cycles among the atmosphere, ocean, and land. To investigate the exchange of CO₂ between the atmosphere and ocean, a large scale experiment



Inset shows WHOI-developed meteorological tools that were part of the instrumentation mounted on a bow tower for the GasEx98 cruise aboard the NOAA research vessel *Ronald H. Brown*.

called GasEx98 was conducted in the North Atlantic in June 1998. This experiment included researchers from WHOI, the National Oceanic and Atmospheric Administration (NOAA), the Bermuda Biological Station for Research, the University of Miami, the University of Washington, Bigelow Laboratory, the Lamont-Doherty Earth Observatory, and Laboratoire d'Océanographie Dynamique et de Climatologie.

WHOI's role in GasEx98 was to explore the feasibility of measuring air-sea CO_2 transfer directly, rather than relying on longer time scale measurements in the water column. This research was funded by the National Science Foundation. For one month, we studied a single warm-core eddy spun from the Gulf Stream and located at $46^\circ 6' \text{N}$, $20^\circ 55' \text{W}$. Because of an intense phytoplankton bloom in the sun-rich surface of the eddy, a large CO_2 sink was observed throughout the study period. During this time, we were then able to measure the air-sea flux (that is, the transfer rate of some quantity per unit area) of both CO_2 and dimethylsulfide (a tracer for CO_2) over a wide range of weather conditions that included two storms.


Almost all previous estimates of the CO_2 flux between air and sea have been made by indirect methods because it is very difficult to measure the air-sea CO_2 flux directly. During the GasEx98 experiment we were able, for the first time, to directly measure this CO_2 flux over the open ocean. This was accomplished by combining a technique known as the "direct covariance method" with improved instrumentation and additional techniques developed at WHOI.

The photo on page 5 shows some of the meteorological instruments we used on board the NOAA research vessel *Ronald H. Brown*. The flux of CO_2 into the ocean was quantified by measuring the vertical wind transport and the CO_2 concentrations simultaneously. So far, experiment results show that at low wind speeds our direct measurements agree with previous results found using indirect methods. At higher wind speeds, however, we found that the indirect methods underestimated CO_2 transfer velocities, and thus

the total uptake of atmospheric CO_2 by the ocean.

Based on GasEx98 field results, we have developed a new parameterization to help predict global ocean CO_2 sources and sinks. Our work has unveiled a new relationship between wind speed and gas exchange, where gas exchange can be approximated as the wind speed cubed. This relationship shows a weaker correlation of gas transfer at low wind speeds and a significantly stronger dependence on high wind speeds than has been suggested by previous relationships.

This relationship can be theoretically explained by the retardation



of gas transfer at low to intermediate winds by surfactants, soaplike substances that are ubiquitous in the world's oceans, and the enhancement of gas transfer at higher winds from bubble effects. The existence of a cubic relationship is also consistent with previous CO_2 estimates from bomb-produced carbon 14 methods. By applying our new relationship globally, using worldwide wind speeds and surface observations, the global annual CO_2 uptake can be estimated. The global figure shows that the ocean acts predominantly as a CO_2 sink in high latitudes and as a source in equatorial regions. This new formulation provides an estimate of global CO_2 uptake of around 2.2 gigatons of carbon per year, consistent with previous methods of estimation. This technique promises to provide extremely fine scale resolution of changes in air-sea gas flux behavior over time, which will aid in the determination of processes responsible for changes in ocean uptake of CO_2 .

GasEx98 collaborators include John Dacey and Jonathan Ware (WHOI), as well as Jeffrey Hare (University of Colorado), Christopher Fairall (NOAA/ETL), and Rik Wanninkhof (NOAA/AOML).

An Autonomous Workhorse for Oceanographic and Navy Needs

Roger P. Stokey, Senior Engineer

REMUS (Remote Environmental Measuring UnitS) are small autonomous underwater vehicles (AUVs) developed by the seven engineers of the Oceanographic Systems Laboratory (OSL). Once launched, a REMUS vehicle is entirely on its own and makes whatever decisions are necessary to successfully navigate the course it has been given. Complex missions may have more than 100 different legs and require the vehicle to change instrument settings as it swims and changes depth, on its own for as long as 10 hours.



The 5-foot REMUS and its traveling case.

REMUS was born of the needs of scientists operating the Long-term Ecosystem Observatory (LEO-15). The observatory's two permanent data-collecting nodes, located 15 meters under water and 5 miles off the coast of New Jersey, have been transmitting data to the Internet via fiber-optic cable for over two years. They are helping scientists understand coastal oceanographic processes such as upwelling and recurrent hypoxia (low oxygen) events that result in significant shellfish mortalities and consequent economic losses. However, while these nodes provide 24-hour-a-day pres-



ence, they are spatially fixed. It was the need to gather data over a wider geographic scale in response to episodic events detected via satellite and the LEO-15 nodes that prompted development of a mobile platform that became REMUS. To date, REMUS has operated at LEO-15 during two month-long periods in the summers of 1997 and 1998, completing missions as long as 36 miles and traveling as far as 17 miles offshore, while its handlers stayed ashore, monitoring its progress. The current, conductivity, temperature, depth, and other data it gathers are enabling scientists to understand the life cycles of these events.

Our goal has always been to make AUV deployment routine. However, autonomous vehicles are complex craft: The vehicle itself presents a myriad of design challenges such as acoustic navigation and vehicle control in addition to requirements of the individual instruments. However, the biggest impediment to efficiency is *us*—when managing this level of complexity, operators are more prone to mistakes than the vehicle. Consequently, we have developed a user interface designed to advise operators when they are doing something foolish or have forgotten something, to indicate whether the vehicle, if launched, will be able to complete its mission, and to provide guidance in diagnosing and correcting the problem when something is wrong.

An AUV is an expensive instrument, so creating an environment that gives operators the confidence to launch the vehicle, watch it disappear, and know that it will come back is crucial. We have designed systems to assist operators in all stages of deployment: mission planning, launch, operational phase, vehicle recovery, and data processing, display, and export to other applications.

This last step has proven particularly important. The ability to rapidly assess data allows time for more of it to be analyzed. REMUS generates an extraordinary amount of information, not only from the traditional oceanographic sensors it carries, but also from its routine engineering data, which can produce



A REMUS side-scan sonar image shows liberty ships scuttled in the 1970s to create an artificial reef near Gulfport, Mississippi.



The REMUS user interface screen allows operators "quick-look" access to vehicle operations and instrument data. The plot at upper right shows an unexpected temperature front.

surprising results. For example, while inspecting the signal-to-noise ratios of the vehicle's acoustic navigation system, we observed that there was better performance in shallow water at longer ranges from the source than in deeper water closer to the source. This is as if a theatergoer could hear more clearly from the back of the house as opposed to close by the stage. We are only beginning to investigate this phenomenon.

REMUS success in the scientific arena piqued the interest of the military. In World War II, the first marines landing at Tarawa in the Gilbert Islands had to wade ashore through 700 yards of withering machinegun fire because the Higgins landing craft ran aground on reefs whose depths aerial reconnaissance could not reveal. (Higher tides on the second day of the landing allowed the Higgins craft closer access.) Detailed surveys back then required sending a large advance team to scout potential landing areas, to determine water depths, and to probe for mines. More than 50 years later, the approach is fundamentally unchanged.

In September 1997, OSL demonstrated REMUS's hydrographic capabilities to the Naval Oceanographic Office during trials sponsored by the Office of Naval Research in the Gulf of Mexico. These tests clearly showed that small AUVs were capable of creating detailed images of the seafloor using sidescan sonar, as well as providing valuable hydrographic information, all while accurately navigating a preprogrammed path. Development of the REMUS concept for Naval Special Warfare (the Navy SEALs) was subsequently initiated. In the future, REMUS will give the military a covert means of obtaining accurate bathymetry and the location of mine fields and other underwater obstructions.

Thus REMUS offers a new, highly efficient method of collecting data that yields valuable insights in the coastal regime and also provides a new military tool that has changed the way the military views autonomous underwater vehicles and advanced by several years the schedule for integrating them into the Navy fleet.



Biology Department research covers a wide range of organisms from viruses and bacteria to algae, zooplankton, whales, and birds. We use an equally broad array of methods and approaches, including molecular biology; video microscopy and flow cytometry; acoustic, video, and net sampling; behavioral observations; and mathematical modeling and analysis.

In 1998 the department had 25 scientific staff, along with 7 Scientists Emeritus, 2 Oceanographers Emeritus, 15 Postdoctoral Scholars, Fellows, and Investigators, 14 technical staff, 33 Joint Program students, and 29 other support staff. During the year, the Scientific Staff pursued over 150 separate research projects, publishing about 69 scientific papers. We continue to show great strength in many subdisciplines such as ecology and physiology of bacteria and protozoa, bio-optical studies of phytoplankton, advanced optical and acoustic techniques for zooplankton distribution and behavior, and the ecology, behavior, and development of invertebrate larvae. Other areas of interest include mathematical analysis and computer modeling of life history, population dynamics and physical-biological interactions, toxicological and molecular

research on how pollution affects marine organisms, and acoustical, anatomical, and behavioral studies of whales and dolphins.

In the face of ever tighter Federal support for basic research in biological oceanography, our scientists have turned to increasingly diverse sources of support and new kinds of partnerships. We submitted a total of 100 proposals to all sources, and received full or partial funding for 46 percent of them, for a total of more than \$5 million in sponsored research in 1998. Leadership and participation by our staff in large national and international programs remains strong, including Joint Global Ocean Flux Study research in the Atlantic and Southern Oceans, the International Ridge Inter-Disciplinary Global Experiments and Larvae at Ridge Vents programs for hydrothermal vents, the Ecology and Oceanography of Harmful Algal Blooms program, and the US Global Ecosystems Dynamics Northwest Atlantic Program on Georges Bank, which is headquartered in the WHOI Biology Department.

The department and the entire community were saddened by the death in September of Holger Jannasch, a world-renowned pioneer in deep-sea microbiology. Holger par-

ticipated fully in an *Alvin* cruise in May, and continued working through much of the summer with his characteristic passion, thoroughness, and charm. He received the Bergey Award from the Bergey's Manual Trust in 1998 for long-term distinguished achievement in bacterial taxonomy.

We were fortunate to be able to appoint two new Assistant Scientists in 1998, Andreas Teske, working on bacteria from hydrothermal vents, and Ken Halanych, who applies molecular and classical techniques to problems of evolution and phylogeny in benthic invertebrates. During 1998, Jesús Pineda was promoted to Associate Scientist and Mark Dennett to Research Specialist. Retired Senior Scientist and former Department Chair Joel Goldman was appointed Scientist Emeritus, and George Hampson became the Department's second Oceanographer Emeritus. Senior Scientist David Caron was awarded the first Mary Sears Chair for Excellence in Oceanography, and Research Specialist Carl Wirsen received a WHOI Senior Technical Staff Award for his work in deep-sea microbiology.

—Laurence P. Madin, Department Chair


Larval Transport By Internal Tidal Bores

Jesús Pineda, Associate Scientist

New generations of bottom-dwelling coastal marine animals face a complication on their way to establishing new colonies. The early life stages of such organisms as clams, mussels, shrimp, and barnacles live suspended in the water, drifting at the mercy of ocean currents in a "larval phase" that generally lasts a few weeks. At the end of it, the larvae must find a suitable habitat where they can grow into adults and complete their life cycles.

Because ocean currents disperse the larvae far from their birthplaces, they may find themselves several miles offshore in deep water just when they are ready to settle in the shallow coastal water—a waste of larvae because they will not survive in this situation.

After several weeks suspended in the ocean, the probability of a larva returning to its birthplace must be minimal, and the abundance of the colonizers at a given site is uncoupled from the living conditions of the adults. A site with no natural enemies and rich in food may be vacant because currents do not bring larvae, or, on the other hand, a sub-optimal habitat with scarce food may contain a large number of organisms if currents bring many larvae. Knowledge of




Processes that influence the population abundance of coastal bottom-dwelling organisms, with a barnacle as example. The number of larvae is larger than the number of adults, as each adult produces a myriad of larvae. Larvae are often found offshore, and before they can settle successfully at the coast, several conditions must be fulfilled. In each case, the proportion of larvae moving to the next set of processes is smaller. Small changes in the proportion of larvae that pass from one step to the next can produce large population changes.

ocean currents that return the larvae to coastal habitats is therefore key to understanding the maintenance and dynamics of coastal species. Understanding larval transport is also important for managing fisheries and designing marine reserves. For example, it would be futile to preserve a coastal site that contains many adults if their larvae are all wasted because current circulation at that site carries all the larvae offshore.

Much of my research focuses on studying the various biological and physical phenomena involved in larval transport by internal tidal bores. When waves traveling at the surface of the ocean approach the beach, they “feel the bottom,” break, and produce

a surge of surf running upslope. Internal (subsurface) waves, which are also ubiquitous, but slower and much larger than surface waves, also break when they shoal, producing internal surf. Rather than propagating along the air-sea interface, internal waves propagate along the interfaces of layers of water of different temperature and salinity that are found in most oceans. These internal tidal bores or breaking internal waves often occur about every 12.4 or 24 hours.

Recent observations in California show that when internal tidal bores occur, parcels of water that may be several miles long and extend from the beach to about 2 miles offshore are fully replaced by offshore waters once or twice a day. This dramatic exchange of water brings larvae of coastal species shoreward and occurs in two phases. First, the large internal tidal bore transports vast masses of colder water found at depth towards the shore, displacing the nearshore



Schematic representation of an internal tidal bore front with observed circulation. Larvae of two species of barnacle and crabs accumulate at the front, but larvae of a moss animal (bryozoan) do not. All larvae occur offshore of the front, while most larvae found shoreward of the front belong to the bryozoan and one species of barnacle.

warmer water offshore. A few hours later, in the second phase, the heavier cold water recedes offshore, and is replaced by warmer offshore surface water. A front or line in the sea parallel to the shoreline marks the boundary between cold and warm water and leads the surface water in the second phase, with several other lines or slicks following shortly. The lines are created by currents that concentrate surface buoyant material, and, in the case of a front, the line contains a large concentration of floating debris, surf grass, and several species of larvae. Observations of these fronts revealed both striking patterns of circulation, capable

of concentrating buoyant material, and frontal accumulation of some species of larvae but not of others.

With funding from the National Science Foundation and WHOI's Rinehart Coastal Research Center, we are pursuing many questions related to internal tidal bores. They range from the effects of El Niño on this mechanism to its variability along the shore in sites separated by several tens of miles to the fine mechanics of the process of frontal accumulation (the latter in collaboration with Karl Helfrich of the Physical Oceanography Department) and the reasons why only some types of larvae accumulate in the fronts while others do not. Further study should also elucidate the physical effects and ecological consequences of internal tidal bores, a process with profound yet largely unexplored implications for coastal communities.

For more information, visit <http://mathecol.whoi.edu/~pineda/>


Evolution of Pathways for Chemical Sensing, Response, & Adaptation

Mark E. Hahn, Associate Scientist

All cells continuously sense their environment, looking for clues to changes in environmental conditions (such as light intensity and oxygen concentration) or chemical signals from other cells (such as hormones). These chemical and physical signals are detected by specific receptor proteins that initiate biochemical changes in the cell to “turn on” some response, such as gene transcription leading to protein synthesis. Scientists increasingly recognize that synthetic and natural chemicals present in the marine environment can interfere with signaling pathways, resulting in undesirable effects on cellular or organismal function (toxicity). Research at WHOI and elsewhere seeks to understand how these foreign chemicals disrupt physiological signaling pathways. In this research, the toxic chemicals also serve as valuable “molecular probes,” helping to

reveal the normal functioning of the pathways.

In my laboratory, we use comparative studies of a variety of organisms to unravel the evolutionary history of the biochemical pathways through which animals detect and respond and adapt to chemical exposure. In addition to providing a basic understanding of chemical-biological interactions, this information helps us predict the sensitivity of particular groups of organisms to specific classes of chemicals. We focus on the class of halogenated aromatic hydrocarbons that includes the chemical “dioxin” (2,3,7,8-tetrachlorodibenzo-*p*-dioxin) and certain polychlorinated biphenyls (PCBs). We are using dioxins and related chemicals to investigate the comparative biochemistry and evolutionary history of a family of signaling proteins—the PAS protein family—and their roles in environmental sensing. The PAS family includes proteins involved in such processes as neural development, the



Phylogenetic tree of the PAS family of genes involved in environmental sensing and responses. The tree, which illustrates the evolutionary relationships among these genes, was inferred by phylogenetic analysis of amino acid sequences of the corresponding proteins. PAS genes that occur singly in invertebrate animals are shown in red. PAS genes occurring as multiple forms in mammals, fish, or other vertebrate animals are shown in green. Phytochromes are plant PAS proteins involved in light sensing. Arrow 1 indicates the position of the vertebrate/invertebrate divergence. Arrow 2 indicates the gene duplications occurring early in the vertebrate lineage that gave rise to the multiple forms of PAS genes in vertebrates.

Fritz Hilde

receptor in an organism or cell confers sensitivity to dioxins and dioxinlike compounds.

With funding from the National Institute of Environmental Health Sciences and the Oliver S. and Jennie R. Donaldson Charitable Trust, we are examining the evolutionary origin of the PAS gene family, the AHR, and dioxin responsiveness in animals. Our studies focus on living representatives of the earliest evolving groups of vertebrate animals (those with backbones): bony fish, cartilaginous fish, and jawless fish. Recently, we identified AHR genes and determined the sequence of the proteins they encode in the bony fish called mummichog (or killifish), the cartilaginous dogfish and skate, and the jawless sea lamprey, a descendent of the earliest vertebrate animals. These findings indicate that the AHR has existed in its present form for at least 450 million years and may serve an important function in vertebrate animals.

Our studies of the mummichog AHR have a second purpose: to understand the molecular basis of dioxin resistance we have found in a population of these fish inhabiting New Bedford Harbor, MA, a federal Superfund site that is highly contaminated with PCBs and

control of biological clocks, and adaptive responses to hypoxia (lack of oxygen), changes in light intensity, and the presence of small molecules such as dioxin.


Dioxin has gained a reputation as the most toxic synthetic chemical known, in part because it is so persistent, both in the environment and in cells. The extreme toxicity of dioxin is also a result of its strong and specific interaction with a receptor protein known as the aryl hydrocarbon receptor (AHR). Unlike the situation for most receptors, we do not know the normal function of the AHR. We do know that the presence of this

other dioxinlike compounds. In the course of these studies we discovered a second form of the AHR (AHR2) in mummichogs. Both AHR forms are able to interact with dioxins, suggesting that both are functional. We hypothesize that changes in the function of either or both AHR forms in the New Bedford fish could explain the dioxin resistance of this population. We are testing this hypothesis in studies supported by the Superfund Basic Research Program.

This novel AHR form is not unique to mummichogs. We have now found an AHR2 in other fish, including cartilaginous fish such as dogfish, and we are searching for it in other vertebrate animals, including humans. The widespread occurrence of this second AHR in fish suggests that the mechanism of dioxin action may be quite complicated.

To understand how the two AHR proteins are related to each other and to other members of the PAS protein family, and how this family evolved, we conducted a phylogenetic analysis using the amino acid sequences of all known PAS proteins. (In phylogenetic analyses, computer programs attempt to reconstruct the evolutionary history of species or genes by grouping them based on their similarity. That inferred history can be displayed as an evolutionary tree.) The results of this analysis showed a common pattern of evolution. Most PAS proteins (and the genes that encode them) exist as single forms in invertebrate animals. However, in fish, mammals, and other vertebrates, each PAS protein exists in multiple forms. The generation of these multiple forms can be traced back to the earliest vertebrate groups, in which two rounds of extensive gene duplication occurred. This “duplication and divergence” within gene families is a common theme within the vertebrate lineage, and is thought to be responsible for some of the complex anatomical, physiological, and biochemical traits that exist in this group.

Our findings on the phylogenetic distribution of the AHR suggest that the biochemical machinery underlying dioxin responsiveness first evolved in early vertebrates. This knowledge can be used to predict which species or animal groups may be most sensitive to these chemicals. Ultimately, it may provide clues to the origin and normal function of the dioxin receptor and suggest ways in which dioxins interfere with this function to cause toxicity in marine animals, as well as in humans.



Hypothetical scheme illustrating the gene duplications that led to the expansion and diversification of the PAS gene family early in vertebrate evolution. AHR1 is the aryl hydrocarbon receptor involved in the response to dioxins. AHR2 is a novel form of this receptor in fish, first identified in the author's laboratory. AhRR is an AHR-related gene that inhibits the response to dioxins. The HIF genes encode proteins that mediate the adaptive response of cells to low oxygen (hypoxia).

Fritz Hilde



Carin Ashjian

View of the Surface Heat Exchange of the Arctic Ocean (SHEBA) ice camp from the bridge of *Des Groseilliers* in May 1998, prior to the onset of the melt season. The biology labs, located in the blue containers directly off the bow of the ship, included water baths to conduct experiments at ambient temperatures, a winch equipped with 3,500 meters of Kevlar cable, a 4-foot-square hydro hole in the ice for sampling, and space for microscope work and chemical analyses. Though on this date a large lead separated the biology labs and the ship from the rest of the ice camp, the lead subsequently closed, reuniting the camp.

Ice Camp Research Examines Zooplankton Adaptation

Carin J. Ashjian, Assistant Scientist

Extreme Arctic environmental variations—from winter's total darkness, extreme cold, and complete ice cover to summer's milder temperatures, partial ice melt, and penetration of light to the upper water column—profoundly influence the biology of far northern seas. These conditions also limit biologists' ability to study marine life adaptations to Arctic conditions.

The perception of the Arctic Ocean as largely a biological desert was called into question by measurements taken in 1994 during a cruise across the Arctic Ocean aboard US Coast Guard vessel *Polar Sea*. Their work documented zooplankton biomass eight to ten times greater than previously observed. Recently, the National Science Foundation (NSF) provided a group of marine biologists an unprecedented opportunity for further examination of Arctic Ocean biology during extended periods at an ice camp established in conjunction with the

NSF/Office of Naval Research-funded Surface Heat Exchange of the Arctic Ocean (SHEBA) project. The Canadian Coast Guard ship *Des Groseilliers* was frozen into the ice pack from October 1997 to October 1998 to serve as base for SHEBA investigators. Surrounding tents, huts, and containers provided on-ice laboratory space and instrument support.

SHEBA allowed us to conduct a year-long study of abundances and vertical distributions and migration patterns (both seasonal and daily) of zooplankton populations and vital rates of four target copepod species (*Calanus glacialis*, *Calanus hyperboreus*, *Metridia longa*, and *Oithona species*) in the upper 500 meters of the Arctic Ocean. Because of the difficult access to the Arctic Ocean, there have been few studies conducted over an annual cycle.

My immediate collaborators were Robert Campbell (University of Rhode Island) and Charles Flagg (Brookhaven National Laboratory). Significant col-



An example of an adult female of the large Arctic copepod *Calanus hyperboreus*.



Carin Ashjian

Canadian Coast Guard vessel *Des Groseilliers*, viewed from the on-ice biology lab, in May 1998.

laboration with many other US and Canadian investigators was critical to the project's success. We spent approximately 14 weeks working at the facility, traveling to the ice camp four times (in October 1997 and February-March, May, and June-August 1998). Our objectives were to determine whether Arctic Ocean zooplankton are more productive than previously believed, whether populations of the dominant Arctic Ocean copepod species originate from in situ reproduction or immigrate from marginal shelf regions, and whether dominant copepod species undergo both diel (timed to the daily light cycle) and seasonal vertical migration.


We used nets to collect live samples and assess population density and acoustic Doppler profilers to examine daily and seasonal changes in vertical distribution from backscatter profiles, and we conducted experiments to determine the timing and magnitude of egg production, assess growth, and measure respiration rates, RNA/DNA ratio (an indicator of the vital rates of copepods), and changes in carbon content of selected copepod species. Our group conducted some of the first growth experiments ever attempted with Arctic Ocean copepods.

Much of our research focused on the key processes of the biomass-dominant Arctic ocean copepods *Calanus glacialis* and *Calanus hyperboreus*. These animals tolerate the Arctic winter darkness and absence of food with a sort of hibernation adaptation in which much of the population overwinters at depths of 200 meters or greater, utilizing stored lipid (fat) reserves and functioning at a much reduced metabolic rate, and migrate seasonally into the upper portion of the water column to feed during the summer.

Our preliminary results are exciting. We demonstrated that active reproduction of these copepod species was occurring in the Arctic Ocean; whether recruitment was sufficient to permit populations to be self-sustaining remains to be determined after consideration of population abundances. The timing of reproduction for the two *Calanus* species differed, with *Calanus hyperboreus* beginning reproduction in February, at depth, and *Calanus glacialis* initiating repro-

duction later in the year while in the upper water column. Diel vertical migration was evident in backscatter intensities from acoustic Doppler current profilers; the persistence of this phenomenon and whether it existed during periods of complete daylight is presently being analyzed. Total zooplankton standing stock during the summer was of the same order of magnitude or greater than that observed in 1994, confirming our hypothesis that zooplankton biomass in the Arctic Ocean is of greater magnitude than previously believed.

At SHEBA, biologists obtained a data set of unprecedented quality and extent that will help us gain a better understanding of the functioning of the Arctic ecosystem and the cycling and regeneration of carbon in this region. The Arctic Ocean is potentially of import to global climate and carbon cycles, and our work supports a revised paradigm regarding the production of the Arctic Ocean.



Some preliminary Arctic biology results. *Upper Panel:* Zooplankton biomass in the upper 100 meters of the water column. Note elevation of biomass during summer months as a result both of seasonal upwards migration of *Calanus* populations and in situ production. Onset of water column primary production also is noted. *Lower Panel:* Timing of reproduction for the copepod species *Calanus glacialis* and *C. hyperboreus*. Note that *Calanus hyperboreus* reproduces prior to the productive season while *Calanus glacialis* times its reproduction to coincide with primary production.



Three new appointments were made to the G&G resident Scientific Staff in 1998. Susan Humphris, a 1977 graduate of the MIT/WHOI Joint Program in Oceanography, was appointed as a Senior Scientist. Susan, who studies the petrology and geochemistry of deep-sea hydrothermal vent systems, previously served as the Dean of the Sea Education Association and, more recently, as a member of the WHOI Technical Staff. She just completed a two-year tenure as the Chair of the JOIDES Science Committee (SCICOM) for the Ocean Drilling Program while the committee's office was located at WHOI. Karen Bice, a recent Ph.D. from Penn State University who works with numerical modes of the climate system to study earth climate history, joined the paleoceanography research group as an Assistant Scientist. Jerry McManus was named Assistant Scientist upon completion of an 18-month appointment as a WHOI Postdoctoral Scholar. Jerry studies the climate history of the earth as it is revealed in deep-sea sediments. With the departure of two Assistant Scientists, Tracy

Gregg and Yang Shen, the resident Scientific Staff stands at 32.

The department submitted 129 research proposals during 1998, mostly to federal agencies. There were 58 active awards during 1998 for a total of \$12.7 million in funding. This research resulted in more than 82 scientific publications in peer-reviewed journals. As part of our diverse research programs, the department participated in 23 research cruises. Senior Scientist Alan Chave led one noteworthy cruise, to establish one of the first seafloor observatories, using an abandoned telephone cable that connected Hawaii with the continental United States. The WHOI team developed a junction box to serve as the interface between the cable and seafloor instrumentation. In collaboration with researchers from the University of Hawaii, a permanent seafloor seismometer was deployed at the site. Other research at sea included Research Associate John Collins's deployment of a broadband seismometer as part of the Ocean Seismic Network pilot experiment in the Pacific, and

Associate Scientist Delia Oppo's sediment coring cruise off the southeast Brazil margin.

This was an excellent year for awards in the department, led by the remarkable recognition of Senior Scientist John Hayes's research career. John was awarded the Treibs Medal of the Geochemistry Society and elected both to the National Academy of Sciences and as a Fellow of the American Academy of Arts and Sciences. Scientist Emeritus Dick von Herzen received the 1998 Maurice Ewing Medal of the American Geophysical Union, and Associate Scientist Debbie Smith was named the Green Foundation for Earth Sciences Scholar at Scripps Institution of Oceanography, where she spent three months visiting in early 1998. In addition, Senior Scientist Brian Tucholke and Associate Scientist Jian Lin were honored by the Office of Naval Research (ONR) when their paper on slow spreading ridges was named as one of the most significant papers supported by ONR, in celebration of ONR's 50th anniversary.

—William B. Curry, Department Chair


Investigating Continental Breakup in the South China Sea

Peter Clift, Assistant Scientist

Studies of plate tectonics over the last 30 years show that modern ocean basins formed as a result of the rifting and breakup of large continental masses, culminating in the initiation of seafloor spreading. Although this spreading process is now quite well understood, the events that led up to it are only poorly documented. The rifted margins of the Atlantic, for example, are blanketed by sediments that locally exceed 12 kilometers thick, making it difficult to study sediments deposited early in the process of continental separation. This gap in understanding of the plate tectonic model is significant not only academically but also economically because there is the prospect of significant mineral reserves, most notably petroleum, on the continental shelf and slope.

With funding from the Office of Naval Research and the National Science Foundation, Associate Scientist Jian Lin and I are examining the nature of continental breakup during formation of the South China Sea. This area is ideal for such work because it dates only to about 30 million years ago, compared to some 120 million years ago for the central Atlantic, and, conse-


quently, the early sediments are not deeply buried. We use both academic data sources from the deeper part of the continental slope and petroleum industry seismic and drilling data, released to us by BP Exploration plc and the Chinese National Offshore Oil Company in order to determine how the continental crust extends prior to seafloor spreading.



- 6-0 Million Years Ago
- 12-6 Million Years Ago
- 24-12 Million Years Ago
- 30-24 Million Years Ago
- Syn-rift sediment (45-30 Million Years Ago)
- Basement

Interpreted cross section through the South China continental shelf. Note the deep sediment-filled basins caused by extension.

Competing models suggest that the continental crust behaves in one of two ways when placed in tension. One possibility is that the crust and upper mantle may deform in a plastic fashion, much like a bar of toffee bends, with the same amount of extension at different



Landsat image of the Pearl River mouth, source of most of the sediment on the margin. Sediment is eroded from China and East Tibet.

depths, albeit more brittle at shallow levels and more ductile at great depth. Alternatively, the crust may be torn apart along shallow-dipping fault surfaces, like those first recognized in the Basin and Range of the western US, resulting in more shallow extension in one place and deeper extension in another. The end product of this style of extension is that opposing continental margins are not mirror images, but rather some show more crustal extension and others more mantle extension. The density and buoyancy differences between crust and mantle allow us to resolve competing models by studying vertical continental shelf motions recorded in sediments that underlie the modern slope.

On the South China continental shelf we have found that upper crustal extension is small, while mantle extension is large. Intriguing evidence suggests that the lower crust may extend even more than the mantle, behaving as a soft ductile layer during extension. This implies that neither of the two extension models may apply to the continental margins. Final resolution of the problem involves ongoing work on the opposing continental margins, off Borneo and Palawan. We will determine if the lower crust missing from under South China is present on the opposite side of the basin or if the two margins behave in similar fashions. If this latter scenario is confirmed, this work will demonstrate that the transition from continental extension to seafloor spreading is not simply an extension of processes that generate continental sedimentary basins, but a whole new regime of crustal deformation.

Can the Southern Ocean Biological Pump Regulate Earth's Climate?

Susumu Honjo, Senior Scientist

Extensive use of fossil fuels has increased levels of carbon dioxide (CO₂) in the atmosphere by more than 30 percent since the Industrial Revolution. The buildup of this heat-trapping gas threatens to cause a "greenhouse effect" that could raise global temperatures. Recent climate abnormalities are partially the result of this rapid accumulation of atmospheric CO₂.

But not all the CO₂ sent into the atmosphere by smokestacks and exhaust pipes remains there. Some is absorbed by the ocean, land plants, and soil. These could provide "sinks" for the excess CO₂ that might alleviate any potential greenhouse effect.

The excess CO₂ may be large enough to change the world's climate, but it is still small compared to all the carbon stored over billions of years throughout the earth system. Thus tracking precisely where industrial gases end up is like searching for a needle in a haystack. Despite ardent efforts by scientists, the best estimates to determine the fate of CO₂ remain unclear.


Deep and vast, the oceans could provide the most effective "sink." Colder seawater

absorbs CO₂ directly, but the primary mechanism by which the ocean takes up CO₂ is the "biological pump." It starts when marine plankton in sun-drenched surface waters convert dissolved CO₂ via photosynthesis into organic matter containing carbon. When the plankton are consumed or die, carbon-containing particles sink to great ocean

depths. This process not only supports ecosystems throughout the water column, it also results in the removal of CO₂ from the air and its transport to the abyss. The ocean's carbon cycle involves physics, chemistry, and biology, and is one of the most complex systems operating on Earth.

The NSF-supported US-Joint Ocean Flux Study (JGOFS) is a major interdisciplinary program designed to improve understanding of the carbon cycle in the world ocean. Since the 1980s, US and international scientists have collaborated to study this important cycle in several critical regions, including the North Atlantic, the equatorial Pacific, and the Arabian Sea.

WHOI has participated in all of these programs to measure the rate at which the biological pump process removes carbon



Jayne Doucet

from the upper ocean for very long-term storage in the deep ocean.

The last JGOFS ocean program, the Antarctic Environmental Southern Ocean Process Study (AESOPS), was mounted in the southern ocean around Antarctica, with WHOI scientists and a team from Oregon State University participating. From February to April 1988, we worked aboard RVIB *Nathaniel B. Palmer*, NSF's state-of-the-art research icebreaker, to recover an array of seven large moorings set to catch the rain of carbon particles that fall through the southern ocean. The moorings were set along longitude 170°W, from the Ross Sea to a point south of New Zealand. This *Palmer* cruise completed 15 years of US-JGOFS cruises studying ocean processes. [Editor's Note: Author Sus Honjo served as chief scientist for both the first US-JGOFS cruise aboard R/V *Atlantis II* from Madeira to Iceland in 1989 and this last JGOFS cruise in Antarctica.]


The 1998 AESOPS voyage produced very exciting and useful results. The southern ocean had long been regarded as the marine equivalent of a desert, but we have learned from this investigation that the biological pump there is vigorously working at transferring CO₂ from the air to the deep ocean sink. This active biological pump is probably the most efficient one known. It operates within the Antarctic Polar Front Zone (APFZ), an oceanic boundary where warmer waters moving south meet cold Antarctic waters. The APFZ encircles Antarctica and is twice as large as the Mediterranean Sea. The primary operators of the biological pump are plant plankton called diatoms, which use both organic carbon and silicate (SiO₂) to make their shells. These diatoms overwhelmed the more commonly found coccolithophorids that secrete calcium carbonate (CaCO₃) for their shells. Thus, the diatom-rich APFZ appears to constitute a biogeochemical province independent of the rest of the world ocean.

To our surprise, we also dispelled the notion that CaCO₃ was not produced extensively in the southern ocean, as was previously believed. Unlike in any other

ocean, CaCO₃ was produced in the southern ocean by pteropods, small planktonic snails. We also found another factor that significantly affected the flux of carbon through the water column: very strong stratification of water layers in the mixed ice zone (such as the dichothermal layer with -1.8°C temperatures).

Perhaps the most exciting outcome of our AESOPS cruise was a better method to pursue the trail of carbon in the southern ocean—knowledge that can be applied to the rest of the world ocean. While Stephaney Rubin and other scientists at the Lamont-Doherty Earth Observatory measured the net amount of CO₂ withdrawn from the atmosphere to the surface ocean, Sus Honjo, Fred Sayles, and other WHOI scientists measured the amount of carbon molecules settling through the water column and sinking to the seafloor (see Fred Sayles's article on page 17). We then established a relationship between the rates of CO₂/carbon sequestered at the euphotic layer and the fluxes of carbon particles in water column and at the seafloor. This has given us a more comprehensive picture of the biological pump in the southern ocean, which our preliminary calculations show is indeed a major sink of atmospheric CO₂ on this planet.

This important advance in understanding the ocean's carbon cycle will allow us to make more reliable determinations of the fate of fossil CO₂ and its effects on the global environment.



1997–1998 research indicated where and how carbon dioxide (CO₂) may be stored in the highly productive southern ocean by the “biological pump.” Carbon molecules in CO₂ are sequestered by photosynthesis to the euphotic layer of the Antarctic Polar Frontal Zone along 170°W at the rate of 15 grams per square meter per year. However, only about 1.9 to 2.3 grams of that total settles as particles at depths of 1 kilometer. These carbon particles keep sinking without dissolving into CO₂ and settle on the deep seafloor, which acts as a “sink” for excess CO₂, a greenhouse gas. The remaining 13 grams of carbon is consumed by zooplankton and bacteria and reconverted to dissolved CO₂. In contrast to most oceans, a large amount of dissolved CO₂ may be stored in cold intermediate water layers of the southern ocean, thus serving as another type of CO₂ sink.

At the end of 1998, the Department of Marine Chemistry and Geochemistry (MC&G) consisted of 18 scientific staff, 19 technical staff, 17 graded and administrative staff, and 11 people with postdoctoral appointments, all working on a total of well over 100 funded research projects. In addition, there were 14 MIT/WHOI Joint Program students, more than half of them in residence at Woods Hole.

Research in the department includes a broad spectrum of topics related to global climate change, biogeochemical cycles, ocean circulation, remote sensing of the ocean, environmental quality, trace metals, radioactive contamination, organic geochemistry, marine aerosols, photochemistry, sediment diagenesis, geochronology, and the geochemistry of seafloor hydrothermal systems. Common themes in much of MC&G research are quantifica-

tion of the exchanges of material across the ocean's boundaries with air, land, and oceanic crust; identification of the materials added to the ocean; and characterization of the processes by which the ocean assimilates materials. Many projects associated with large national and international programs, such as the Joint Global Ocean Flux Study (whose national administrative office is presently housed in the department), the World Ocean Circulation Experiment, the Earth Observing System, Ridge Inter-Disciplinary Global Experiments, and the Ocean Drilling Program.

In 1998 there were a number of personnel changes: Dan Repeta was promoted to Senior Scientist, Meg Tivey and Tim Eglinton were promoted to Associate Scientist with Tenure, Maureen Conte was promoted to Associate Scientist, and Eric Hintza was appointed Assistant Scientist. The de-

partment bid farewell and best wishes to Bill Jenkins who took a position at the University of Southampton (UK). Ken Buesseler returned to the department after a two-year absence to serve as a National Science Foundation program manager.

Several prestigious awards came to members of the department during the year. Senior Scientist Fred Sayles was elected a Fellow of the American Geophysical Union. Tim Eglinton was given best paper award, and Silvio Pantoya best student paper award, by the Organic Geochemistry Division of the Geochemical Society, and Joint Program student Ann Pearson received an Outstanding Student Paper award at the 1998 spring meeting of the American Geophysical Union.


—Mark D. Kurz, *Department Chair*
(as of March 1999)

Tracking Dissolved Carbon from Surface to Deep Ocean

Daniel J. Repeta, Senior Scientist

Organic carbon is the currency of marine life. Each year, marine phytoplankton living in the sunlit layer of the ocean fix about 60 billion tons of carbon dioxide into organic carbon through the process of photosynthesis. This organic carbon is consumed by herbivorous grazers and bacteria and respired back to carbon dioxide. The cycling of carbon between carbon dioxide and organic carbon in the ocean shares many features with the more familiar carbon cycle on land. Annually, marine and land plants each fix about the same amount of carbon dioxide into organic matter, and the mass of carbon stored on land and in the sea is also about the same.

There are, however, important differences as well. Most terrestrial organic matter is stored in plants, which live on average for several decades. In the sea, photosynthesis is carried out by microalgae, which live for only a few days. The standing stock of algal carbon is relatively small, and only about 3 to 5 percent of the total organic carbon in seawater is in phytoplankton and other living biomass. The remaining 95 to 97 percent of marine organic carbon is nonliving organic



matter that is dissolved in the seawater. Atmospheric carbon dioxide is fixed by marine plants into organic carbon and largely cycled in the upper ocean. A small amount of carbon is exported to the deep sea by sinking particles, thought to dissolve at depth. This process may inject new carbon, which would sustain bacteria, into the deep sea. Radiocarbon measurements on specific fractions of deep sea dissolved organic carbon will help to quantify this cycle.

matter that is dissolved in the seawater.

For decades, marine chemists have puzzled over the problem of dissolved organic matter (DOM). Though DOM is one of Earth's major storage reservoirs of carbon, we do not know its source, why it accumulates in seawater, or how it is ultimately removed from the ocean. Much of the problem rests in our inability to sample and characterize DOM. Although the DOM inventory is very large, its concentration in seawater is very low, and isolating it from seawater in the presence of high salt concentrations has proved to be a formidable challenge.


Using techniques developed for the biotechnology industry, Joint Program student Lihini Aluwihare, Postdoctoral Fellow Silvio Pantoya, and I have been working to characterize DOM chemically in seawater and to study its production and fate. When we began our project, it was widely believed that marine DOM was the soluble waste product of the global carbon cycle: Organic matter added to seawater from rivers, marine photosynthesis, and grazing would react with sunlight and particles and be converted into structurally complex and biologically inert macromolecules. From this perspective, DOM was thought to be a very

complex mixture of organic compounds with no well-defined chemical characteristics.

However, as we began to chemically characterize DOM, two features immediately became apparent. First, DOM is compositionally simple, made up largely of carbohydrates and acetate, and second, this composition does not vary from place to place in the ocean (figure opposite)—wherever we sampled DOM, its composition was the same. These observations suggested that DOM might have a direct biological source. To test this hypothesis, we analyzed the DOM from cultures of marine algae, and in many cases we were able to isolate DOM very similar in chemical characteristics to seawater DOM. For reasons we do not yet understand, this organic matter, which we call acylpolysaccharide (APS), is resistant to microbial degradation and therefore accumulates in seawater.

What is perhaps even more surprising is that most APS resides in the deep sea, far removed from its source in the euphotic zone. Two mechanisms could supply deep sea APS. Acylpolysaccharides could survive degradation in the surface ocean and be transported into the abyss as deep water forms at high latitudes. Alternatively, APS could be supplied by rapidly sinking large particles that dissolve as they settle to the seafloor. It is the dissolution of large sinking particles that particularly intrigues us. This mechanism may inject into the deep sea fresh organic matter that supports bacterial activity and other deep sea biological processes. It may further provide a route by which carbon fixed in the upper ocean could be rapidly removed and stored in the deep sea.

The two mechanisms for adding APS to the deep sea can be distinguished by their radiocarbon content. If APS is added during water mass formation, we expect it to have the same radiocarbon age as dissolved carbon dioxide. We also expect a significant radiocarbon age



The nuclear magnetic resonance spectrum of high molecular weight dissolved organic matter in seawater (above). The spectrum suggests a relatively simple chemical composition of carbohydrates, acetate, and lipid. The spectrum is consistent with a direct biological source for DOM. Detailed analysis of the carbohydrate component reveals an unusually complex mixture of simple sugars (above right), which may provide some protection from microbiological degradation.

difference, about 1,000 years, between the deep Atlantic and Pacific Oceans; this is the period of time it takes for deep seawater to move between the two basins. If APS is injected by large particles, then it should have a modern radiocarbon age equal to surface water carbon dioxide, and there should be no age difference between the deep Atlantic and Pacific basins. Radiocarbon analysis of APS is a difficult undertaking, and it will be several years before our study is complete.

However, preliminary results from APS collected in the deep Pacific Ocean show it does indeed have a modern radiocarbon age equal to surface water carbon dioxide. If this result is confirmed by future analyses, it suggests there is an important, previously unknown pathway in the ocean carbon cycle that directly links organic matter production in the upper ocean with carbon accumulation and removal in the deep ocean.

Studying Seafloor Chemistry Down Under—Way Down Under

Frederick L. Sayles, Senior Scientist

The waters around Antarctica, commonly called the “southern ocean” by oceanographers, constitute nearly 20 percent of the global ocean. This area is of particular interest because, perhaps more than in any other major oceanographic system, processes regulating carbon fluxes are susceptible to perturbation by global warming. Despite its central and sensitive role in the ocean-atmosphere system, the southern ocean is one of the least studied areas of the world ocean. This is largely due to its remoteness and its well deserved reputation as the roughest ocean in the world. However, its importance in global climate has led to increased efforts to study it.

In February 1998, we participated in the Antarctic Environment and Southern Ocean Process Study (AESOPS), a large interdisciplinary National Science Foundation research effort that seeks to define southern ocean carbon fluxes within the context of the global carbon cycle. Our goal was to study reactions occurring on the seafloor and in the sediments as they affect the preservation and recycling of biogenic debris settling into the deep ocean. Our research on reaction and burial of material on the seafloor was closely coupled to studies



Scientists and crew land the WHIMP aboard NSF's research vessel/ice-breaker *Nathaniel B. Palmer* during a rare calm day in the southern ocean.




Joanne Couillard

Fred Sayles, right, and Larry Costello, prepare a stripped WHIMP for loading aboard *Palmer* from the ice pier at McMurdo Station. The AESOPS group found that summer in Antarctica brings both 24 hours of “sun” and daily snow.

of vertical sediment fluxes led by Sus Honjo (WHOI—see article on page 14) and Jack Dymond (Oregon State). By linking these studies, we can construct a mass balance of material supplied to the seafloor (sediment fluxes), material reacting on the seafloor (and hence recycled back into the ocean), and material being incorporated into the sediments and buried (and thus isolated from the ocean-atmosphere system for hundreds of millions of years).

The materials of particular interest to us include biogenic silica, alkalinity and total carbon dioxide, and the nutrient nitrate. Silica is essential for the growth of *siliceous* organisms in the surface waters and is released on the seafloor by the dissolution of their skeletons. Alkalinity and total carbon dioxide measurements permit us to determine and separate the recycling of organic carbon and carbonate (inorganic carbon) derived from calcium carbonate, the skeletal material of *calcareous* plankton “raining” to the seafloor. Nitrate, essential for the growth of all organisms in the surface waters, originates in the breakdown of particulate organic material. The partitioning between recycling and burial of these compounds determines the fertility of the waters when they later upwell from the deep ocean on time scales of hundreds of years.


We focus on pore waters (water between solid grains of sediment) just below the water/sediment interface because they accumulate products of recycling reactions. Most of these reactions occur in the



Data sets like these, which show the concentration-depth relationships for alkalinity (a key carbon component) and silica (from dissolution of the skeletons of the dominant Antarctic plankton), provide the basis for studying the recycling of materials at the seafloor. Dissolution rates are derived from the chemical gradients at the sediment/water interface.

upper 10 centimeters of sediment, including important ones with a depth scale of only 1 or 2 centimeters. Additional reactions that can occur in sediments being transferred thousands of meters to the surface ocean during recovery may drastically alter the concentration of materials of interest, so it is necessary to collect our pore water samples on the seafloor. We also need short, undisturbed, upper-sediment cores in order to determine burial rates for calcium carbonate, organic carbon, and other components and products of the deep sea system.

In order to collect these samples, we use a tripod sampler known as WHIMP (Woods Hole Interstitial Marine Probe). It has evolved over many years, ironically growing larger and larger as our studies of reactions indicated the need to sample closer and closer to the seawater/sediment interface. It is now a 2,500-pound, 10-foot-tall instrument (see photos) designed to make millimeter-scale measurements! Launching and retrieving it in rough southern ocean seas was indeed a challenge.



Dissolution rate estimates like those in the figure at the top of the page for each station visited are compared with the delivery rate for particulate silica to the seafloor as measured in Sus Honjo’s sediment traps to yield conclusions about the origin of the southern ocean’s siliceous sediments. The 7B sediment trap was in the Ross Sea, and M2 was the northernmost mooring of the transect.

We are in the first stages of interpreting the southern ocean data. Using our estimates of fluxes across the sediment-water interface derived from profiles such as the figure opposite top (silica content of pore waters), we can make an initial comparison between recycling rates and the particulate delivery rates determined with sediment traps. The figure opposite below compares the two fluxes for biogenic silica. The data suggest that the two fluxes are nearly in balance, that is, the particulate rain of silica is effectively recycled, and there is little accumulation. This is somewhat surprising in that the sediments of much of the southern ocean are largely (80 to 90 percent) biogenic silica. Numerous previous explanations of the high silica content called upon an unusually high preservation (burial) rate. Our data run


directly counter to this and require little present day accumulation. Either conditions have changed over the past few thousand years, or the dominance of silica reflects a dearth of other components and the slow accumulation of a small fraction of the sedimenting silica. A first look at other AESOPS cruise data indicates that, unlike other biogenic components and other areas of the world ocean, a large fraction of the organic carbon reaching the southern ocean seafloor is rapidly recycled at the sediment-water interface, which requires reaction rates much higher than those observed elsewhere.

During 1999, we expect to refine these initial estimates and to place quantitative constraints on the roles of recycling and burial in this important ocean.

Time-Series Measurements At Seafloor Vent Sites

Margaret Kingston Tivey, Associate Scientist

Seafloor hydrothermal vents located along Earth's mid-ocean ridges are the surface manifestation of dynamic hydrologic systems operating within the upper few kilometers of very young oceanic crust. Temperatures of venting fluids range from near ambient (about 2°C) to greater than 350°C, and the fluids are acidic and metal- and sulfide-rich as well as magnesium- and sulfate-poor relative to seawater. These hydrothermal systems play key roles in global heat budgets, geochemical balances, and modification of the physical and chemical properties of young ocean crust. They are also responsible for forming modern-day equivalents of economically valuable massive sulfide deposits, and, with the presence of steep thermal and chemical gradients, for providing suitable environments for chemosynthetically based ecosystems.



Relative location of Table and Monolith vent sites. Arrows indicate the direction in which the photographs were taken just prior to recovery of the instruments in June 1995.

In recent years considerable effort has been devoted to exploring the dynamic nature of these systems through in situ long-term monitoring of vent phenomena. A major observatory effort, to be carried out on the Endeavour segment of the Juan de Fuca Ridge and funded by the National Science Foundation's RIDGE

(Ridge Inter-Disciplinary Global Experiments) Program, is planned for the year 2000. In preparation for this observatory effort, vent scientists are developing instruments to monitor temperature, fluid flow rates, and aspects of fluid chemistry in the hostile low pH, high pressure, high temperature environments common to vent sites.

With funds from NSF, I have been working with Al Bradley of the AOP&E Department to develop instruments capable of monitoring temperature in both focused, high-temperature and diffuse, low-temperature hydrothermal fluids. We deployed two instruments for testing at the Monolith and Table Vents on the




The Monolith and Table Vent sites are located along the Juan de Fuca Ridge some 200 miles off the coast of Washington. Arrays of 18 thermocouples (C1 and C2) and arrays of 20 thermistors (S1, S2, and S4) were placed at the side of Monolith Vent and at the side and on top of Table Vent. (S2 is out of view near S1)




Juan de Fuca Ridge (approximately 200 miles off the coast of Washington) in 1994. We obtained continuous records of fluid temperatures over a 5.5 month interval at 19 to 21 discrete points in each of 4 locations.


Temperatures measured at one site of focused, high-temperature flow documented the growth of a 304°C “beehive” chimney



Time-series records from the reference thermistors for the S1, S2, S4, and C1 and C2 arrays, after being filtered and resampled at once per hour, from 250 to 400 hours after emplacement. The tidal pressure (T) for the same time interval, which varies from -14.0 to 11.4 kiloPascals, is also shown. Note that maximum temperatures at S1ref and S2ref, which were located on top of Table Vent, correlate with maximum tidal pressure, while maximum temperatures at C1ref, C2ref, and S4ref correlate with minimum tidal pressure.



Temperature record from thermocouple B3 of array C1, after being filtered and resampled at once per hour, from 723 to 1,203 hours after emplacement of the array, and the tidal pressure (T), which varies from -12.7 to 12.4 kiloPascals, for the same time interval. The high temperatures recorded by the thermocouple are consistent with it having become embedded within the sulfide structure. The record shows variations in temperature, with maximum temperatures correlating with maximum tidal pressure.



Temperature record from thermocouple B3 of array C2, which was embedded in the outer portion of the beehive chimney wall, from 9,106 to 9,166 minutes after emplacement of the array. The fluctuations of temperature from 101° to 114°C probably result from variations in the amounts of advection of hydrothermal fluid outward across the chimney wall, and of seawater inward across the wall. These temperatures are favored by some hyperthermophilic (heat-loving) microorganisms.

(the term reflects the bulbous morphology of the 1- to 2-foot chimney top whose outer texture is reminiscent of a beehive). The data show the stability of the fluid temperature in the hottest portion of the chimney ($304\pm 2^\circ\text{C}$), expansion of this hot central area with time (from some 24 square centimeters to about 47 square centimeters), and the variability of temperature on time scales of minutes in outer portions of the chimney wall. Pore spaces within the outer chimney wall may provide favorable environments for hyperthermophilic (heat-loving) microorganisms.

Time-series temperature records from areas of diffuse flow at the Monolith and Table Vents indicate modulation of temperature by semi-diurnal tides, a phenomenon observed at a number of different active vent sites. At some of these sites temperature highs correlate with ocean tidal pressure maxima and minima, and temperature lows correlate with inflection points (where curvature of sine wave changes) in the tidal pressure signal. At other sites temperature maxima correlate with ocean tidal pressure minima. In our 5.5 month long instrument test, all temperature records are either in phase or about 180° out of phase with tidal pressure. Maximum temperatures at the base of Monolith Vent and at the side of Table Vent correlate with tidal pressure minima, and temperatures on top of Table Vent correlate with the tidal pressure maxima.

These observations are consistent with a model that indicates 1) *less* entrainment of cold seawater into structures at high tide and *more* entrainment of cold seawater into the structures at low tide, and 2) *more* updraft of cold bottom water along the sides of the hotter structures at high tide and *less* updraft of cold fluid along the sides of the structures at low tide. However, all but the observation of tidal variability of temperature within the vent structure could also be explained by tidally induced changes in horizontal bottom currents. Temperature data alone are not sufficient to distinguish between these mechanisms. Data on currents both above and within the boundary layers are also needed to determine whether the observed tidal variability is predominantly from changes in horizontal bottom currents or from variations in the extent of local seawater entrainment, fluid flow, and mixing within the vent systems. Seawater entrainment, fluid flow, and mixing can affect fluid chemistry and vent biota. The extent to which these processes are affecting the vent systems must be understood in order to accurately estimate fluxes of mass and heat through hydrothermal systems.

Scientists from four institutions (WHOI, University of Washington, University of Miami, and Cambridge University) plan to examine thermal and chemical variability in tidally perturbed seafloor hydrothermal systems with a variety of instruments as part of the observatory effort in 2000. The objective is to document the effects of tidal perturbations on fluid temperature, pressure, composition, and flow rate in areas of both high- and low-temperature flow. Observed tidal effects will provide information on how the system responds to identifiable perturbations, and they will allow development of models of subsurface fluid flow and mixing patterns, and of the chemical, physical, and biological consequences of these patterns.



The Physical Oceanography Department includes scientists studying the broad scale, general circulation of the oceans on time scales of decades to millennia and ocean mixing scales of centimeters and seconds. We observe the ocean, the atmospheric boundary layer, and interactions of flow with bathymetry, and we model fundamental ocean processes.

The department is active in the joint graduate program with MIT and includes a total of 23 graduate students who spend time at both MIT and WHOI. Our scientific staff, now numbering 34, is at an all-time high. We welcomed five new Assistant Scientists to the Physical Oceanography Department in 1998: Gidon Eschel focuses

on climate dynamics and climate proxy reconstructions. David Fratantoni specializes in observations and numerical studies of general ocean circulation, and Joe Lacasce's research interests include two-dimensional turbulence. Cecilie Mauritzen studies general ocean circulation, including dense water formation. Vitali Sheremet investigates mesoscale eddies and rings as well as boundary currents and flow around corners and through gaps.

The department also includes 26 members of the technical staff and 25 laboratory assistants, and there are 10 administrative/staff assistant positions. Postdoctoral Investigators and Scholars and Visiting/Guest Investigators round out our complement.

During the past year, Phil Richardson stepped down as department chair to resume full-time research, and Terry Joyce began a four-year term as chair in July. Scientist Emeritus Nick Fofonoff was honored with the American Meteorological Society's Henry Stommel Research Award for his fundamental work on the general circulation and physical properties of the ocean and for development of observational techniques in physical oceanography. The Office of Naval Research (ONR) awarded a Secretary of the Navy/Chief of Naval Operations Oceanographic Research Chair to Bob Weller and named Steve Anderson an ONR/Institution Scholar.

—Terrence M. Joyce, Department Chair

Topographic Roughness Begets Increased Oceanic Mixing

Kurt Polzin, Assistant Scientist

John M. Toole, Senior Scientist


Raymond W. Schmitt, Senior Scientist

Winds and air-sea exchanges of heat and fresh water are ultimately responsible for basin-scale currents, or the general circulation of the oceans. In order to achieve a state where the energy of the ocean is not continuously increasing, some form of energy dissipation is required to balance the forcing. While this may seem obvious, little is known about how and where this dissipation occurs. In previous investigations we linked the decay of tidal energy to the generation and breaking of small-scale, deep-ocean internal waves generated by the tide flowing over rough bathymetric features. Such waves can also be generated by steady or slowly varying flows over topography. The breaking of subsurface waves generated by steady flows represents a possible damping mechanism to balance the wind's input of energy.


We strongly suspected such waves would be present on the continental slope just north of Cape Hatteras (map at right) as this region exhibits a combination of substantial flows and topographic roughness superimposed upon the slope. We conducted an Office of Naval Research supported field program in May 1998 with R/V *Oceanus* in order to quantify the internal wave field and turbulence associated with wave breaking. We used a combination of vertically profiling instruments including the freely falling High Resolution Profiler, which obtains samples of the ocean's temperature, salinity, and horizontal velocity field as well as associated dissipation rates of turbulent kinetic energy and temperature variance. We also deployed the newly developed Moored Profiler, which autonomously samples oceanic fine scale velocity, temperature, and salinity variability. Both instruments were designed and built at WHOI. Eric Kunze (University of Washington) deployed expendable Current Profilers (XCPs) and expendable CTDs (XCTDs) during the cruise. (CTD stands for

conductivity, temperature, and depth measurements.) Lastly, we utilized a conventional, wire-lowered instrument package that included a CTD and a lowered acoustic Doppler current profiler.

The experimental site is characterized by well-defined, small-horizontal-scale (2.5–3 kilometer horizontal wave length) ridges




Color map of sea surface temperature with bathymetry contours superimposed. Shades of orange and red indicate warm Gulf Stream waters. The authors' investigation focused within the small box at roughly 36°30'N, 74°30'W, just north of where the Gulf Stream separates from the continental slope. Black dots indicate High Resolution Profiler (HRP) stations occupied on the return to Woods Hole.



View of bathymetry at the work site looking at the continental slope from about 2,000 meters water depth. The shelf break at 100 meters water depth is represented by the horizon at the top of the figure. The continental slope is incised with ridges having horizontal wavelength of roughly 3 kilometers. The depth difference between the top of a ridge and an adjacent valley is 100-200 meters. The moored profiler array is shown as deployed and the free falling HRP is superimposed to the right of the moorings. The instruments are not drawn to scale.

oriented onshore-offshore and superimposed on the large-scale, planar continental slope (shown at left). Three moored profilers were deployed approximately 500 meters apart in about 1,150 meters of water on the continental slope just north of Cape Hatteras (36°34'N, 74°39'W). We synchronized the moored profilers and shipboard deployment of instruments to initiate all three types of vertical profiles every 1.5 hours during the month-long cruise. The High Resolution Profiler was used for repeat sampling at a grid of stations in water depths of 800 to 1,800 meters around the moored profiler array. In combination, these vertical profile data allow us to characterize the amplitude and direction of propagation of the small-scale internal wave field.

Preliminary analysis of the data reveals that turbulent



A color map representing the magnitude of turbulent diffusion. These estimates are derived from measurements of centimeter-scale velocity fluctuation with special instrumentation on the HRP. The color scale is nonuniform. Purple indicates weak mixing characteristic of the mid-ocean thermocline and red/orange mixing about 100 times larger. The white traces are lines of constant potential temperature. Sloping isotherms give rise to the velocity jet associated with the Gulf Stream. The surface expression of the temperature field appears in the figure on page 21. The two black lines near the bottom and close to the moored array represent the bottom of the valley in which the moored array was placed and the tops of adjacent ridges.

mixing was greatly enhanced above the rough bathymetry on the continental slope. Vertical profiles of turbulent diffusivity indicate mixing enhancement at the bottom. At the moored array, the turbulent diffusivity in the bottom 200 meters is more than two orders of magnitude larger than that found in the upper 100 meters of the water column. Farther offshore, the turbulent diffusivity decreases. Within the Gulf Stream, vertical mixing is weak and independent of depth, despite the fact that the oceanic velocities within the Gulf Stream are typically much larger than on the continental slope. The key to mixing in this experiment, as with our previous investigations of tidal mixing, is the presence of rough bathymetry. Beneath the Gulf Stream, the ocean bottom is well sedimented and quite smooth.

Like many oceanographic instruments, the High Resolution Profiler is one-of-a-kind. Our cruise preparations were complicated by an explosion within its pressure case, apparently triggered by a faulty battery. After the battery blew up on April 23, it was not clear that the instrument could be repaired at all, let alone fixed in time to meet the May 10 cruise departure schedule. That the cruise took place as scheduled is due to the dedication and experience of many people in both our own and other WHOI departments. We are especially grateful to Ellyn Montgomery, who directed the repair efforts; Marshall Swartz, Steve Liberatore, Dick Koehler, and Al Fougere (Falmouth Scientific, Inc.), who provided significant engineering support and testing assistance; and Karlen Wannop, Jim Valdes's group, and Craig Taylor, who contributed assembly assistance and spare parts.

Crossing the Ridge: Rossby Wave Tunneling

Joseph Pedlosky, Senior Scientist
Michael Spall, Associate Scientist

The deep ocean is divided into smaller sub-basins by the dominant presence of mid-ocean ridges that very nearly span the abyssal ocean north to south. A continuing theoretical puzzle concerns communication between sub-basins. Observations of water mass properties indicate that there is overall steady circulation between the sub-basins through transform faults, narrow gaps that fracture the ridge into islandlike segments. There is another compelling question about whether the ridge system also allows the propagation from one basin to another of wavelike disturbances with large north-south scales, that is, waves whose size is much larger than the gaps they would have to squeeze through. Is there a mechanism that allows these disturbances, which may be generated by internal instability processes, to “tunnel” from one sub-basin to the next?

We are examining the basic theory of such tunneling possibilities by using mathematical models in idealized settings to study the propagation of large scale waves between sectors of a basin that is divided nearly in two by a barrier broken by only a few small gaps. The width of the gaps is much smaller than the north-south scale of the large scale waves impinging on the ridge, yet, remarkably, the theory suggests that under the right conditions most of the wave energy can squeeze through the gaps and reconstitute itself as a broad, large scale wave on the other side of the ridge.

The figure at left shows four snapshots of a rectangular basin in

which localized forcing in the northeast segment of the basin excites a large scale Rossby wave. These waves spring from Earth’s rotation, more exactly by the combination of the planet’s rotation and its spherical shape. The westward propagating wave consists of a series of vortical motions whose scale is determined by the forcing frequency. When the frequency designated is one of the natural frequencies of that basin’s oscillation, as it is in the figure, the response is both large and largely independent of the form of the forcing. Note that the wave, approaching the barrier, squeezes down in meridional size, extrudes itself through the two gaps, and emerges on the other side with, again, the meridional scale of the entire basin! For this mode, the ridge is essentially transparent to the wave, allowing its complete passage.

Modes of different frequencies, with different spatial forms, such as the one shown in the figure at right, are effectively limited to their original basins. For such modes the meridional barrier is opaque, and the wave motion is limited to its sub-basin of origin.

What explains one wave wriggling through the gaps and the other remaining trapped in its birth basin?

Our work shows that a fundamental theorem of fluid mechanics, called Kelvin’s theorem, governs success or failure of wave passage.

In the present context, Kelvin’s theorem tells us that the average velocity tangent to the barrier when measured clockwise *all around the islandlike ridge segment* must be zero. In the first figure, the wave’s fluid motion is parallel to the ridge segment, at each instant, always in




Figure at left: Four snapshots of an idealized ocean basin with a meridional barrier indicated by the cross hatches. There are two very small gaps in the middle of the barrier. A large scale Rossby wave impinges on the barrier and squeezes through the gaps. The origin of the wave is a localized source of energy (red dot) in the northeast segment of the basin, and the frequency of the wave forcing matches one of the natural modes of oscillation of the sub-basin. The snapshots clearly show the wave tunneling through the barrier. Figure at right: Similar to figure at left except that the frequency of the forcing causes a wave mode whose form consists of stacked, counter-rotating vortices so that the velocity averaged along the ridge on its eastern side is always zero. This wave’s transmission is blocked.

one direction, either north or south. If the wave motion did not tunnel through, that is, were limited to only the basin of origin, Kelvin's theorem would be violated. Hence the wave must tunnel through. In doing so, southward motion on one side of the ridge is balanced by a similar southward motion on the other side of the ridge segment so that the average clockwise circulation around the segment is zero as the theorem demands. On the other hand, for the second figure wave the vortical motions are stacked in counter-rotating pairs so that the average tangential velocity along the eastern side of the

ridge is already exactly zero. Kelvin's theorem is then satisfied without the wave tunneling through and, in fact, calculations of the forced motion, as shown, demonstrate that the wave is blocked.

We have done both analytical and numerical calculations of this phenomenon in idealized cases to verify these ideas. What remains is a greater challenge: With the collaboration of our colleagues, we hope to study the process in both the laboratory and the natural ocean to see whether this strange and dramatic tunneling phenomenon is robust enough to be a major factor in our understanding of ocean circulation.

Research Reveals Interdecadal N. Atlantic Atmosphere-Ocean Oscillation

Michael S. McCartney, Senior Scientist

Ruth Curry, Research Specialist

What is the ocean's role in Earth's climate system? When we, living in the atmosphere, perceive a shift in climate—most of the winters for a decade tending to be colder or wetter than those of the preceding decade, for example—are there concurrent changes in the oceanic component of the climate system? If so, are they merely a response to the changeable atmospheric climate, or do the oceanic changes feed back to alter the atmospheric climate?

Some of our work focuses on defining the role of the North Atlantic Ocean in interannual/interdecadal fluctuations of climate. Atmospheric variability in the North Atlantic sector is dominated by the North Atlantic Oscillation (NAO): simultaneous strengthening or weakening of the Icelandic low pressure center and the Azores high pressure ridge along with lateral movements of their locations. The intensity of westerly winds reflects the pressure difference between these sites; thus NAO's principle signature is in the variable intensity of the westerlies and the latitude of their maximum winds.

Climatologists affirm that in Europe, Iceland, Greenland, and eastern North America fluctuations in climate—air temperature, humidity, rainfall, and storm frequencies and intensities—correlate with the NAO. But what of the North Atlantic Ocean beneath that NAO-fluctuating atmosphere?


The history of NAO fluctuations (see figure at right) reveals that the climate system in the North Atlantic has been running a 50-year experiment for us, with atmospheric forcing modulated interdecadally. The

NAO index decreased from the 1950s through 1971, resulting in a 1960s record of weakened westerlies displaced southwards from their average location. Subsequently, the NAO index increased from 1972 through the mid-1990s, and the strengthened westerlies shifted northwards from their average location. What are the consequences of this fluctuation of atmospheric forcing of the ocean?

The most extensive oceanic sustained measurement archive available to us is sea surface temperature (SST). NAO-correlated air-sea heat exchange anomalies produce distinct patterns of SST anomalies—evidence that the upper ocean integrates the atmospheric forcing anomalies. In 1996 articles in the "Oceans and Climate" issue of *Oceanus* (Volume 39, Number 2), we discussed evidence that the observed winter SST anomalies are the surface expression of substantial upper ocean heat content anomalies. These

reflect altered conditions along the pathway of upper ocean transformation of warm water to cold in the thermohaline overturning circulation of the North Atlantic (top figure opposite). We also showed that the altered products of this transformation could be detected returning southward through the subtropics beneath the thermocline.

We now have another contribution to the growing evidence for this North Atlantic Atmosphere-Ocean Oscillation. We used two sustained measurement time series available in the subsurface North Atlantic, one near Bermuda and one in the central Labrador Sea (marked by stars on the map), to construct an ocean transport index analogous to the atmospheric NAO index. The two stations fall near the




A 134 year record of the North Atlantic Oscillation (NAO) index using sustained sea level pressure measurements in Iceland and Portugal, constructed by Jim Hurrell of the National Center for Atmospheric Research. The index uses average sea level pressure for the cold season months (December to March) in Iceland, reflecting the strength of the Icelandic low pressure center, and in Portugal reflecting the strength of the subtropical "Azores" high pressure ridge. When the sea level pressure difference is large, "high NAO" conditions prevail (positive index), with westerly winds stronger than average, and centered on the 45°N to 60°N belt. When the difference is small, "low NAO" conditions prevail (negative index), with westerly winds weaker than average, and distinctly shifted southwards of the average latitude.

centers of subtropical and subpolar circulation gyres, and the difference of pressure between these two locations is a measure of the flow along the thermohaline transformation pathway, much as the atmospheric NAO index reflects the intensity of the westerly winds.


Comparison of the ocean transport index with the NAO index (figure below right) shows that in the last half of this century the thermohaline transformation pathway has responded, sluggishly, to the NAO correlated changes in buoyancy- and wind-forcing. Weakening of ocean transport to a minimum in 1971 occurred during the period of declining NAO index. This was followed by strengthening transport to a maximum in 1995 during the period of rising NAO index. We have included in the figure the time history of SST along the transformation pathway south of Nova Scotia. It demonstrates that the oceanic transport index and SST vary together: that the weaker phase of pathway transport involved colder waters while the stronger phase of pathway transport involved warmer waters. This indicates that the interdecadal North Atlantic Atmosphere-Ocean Oscillation of the past half century has involved fluctuation in heat transport along the transformation pathway, and ultimately of oceanic heat released to the overlying atmosphere.

The most important, and most controversial, physical process question raised by these observations is whether or not the fluctuations of oceanic heat content and transport at mid latitudes feed back to force changes in the atmosphere. If so, the seeds for future climate prediction may lie with the slow and majestic fluctuation of the ocean. Indeed, those seeds may already be germinating, for as this report goes to press we have received word that three independent numerical models of the atmosphere have simulated the observed time history of the NAO since 1950 by applying as a boundary condition the observed SST history. With a global observing system to monitor upper ocean heat content and circulation, and a physically sound ocean circulation model to forecast the evolution of the ocean and its coupling to the atmosphere, climate forecasting will follow.

We continue to address this crucial climate issue. This research is sponsored by grants from the National Science Foundation and the National Oceanic and Atmospheric Administration along with an award from the Andrew W. Mellon Foundation Endowed Fund for Innovative Research.



The primary pathways involved in the North Atlantic warm-to-cold water transformation. The basin scale gyre recirculations of the tropical, subtropical, and subpolar circulations are suppressed here to emphasize the warm water transformation pipeline of the upper ocean (red pathways) and the compensating cold return flows at depth (green pathways). The blue area indicates the belt where winter sea surface temperature anomalies slowly propagate from the western subtropical gyre into the eastern subpolar gyre with a typical transit time of a decade. These winter sea surface temperature signals are upper ocean heat content anomalies that reflect fluctuations of the balance between the large annual heating of the atmosphere by the release of heat from the ocean in that belt, and the supply of that heat to and through the belt by the flow of water along the red pathway. The two stars indicate the two sustained measurement time series, near Bermuda and in the central Labrador Sea, used to construct the index of the oceanic flow along the belt.



The blue and red bars show the annual values of the cold season NAO index. The black curve is the estimated transport of water along the conveyor belt pathway connecting the western subtropical gyre to the eastern subpolar gyre, the pathway delivering warm subtropical waters to higher latitudes. It indicates an interdecadal fluctuation of about 30 percent of the mean flow rate. The red curve represents the history of sea surface temperature anomalies in the blue belt of the accompanying map at a location southeast of Newfoundland. The red and black curves link the weak transport phase with cooler temperatures, and the stronger transport phase with higher temperatures.

Marine Policy Center

The Marine Policy Center (MPC) conducts social scientific research to advance the conservation and management of marine and coastal resources. The work of MPC scholars integrates economics, policy analysis, and law with WHOI's basic strengths in the ocean sciences and engineering.

Many MPC research projects reflect the increasing demand for approaches to environmental policy that are compatible with the goals of economic efficiency and growth. Examples include MPC studies on the economics of ecosystem disruptions, pollution remediation, and environmental regulation. Economic analysis figures prominently as well in MPC's major new research concentration in offshore aquaculture development.

Recent MPC studies have focused on the economic consequences of harmful algal blooms and hypoxia, or abnormally oxygen-poor conditions. An hypoxic "dead zone" in the northern Gulf of Mexico

MPC researchers, in collaboration with the WHOI Biology Department and the Massachusetts Maritime Academy, completed the first comprehensive economic impact assessment of all economically measurable HAB events in US waters between 1987 and 1992. The study yielded conservative estimates totaling \$50 million in annual direct economic impacts across four major areas: public health, commercial fisheries, recreation and tourism, and public outlays for monitoring and management.

MPC plans to refine these findings in future studies to estimate both direct and indirect impacts at the regional level, using economic "multipliers" that can capture the effects of local and regional market structure and interactions. The first of such studies will focus on New England and will benefit from ongoing MPC projects to develop economic input-output models of the New England coastal economy. The input-output approach estimates the value of goods and services

produced in different economic sectors that are linked to a marine sector, such as commercial fishing.

In one such project launched in 1998, MPC researchers are collaborating with researchers from NOAA's Northeast Fisheries Science Center to assess the socio-economic impact of alternative approaches to New England fisheries regulation. Recent legislation requires that regional Fishery Management Plans, whose main purpose has been to achieve sustainable optimal yield, now consider the



Haule Kite-Powell

Fish ponds on the island of Pemba, Zanzibar. MPC is participating in research to improve the yield and the ecological sustainability of aquaculture in East Africa.

has grown dramatically since it was first mapped in 1985, and the increase is generally believed to be associated with high levels of nutrient inputs via the Mississippi and Atchafalaya Rivers. In 1998, MPC Director Andrew Solow led the economic component of a White House-commissioned study to evaluate the ecological and economic consequences of hypoxia, including impacts on Gulf of Mexico fisheries and the regional and national economy. The study, whose results are due to be released by the White House in the near future, represents a first step toward developing appropriate mitigation policies for the region in light of hypoxia's economic consequences and the costs of alternative mitigation strategies.

Over the past several decades, harmful algal blooms (HABs) have involved an increasing number of species and have occurred in a growing number of locations in US coastal waters and around the world. Despite continuing debate as to the association between such trends and increased nutrient and pollutant loadings, there is little question that HABs can result in a range of adverse public health and environmental effects, with significant economic impacts. In 1998,

likely effects of conservation and management measures on fishery participants and fishing communities. Most impact assessments of fisheries management options capture only the direct impact on landings and fishing effort. The input-output model will permit estimation of the full effects of alternative strategies on the regional economy, with an emphasis on local jobs and income.

Another MPC project is aimed at identifying the most cost-effective options for cleaning up PCB contamination in the lower Hudson River. MPC researchers will integrate an existing physical model of the region's multiple PCB sources, flows, and rates of bioaccumulation in commercially and recreationally important fish, such as striped bass, with an economic model for estimating the cost-effectiveness of various combinations of treatment or mitigation technologies. In addition to advancing the development of least-cost management strategies for PCB reduction, the project will demonstrate more generally how scientific and engineering information, incorporated into an economic optimization framework, can provide a valuable decision tool for environmental management.

In the area of aquaculture development, MPC's growing expertise includes federal policy analysis and access system design; modeling of offshore project economics and risk; and practical experience at experimental facilities in New England and East African waters.

In the United States, ocean mariculture is increasingly discussed as a supplement or alternative to traditional offshore fishing, but there is no coherent US policy concerning access to federal waters for aquaculture operations. Legislation that would provide such a policy is under development, and MPC is contributing to this effort with research to develop a framework for analyzing access system design, characterize an economically optimal access system, and recommend appropriate laws and regulations. Key areas of inquiry include the legal rights necessary to provide security of tenure and attract investment, and the economically optimal way for the public to garner a return on the use of its scarce resources.

MPC is also developing a generic model of the economics of an offshore aquaculture operation and will apply it to planned or hypothetical offshore ventures in New England. The model is designed to estimate the economic feasibility of an individual operation at a particular location and to determine the minimum efficient scale of operation. The latest information about construction requirements

and biological growth processes will be incorporated in the model, as well as the effects of engineering and biological uncertainties, the costs of regulatory compliance, and variability of supply and demand in the relevant product markets

Two potentially important sources of information are MPC's joint experimental ventures in Rhode Island Sound and on the East African island of Zanzibar, Tanzania. The Rhode Island Sound project, a collaboration with WHOI biologists and engineers and a local commercial harvester and processor, is testing the engineering feasibility, biological productivity, and survivability of longline technology for ocean culture of the blue mussel (*Mytilus edulis*). On Zanzibar, MPC is collaborating with the Institute for Marine Science at the University of Dar es Salaam and the National Center for Mariculture in Israel. In 1998 the team opened a facility consisting of integrated ponds fed by tidal flow, where they have begun to grow rabbitfish (*Siganus sp.*, a locally popular commercial species), shellfish (*Anadara sp.* and *Cardium sp.*), and seaweed (*Euchema spinosum*, *Euchema cottonii*, and *Ulva sp.*). The facility is producing useful information about growth rates, pond construction, and water supply. An experimental hatchery will be added next, followed by more growout facilities.

Rinehart Coastal Research Center

The Rinehart Coastal Research Center (RCRC) is a "center without walls" that cuts across department boundaries to support and facilitate coastal research activities within the WHOI community. Coastal research has been growing in importance over the last decade, due to the broad recognition of the many threats to the health and sustainability of coastal environmental resources. RCRC encourages the involvement of WHOI scientists in coastal research through direct funding of research, advanced laboratory facilities, seagoing instrumentation, a fleet of small boats, support for education, and communication of research results to the scientific community and the public.

1998 marked the first year that proposals were funded principally from the generous endowment established by Gratia Rinehart Montgomery. Three of these awards exemplify the broad range of research supported by the center and the balance between issues of grave societal concern and fundamental scientific inquiry into coastal processes.

Senior Scientist Hal Caswell (Biology Department) received a grant to develop demographic models for the North Atlantic Right Whale. Using a large database from the New England aquarium dating back to

1980, Caswell and colleagues quantified key variables about this small population that migrates into Cape Cod Bay every spring. Their

results were dramatic. They documented a hitherto unexpected decline in annual survival probability, from about 0.99 (that is about a one percent chance of death each year) in 1980 to about 0.95 in 1995. The trend is highly significant. They incorporated these results into a population growth model, and found that by the late 1990s, conditions for the right whale had deteriorated to the point that the population is unable to persist. Given current conditions, extinction is likely to occur within the next 100 to 400 years. These results, while discouraging, are not hopeless. Conditions in the early 1980s appear to have supported positive population growth; thus, mortality need be reduced only to levels appropriate to 20 years ago to regain the species' viability.

Assistant Scientist Neal Driscoll (Geology & Geophysics Department) and Senior Scientist Mark Kurz (Marine Chemistry & Geochemistry Department—MCG) were funded to develop a new technique for dating erosional surfaces on sea cliffs, focusing on the rapidly retreating cliffs of outer Cape Cod. Their research is providing a better understanding of the linkage between erosion pro-



The rapidly eroding cliffs in Truro, Cape Cod, provide a dynamic field site for the investigation of shoreline erosion and its linkage to oceanographic processes. Neal Driscoll and Mark Kurz were supported by the Rinehart Coastal Research Center to develop new methods to determine the timing of major erosional events.



Jon Woodruff

Coastal oceanography is receiving considerable attention in urban centers, due to the confluence of fresh water, salt water, sediment, contaminants, and money. Woods Hole researchers Craig Marquette, Peter Traykovski, Rocky Geyer, and Jay Sisson recover moorings set in the Hudson River to measure currents and sediment transport. The measurements revealed a complex interplay of tides and river flow in controlling the fate of the sediments.

cesses on land and oceanographic processes in the nearshore zone. The patterns of cliff erosion appear to be associated with variations in beach width that, in turn, are related to hydrodynamic processes within the surf zone. The shoreline is also becoming increasingly prominent in other WHOI research activities with the addition of two surf zone dynamics specialists, Steven Elgar and Britt Raubheimer, to the scientific staff arriving in 1999, and the development of a WHOI nearshore observatory off the south coast of Martha's Vineyard.

Another coastal research area rapidly gaining prominence at WHOI is the study of groundwater inputs to the coastal zone. One of

the 1998 RCRC awards went to Associate Scientist Ken Buesseler and Postdoctoral Scholar Matt Charette (MC&G) to initiate a study of groundwater infiltration into the coastal zone. The research was motivated by the potential importance of groundwater as a source of fresh water (and land-derived contaminants) to the coastal zone. Buesseler and Charette are developing methods for using radium isotopes to study the rates of groundwater inflow into harbors and bays. These methods may provide a much more precise means of quantifying the inputs of fresh water as well as providing estimates of the flushing of small water bodies. Their work could have important consequences for the monitoring and management of coastal water bodies subject to contaminant and excessive nutrient inputs. This research is part of a trend toward unifying the investigation of oceanographic and terrestrial processes in the nearshore zone.

These RCRC-funded studies represent only a small fraction of the coastal research activities pursued by WHOI scientists. Nevertheless, RCRC support for the initiation of research allows our scientists to maintain their leadership in coastal science and engineering. The research funding, as well as instrument and facilities support, and communication of research results through the semi-annual *RCRC Newsletter* and special seminars help maintain the vibrant pulse of coastal research at WHOI.

The newsletter has become a showcase for coastal research at WHOI, with full-color layout and effective partnering of scientific contributors and editors. The newsletter highlights the results of RCRC-funded studies, but it also provides a forum for the communication of the results of major and minor coastal research programs by WHOI scientists to a broader audience. This inclusive approach to the newsletter embodies the spirit of RCRC as a "center without walls," which seeks to expand the scope and impact of coastal research at WHOI through communication of results among scientists and the broader community.

Sea Grant Program

The WHOI Sea Grant Program supports research, education, and advisory projects to promote the wise use and understanding of ocean and coastal resources for the public benefit. It is part of the National Sea Grant College Program of the National Oceanic and Atmospheric Administration (NOAA), a network of 29 individual programs located in each of the coastal and Great Lakes states. The goal of the program is to foster cooperation among government, academia, and industry. WHOI Sea Grant-supported projects provide linkages between basic and applied aspects of research and promote communication among the scientific community and groups that utilize information on the marine environment and its resources.

During 1998 the WHOI Sea Grant Program supported 18 concurrent research projects and 14 new initiative awards. The 1998–2000 research projects are included in three theme areas: Estuarine and Coastal Processes, Fisheries and Aquaculture, and Environmental Technologies. Many of the projects address local and regional needs; some have national or even global implications. Investigators from



Jeffrey Donnelly, Brown University

With WHOI Sea Grant support, Brown University graduate students and their advisor are conducting field studies, including Vibracore operations in New England salt marshes, to learn more about the impacts of sea level rise on coastal wetlands.

the Woods Hole scientific community, universities throughout Massachusetts, and scientists from industry and other states all participate in WHOI Sea Grant's competitive funding process. Examples of currently funded projects include studies of:

- source populations and downstream impacts of the toxic dinoflagellate *Alexandrium* in the Gulf of Maine;
- impacts of accelerated sea level rise in storm-induced sedimentation on southern New England coastal wetlands;
- the stability of the Ria Formosa, a multiple tidal inlet system in Portugal;
- the importance of salinity in nitrogen flux from estuarine sediments;
- laboratory-based transmission of the QPX parasite in cultured hard clams and tracking the progression of the disease;
- the bioeconomic feasibility of potential offshore mariculture operations;
- the commercially important squid, *Loligo pealei*, including reproductive strategies and their contribution to genetic diversity as well as life cycle flexibility;
- the predatory impact of lobate ctenophores on commercially important fishes and their prey;
- the behavioral and hydrodynamic components of postlarval bivalve transport within coastal embayments;
- molecular biomarkers of chemical sensitivity; and
- the biochemical toxicology of cetaceans exposed to pollutants.

In 1998 WHOI Sea Grant provided 32 months of support for graduate students through research awards. WHOI Sea Grant also sponsors qualified graduate students from throughout the Commonwealth in the Dean John A. Knauss Marine Policy Fellowship Program and other national fellowship programs sponsored by the National Sea Grant College Program.

In terms of informal education, WHOI Sea Grant maintains close working relationships with the Massachusetts Marine Educators, the National Marine Educators Association, and the Woods Hole Science and Technology Education Partnership. At the local level, Sea Grant is an active participant in science fairs, with staff serving as project advisors and judges. Each year, top science fair winners are guest speakers at the opening night of the "Oceans Alive" lecture series. For the seventh consecutive year, WHOI Sea Grant sponsored "Sea Urchins," a summer program for children ages five to seven. Perhaps Sea Grant's most important contribution to education in our region is the provision of educational materials to numerous programs, including Children's School of Science, Cape Cod Children's Museum, Cape Cod Museum of Natural History, Association for the Preservation of Cape Cod, Cape Cod National Seashore, Wellfleet Audubon



In April, WHOI Sea Grant organized an open house, titled "Marine Science and Technology in Woods Hole," for state and local officials and community leaders. Massachusetts senator Therese Murray discusses a poster with Sea Grant coastal processes specialist Graham Giese.

Sanctuary, New England Aquarium, Thornton W. Burgess Society, and school districts throughout Southeastern Massachusetts and the world. Sea Grant is also represented on the advisory board for the joint venture of Turnstone Publishing Group, Inc. and WHOI to develop books on ocean topics for students in grades K-12.

Transferring the results of research and providing general marine-related information are important components of the WHOI Sea Grant Marine Extension and Communications Programs. Both facilitate communication among users and managers of marine resources, including members of the fishing community, aquaculturists, local officials, environmental regulatory agency managers, educators, and the general public. Two areas of particular interest in the

marine extension program are coastal processes and fisheries and aquaculture. Both topics have been the focus of numerous workshops and outreach efforts with an emphasis on better management of resources at the local and regional levels.

In 1998 WHOI Sea Grant completed a five-year strategic plan entitled *Making the Most of Sea Grant's Investment in Massachusetts*. This plan outlines WHOI Sea Grant's vision for integrating research and outreach activities for the twenty-first century and represents the collective concerns of the Massachusetts marine community at all levels. It is intended

to highlight important marine issues and research needs, suggest investigative approaches to resolving these issues, and, perhaps most importantly, to serve as a catalyst for creative thinking. The implementation process is designed to be sufficiently flexible to adjust to changing opportunities and to respond to imaginative ideas. Selection of the research and outreach themes reflects information needs for the Massachusetts economy and developing industries.

WHOI Sea Grant provides information to a broad audience through a variety of means, including a Web site (<http://www.whoi.edu/seagrant>) that offers access to information on current research and outreach projects and funding opportunities. Other communication vehicles include the *Directory of Cape and Islands Coastal Outreach Organizations*; *Marine Science Careers: A Sea Grant Guide to Ocean Opportunities*; *Two If By Sea*, our joint newsletter published with MIT Sea Grant; and *Nor'easter* magazine, a publication of the six northeast Sea Grant programs. Two new projects launched in 1998 were Sound Waves, a low-power radio project targeted at auto passengers traveling from Woods Hole to Martha's Vineyard by ferry, and "Focal Points," a series of informational bulletins on current topics in research and outreach geared for legislators, policy-makers, and the general public.

The MIT/WHOI Joint Program celebrated its thirtieth anniversary in 1998. One of the year's significant activities was an external review of the Joint Program commissioned by WHOI Director Robert Gagosian and MIT Provost Joel Moses. The committee, chaired by Sean Solomon, Director of the Carnegie Institution Department of Terrestrial Magnetism, met with faculty, staff, and students of the Joint Program at both MIT and WHOI during August 17 to 19. Their report provides helpful comments and advice that will guide the Joint Program to continuing excellence. We are particularly proud of their overall assessment:

The Joint Program is the top graduate program—or arguably one of the two top programs—in marine science in the world. It consistently draws the most outstanding applicants from both the U.S. and abroad, and the program has managed to recruit a consistently high fraction of those admitted. The students encountered by the Review Committee were articulate and highly motivated. The variety of areas of research and training that they represented was laudatory, as was the quality of their research. The more than 500 alumni and alumnae include many of the scientific leaders of oceanography.

Fall 1998 Joint Program enrollment totaled 134. During 1998, 35 degrees (23 Ph.D. and D.Sc. degrees and 12 master's degrees) were awarded. These new graduates joined a distinguished group of MIT/WHOI Joint Program alumni and alumnae pursuing several different kinds of productive and satisfying careers in the United States and worldwide. A general grouping of careers is provided in the accompanying pie chart.

Many alumni and alumnae joined present students, faculty, and staff for a September celebration of the thirtieth anniversary with events both in Woods Hole and at MIT. We began with a Friday evening clambake/barbecue shared with those attending the annual WHOI Associates' Day of Science. A highlight of the event was Bob Gagosian's announcement of a generous gift from the Stanley W. Watson Foundation to support graduate fellowships for the Joint Program.

On Saturday morning, Jamie Austin (Ph.D. Geology and Geophysics, 1979), President of the

MIT/WHOI Joint Program Alumni/ae Association, presided over an Association business meeting. Then graduates, faculty, and students took the familiar commute north for lunch at the MIT faculty club. Admiral James D. Watkins USN (Retired), President of the Consortium for Ocean Research and Education (CORE), was the luncheon speaker. He drew on the experience of a distinguished career, including an appointment as Chief of Naval Operations and service as Secretary of Energy prior to his appointment as the President of CORE, to discuss the importance of educating the public, and especially young people, about the oceans and about science and technology.


Jamie Austin chaired an afternoon symposium, "Ocean Science and Engineering Education—Meeting the Challenge," which consisted of brief presentations by alumni/ae followed by a lively discussion. Saturday's events concluded with a reception and dinner at the New England Aquarium where Jamie Austin and Joint Program Alumni/ae Association Executive Director Jake Peirson presented the first Joint Program Alumni/ae Service Award to Christopher Tapscott (Ph.D., Geology and Geophysics, 1979) and Susan Tapscott (O.E., Ocean Engineering, 1975).

The anniversary celebration ended Sunday morning with a careers discussion brunch involving current Joint Program students and alumni/alumnae and launch of the new MIT/WHOI Joint Program Alumni/ae Association Web page.

As part of the year's regular Education Office activities, ten Postdoctoral Scholars were appointed in 1998 from an applicant pool

of 134. The Postdoctoral Scholar program continues to be an important tool for recruitment of outstanding scientists and engineers to WHOI from around the world.

Twenty-five Summer Student Fellows were chosen from an applicant group of 250, and three Minority Traineeships were awarded from an applicant group of 35. The main focus of these education programs is involvement of students in summer research projects under the supervision of WHOI scientific and senior technical staff. In addition, a summer lecture series consisting of 26 seminar presentations by WHOI Scientific and



External Review Committee for the MIT/WHOI Joint Program in Oceanography and Applied Ocean Science and Engineering

August 17–19, 1998

- **Chair: Sean C. Solomon**, Director of the Department of Terrestrial Magnetism of the Carnegie Institution, Washington, DC
- **Eric J. Barron**, Director of the Earth System Science Center and Associate Professor of Geosciences, Pennsylvania State University
- **Robert A. Duce**, Professor, Chemical Oceanography, Department of Oceanography, Texas A & M University
- **Robert A. Frosch**, Senior Fellow, Center for Science and International Affairs, Kennedy School of Government, Harvard University
- **Christopher J.R. Garrett**, Professor, Lansdowne Professor of Ocean Physics, University of Victoria, British Columbia, Canada
- **Louis J. Lanzerotti**, Distinguished Member of Technical Staff, Bell Laboratories, Lucent Technologies
- **James J. Morgan**, Marvin L. Greenberg Professor of Environmental Engineering Science, California Institute of Technology
- **S. George Philander**, Professor and Chair, Department of Geosciences, Princeton University
- **Mary Silver**, Professor of Ocean Sciences, University of California, Santa Cruz
- **Keith S. Thomson**, University Distinguished Scientist in Residence, New School for Social Research, New York
- **Karen L. Von Damm**, Professor, Geochemistry, Department of Earth Sciences, University of New Hampshire (Alumna of the MIT/WHOI Joint Program)



Symposium on Ocean Science and Engineering Education: Meeting the Challenge

Chair: James A. Austin, Senior Research Scientist, Institute for Geophysics, University of Texas at Austin

Public Education: K-12
William S. Spitzer, Director of Education, New England Aquarium

Undergraduate Education
Margaret L. Delaney, Professor, Institute of Marine Sciences, University of California, Santa Cruz

Graduate Education
Robert S. Detrick, Senior Scientist, Woods Hole Oceanographic Institution

Business and Industry
Peter J. Stein, President, Scientific Solutions, Inc.

Technical Staff provides an introduction to a broad range of ocean sciences, ocean engineering, and marine policy topics. A new feature pioneered this year by Ed Sholkovitz, Faculty Coordinator for Summer Undergraduate Programs, was an introductory, get-acquainted dinner with a science talk by Dick Norris of the Geology and Geophysics Department.

“Astrophysical and Geophysical Flows as Dynamical Systems” was the topic for the Geophysical Fluid Dynamics Summer Study Program’s ten fellows (graduate students and postdoctoral fellows) who interacted with about 98 staff and visitors in lectures, seminars, and productive informal gatherings on the porch and lawn of Walsh Cottage. The printed volume of lectures and papers were joined this year by publication of the volume on a Web site.

The High School Teacher Summer Fellowship Program brought four Massachusetts high school science and math teachers to WHOI to participate in the first part of a two-summer research experience. In other K-12 activities, WHOI launched a formal partnership with Turnstone Publishing Group, Inc. to produce books, teacher guides, and a Web site for grade four through eight curriculum supplements.

The Institution also cosponsored, with New England Aquarium, the “Blue Lobster Bowl,” Massachusetts competition in the first National Ocean Science Bowl, a nationwide CORE activity. The Massachusetts winner, Lexington High School, also won the national competition! This entitled the team to participate in a Naval oceanographic cruise in the Mediterranean, including a port stop at the Lisbon World’s Fair with its focus on the oceans. The team also received R/V *Atlantis* jackets from WHOI with their names embroidered on them. These K-12 activities add to the long-standing and highly successful community efforts of WHOI employees to support science and math learning in local schools through science fairs and through the Woods Hole Science and Technology and Education Partnership, which celebrates its tenth anniversary in 1999.

The Institution also cosponsored, with New England Aquarium, the “Blue Lobster Bowl,” Massachusetts competition in the first National Ocean Science Bowl, a nationwide CORE activity. The Massachusetts winner, Lexington High School, also won the national competition! This entitled the team to participate in a Naval oceanographic cruise in the Mediterranean, including a port stop at the Lisbon World’s Fair with its focus on the oceans. The team also received R/V *Atlantis* jackets from WHOI with their names embroidered on them. These K-12 activities add to the long-standing and highly successful community efforts of WHOI employees to support science and math learning in local schools through science fairs and through the Woods Hole Science and Technology and Education Partnership, which celebrates its tenth anniversary in 1999.

I note with sadness the death this year of Kenneth O. Emery but remember with pleasure his many contributions to the Joint Program. A renowned marine geologist, K.O. Emery served as the first Dean during the early months of WHOI’s formal graduate education program. On the occasion of the Joint Program’s thirtieth anniversary, we are grateful for the guidance and leadership of K.O. and succeeding deans along with many others at both MIT and WHOI who helped set and maintain a course for success.


—John W. Farrington,
Associate Director for Education & Dean of Graduate Studies



Among those enjoying the thirtieth anniversary celebration dinner at the New England Aquarium were Joint Program graduate Bruce Brownawell (1986), left, and his student advisor, Dean John Farrington.



Current Joint Program students, from left, Bridget Berquist, Mike Braun, Liz Kujawinski, and Tom Marchitto were captured at the New England Aquarium dinner.



Others students celebrating the anniversary included Alex Techet, left, and Kelsey Jordahl, right. 1997 graduate Craig Lewis is second from right next to Alex’s guest Elliot Aten.

WHOI Education Office Photos



Christopher Knight

R/V *Atlantis* & DSV *Alvin*

Total Nautical Miles in 1998—19,976

Total Days at Sea—234

Total Number of Alvin Dives—134

In its first full year of operation, *Atlantis* took part in a range of expeditions in the Pacific to explore deep-sea biology and hydrothermal vent systems. The ship first visited the San Diego Trench for studies of the impact of predatory species in a deep-sea ecosystem, then came mapping of vent structures in the Guayamas Basin of the Sea of Cortez using ROV *Jason*. Three cruises to the East Pacific Rise (EPR) followed, all involving *Alvin* dives: the first to seek new hydrothermophilic species at hydrothermal vents, the second to investigate succession and predation in vent ecosystems, and the third to photograph and collect samples of whale carcasses on the seafloor.

Then *Atlantis* headed north along the coast to the Juan de Fuca Ridge for experiments in a borehole drilled into the seafloor, collection of optical data on “vent glow” using the new ALISS (Ambient Light Imaging & Spectral System), testing of a theory that a substantial microbial biosphere exists within the ocean crust, and further ecological studies of hydrothermal vent communities. Following a return trip to the San Diego Trench, work aboard *Atlantis* included recovering instruments for the Ridge Inter-Disciplinary Global Experiments (RIDGE) Flux Project and investigating chemical processes at hydrothermal vents, both at 18°S on the EPR. The year concluded with a study for the Larvae At Ridge Vents (LARVE) Project, exploring how larvae of vent species migrate and colonize new sites, and with a full-scale investigation of the ecology, biology, and geology of hydrothermal vents, involving some two dozen *Alvin* dives at vent sites from 13° to 26°S on the EPR.

Chief scientists for 1998 were: B. Walden (Voyage 3, Legs XIII A and XIII B, 3 dives); C. Hollister (3-XIV); J. Eckman, Office of Naval Research (3-XV, 6 dives, 3-XXVI, 7 dives); D. Yoerger (3-XVI and 3-XVII, *Jason*); H. Jannasch (3-XVIII, 8 dives); L. Mullineaux (3-XIX, 14 dives); C. Smith, Univ.

*Gaps in cruise numbers generally indicate transits or short trips for engineering tests where no chief scientist was named.

of Hawaii (3-XX, 6 dives); B. Carson., Lehigh Univ. (3-XXI, 3 dives); A. Chave (3-XXII, 6 dives); J. Cowen, Univ. of Hawaii (3-XXIII, 15 dives); C. Fisher, Pennsylvania State Univ. (3-XXIV, 10 dives); T. Urabe, Geological Survey of Japan (3-XXVII, 10 dives); M. Lilley, Univ. of Washington (3-XXVIII, 25 dives); D. Manahan, Univ. of Southern Calif. (3-XXIX, 12 dives); and R. Vrijenhoek, Rutgers Univ. (3-XXX, 9 dives).*

R/V *Knorr*

Total Nautical Miles in 1998—37,422


Total Days at Sea—247

Knorr started its year in harsh, icy conditions in the Labrador Sea, deploying the Autonomous Ocean Sampling Network system, a tool to study physical oceanography. Following maintenance in the early spring, *Knorr* was involved in two Navy programs, first to conduct bottom and water column surveys of the USN Atlantic Undersea Test and Evaluation Center (AUTECE) at sites in the Tongue of the Ocean and the Barry Islands, and second to provide support for autonomous underwater and remotely operated vehicles for the Navy's Joint Advanced Concept Technologies Demonstration off the coast of Newfoundland. Then *Knorr* scientists took sediment cores for paleoclimate studies in the Grand Banks and Norwegian Sea areas and participated in a study of the North Atlantic Current extension and water mass formation south of Greenland. In August, *Knorr* scientists took giant piston cores to study seabed slope processes in the Gulf of Mexico, then the ship returned to the Atlantic for further use of the giant piston corer to recover high-resolution paleoceanographic samples from the Brazil Margin. *Knorr* ended the year in balmy waters of the eastern equatorial Atlantic for a study of chemical processes in the water column and on the seafloor.

Chief scientists for 1998 were: J. Bellingham, MIT (Voyage 156); T. Szlyk, Naval Underwater Weapons Center, P. Lemmond (Voyage 157, Leg II); B. Almquist, Office of Naval Research (158-I, IIA, III); G. Bond, Lamont-Doherty Earth Observatory (158-IV); T. Rossby, Univ. of Rhode Island (158-V); A. Silva, Univ. of Rhode Island (159-II, III); D. Oppo (159-V); R. Jahnke, Skidaway Institute of Oceanography (159-VII).*



Shelley Lauzon



Jayne Doucette

R/V Oceanus

Total Nautical Miles in 1998—22,667

Total Days at Sea—231

Oceanus spent most of the year in the Gulf of Maine or on Georges Bank, involved primarily in three major projects: the US Global Ocean Ecosystems Dynamics (GLOBEC) Program, the Convex Experiment, and the Ecology and Oceanography of Harmful Algal Blooms—Gulf of Maine (ECOHAB-GOM) Project. *Oceanus* took part in ten GLOBEC cruises. GLOBEC seeks to comprehend the interrelated biological, chemical, and physical processes in a complex ecosystem that hosts the historically abundant Georges Bank fishery, and to provide insights on declining fish stocks. Three ECOHAB-GOM cruises investigated the ecology and oceanography of toxic *Alexandrium* blooms in the Gulf of Maine in an effort to understand their cause and to find remedies. Three Convex Experiment cruises, two at the start of the year and one in May, explored convec-

tion and water mass formation in the Gulf of Maine's Wilkinson Basin. Other *Oceanus* voyages included two that measured speciation and metal concentrations in the Sargasso Sea; a cruise for the Littoral



Christopher Griner

Internal Wave Initiative (LIWI) studying turbulence above irregular, sloping bathymetry of the continental shelf off Cape Hatteras; a Sargasso Sea cruise to collect cores for a study of climate variability in the Holocene Era; a seismic study of the New Jersey shelf; two cruises to study plankton and circulation in Cape Cod Bay in anticipation of the 1999 Coastal Ocean Predictive Skill Experiment (COPSE); and a four-day cruise to provide seagoing oceanographic science experience for New England teachers.

Chief scientists for 1998 were: F. Bub, Univ. of New Hampshire (315, 316 & 323); D. Mountain, NOAA/NMFS (317); J. Moffett (318 & 325); P. Wiebe (319); N. Pettigrew, Univ. of Maine (320); J. Irish (321, 331-A & B); C. Miller, Oregon State Univ. (322); K. Polzin (324); L. Keigwin (326); E. Barron, Penn. State Univ. (327); R. Signell, USGS (328-I); D. Townsend, Univ. of Maine (328-IIA); J. Collins (329); J. Bellingham, MIT (330-A & B); C. Greene, Cornell (332A & B, 334); and R. Limeburner (333).*

Officers of the Corporation

James E. Moltz
Chairman of the Board

James M. Clark
President of the Corporation

Robert B. Gagosian
Director

Peter H. McCormick
Treasurer

Edwin W. Hiam
Assistant Treasurer

Charles D. Hollister
Vice President of the Corporation

Paul Clemente
Clerk of the Corporation

Board of Trustees**To Serve Until 1999**

William C. Cox, Jr.
Sylvia A. Earle
Robert A. Frosch
George K. Moss
David G. Mugar

To Serve Until 2000

Arthur Yorke Allen
Robert A. Day
Joseph Z. Duke, III
James B. Hurlock
William J. Kealy
Breene M. Kerr
Kenneth S. Safe
Cecil B. Thompson

To Serve Until 2001

Joan T. Bok
Daniel S. Gregory
Robert L. James
Newton P.S. Merrill
Richard S. Morse
John A. Scully
John M. Stewart
Thomas J. Tierney

To Serve Until 2002

Rodney B. Berens
Lisina M. Hoch
Paul J. Keeler
Thomas D. Mullins
Reuben F. Richards
Daniel H. Stuermer
Marjorie M. von Stade
Alfred M. Zeien

Ex Officio Trustees

James E. Moltz
Chairman of the Board

James M. Clark
President of the Corporation

Robert B. Gagosian
Director

Peter H. McCormick
Treasurer

Paul Clemente
Clerk of the Corporation

Honorary Trustees

Charles F. Adams
Ruth M. Adams
Arnold B. Arons
Gerald W. Blakeley, Jr.
Lewis M. Branscomb
Edwin D. Brooks, Jr.
Harvey Brooks
Louis W. Cabot
Melvin A. Conant
Kathleen S. Crawford
Joel P. Davis
Thomas J. Devine
William Everdell
Ruth E. Fye
W.H. Krome George
Cecil H. Green
Caryl P. Haskins
William R. Hewlett
Edwin W. Hiam
Frank W. Hoch
Lilli S. Hornig

Weston Howland, Jr.
Howard W. Johnson
Henry W. Kendall
Harvey C. Krentzman
Karen G. Lloyd
John F. Magee
Frank E. Mann
Nancy S. Milburn
Gratia R. Montgomery
Guy W. Nichols
C.W. Nimitz, Jr.
Emanuel R. Piore
Frank Press
David D. Scott
Robert C. Seamans, Jr.
Cecily C. Selby
Frank V. Snyder
Robert M. Solow
John H. Steele
H. Guyford Stever
E. Kent Swift, Jr.
Charles H. Townes
Sidney J. Weinberg, Jr.
F. Thomas Westcott

Corporation Members

Richard D. Abrams
Lexington, MA

Rex D. Adams
*The Fuqua School of Business
Durham, NC*

Tenley E. Albright
Boston, MA

Richard I. Arthur
Sippican, Inc., Marion, MA

James A. Austin, Jr.
*The University of Texas
Austin, TX*

John M. Baitzell
Jupiter, FL

George F. Baker, III
*Baker, Nye, Greenblatt
New York, NY*

Richard E. Balzhiser
*Electric Power Research Institute
Palo Alto, CA*

William N. Bancroft
J.M. Forbes & Co., Boston, MA

Joseph S. Barr, Jr.
Needham, MA

Samuel M. Bemiss
Richmond, VA

James Benenson, Jr.
New York, NY

Philip L. Bernstein
*Jacob Stern & Sons, Inc.
Santa Barbara, CA*

Lillian C. Borrone
*Port Authority of NY & NJ
New York, NY*

Edward C. Brainard, II
Marion, MA

Lawson W. Brigham
Carmel, CA

Coleman P. Burke
*Waterfront NY, L.P.
New York, NY*

Richard M. Burnes, Jr.
*Charles River Ventures
Waltham, MA*

M. Abigail Campbell-King
Arlington, MA

Truman S. Casner
Ropes & Gray, Boston, MA

Philip W. Cheney
*Raytheon Company
Lexington, MA*

James M. Clark, Jr.
*Elm Ridge Resources, Inc.
Dallas, TX*

Ruth P. Clark
Palm Beach, FL

Jill Ker Conway
Boston, MA

Trudy Cox
*Preservation Society of Newport
County, Newport, RI*

Gorham L. Cross, Jr.
Wellesley, MA

Molly M. Crowley
Piedmont, CA

Victoria R. Cunningham
South Dartmouth, MA

Nancy W. Cushing
*Squaw Valley Ski Corporation
Olympic Valley, CA*

Rose C. Dana
Middletown, RI

J.H. Dow Davis
Newton, MA

Gail E. Deegan
*Houghton Mifflin Company
Boston, MA*

Michael R. Deland
*American Flywheel Systems, Inc.
Washington, DC*

Alfred T. Dengler, Jr.
*Deutsche Bank North America
New York, NY*

Craig E. Dorman
Arlington, VA

Paul A. Downey
*Downey Capital Incorporated
San Francisco, CA*

Mildred S. Dresselhaus
Arlington, MA

John R. Drexel, IV
New York, NY

Ariana A. Fairbanks
Woods Hole, MA

John W. Farrington
*Woods Hole Oceanographic
Institution, Woods Hole, MA*

Michele S. Foster
Portsmouth, RI

Nelson S. Gifford
Wellesley, MA

Prosser Gifford
Washington, DC

Bernard A. Goldhirsh
Inc. Magazine, Boston, MA

H.D.S. Greenway
Needham, MA

Robert D. Harrington, Jr.
Greenwich, CT


Halsey C. Herreshoff
Bristol, RI



Three WHOI Chairmen of the Board attended the annual meetings in May 1998. Shown here with Director Bob Gagosian, left, they are Jim Moltz, right, who was elected at that meeting to succeed Frank Snyder, second from left, who accepted the gavel from Guy Nichols in 1995.



- Joseph W. Hill, II**
Greenwich, CT
- Robert F. Hoerle**
Reich & Tang Capital Management Group, New York, NY
- Ann L. Hollick**
Washington, DC
- Charles D. Hollister**
Woods Hole Oceanographic Institution, Woods Hole, MA
- Jacqueline M. Hollister**
Woods Hole Oceanographic Institution, Woods Hole, MA
- Kinniard Howland**
Edwards & Angell Providence, RI
- Weston Howland, III**
Howland Capital Management, Inc. Boston, MA
- Columbus O. Iselin, Jr.**
St. Croix, VI
- Eric H. Jostrom**
Manchester-by-the-Sea, MA
- Edgar F. Kaiser, Jr.**
Kaiser Resources Ltd. Vancouver, BC
- John E. Kelly**
JK Research Associates, Inc. Breckenridge, CO
- Lily R. Kendall**
South Hamilton, MA
- Kevin W. Kennedy**
Goldman, Sachs & Co. New York, NY
- Lee A. Kimball**
Washington, DC
- Charles R. LaMantia**
Arthur D. Little, Inc. Cambridge, MA
- Louis J. Lanzerotti**
AT&T Bell Laboratories Murray Hill, NJ
- Timothea S. Larr**
New York, NY
- Wendy B. Lawrence**
NASA, Houston, TX
- Lyn D. Lear**
Los Angeles, CA
- A. L. Loomis, III**
Downtown Associates New York, NY
- James Luyten**
Woods Hole Oceanographic Institution, Woods Hole, MA
- William K. Mackey**
Woods Hole, MA
- John F. Maher**
Los Angeles, CA
- Richard J. Mahoney**
Monsanto Company St. Louis, MO
- William J. Marshall**
Vantage Point Venture Partners Stamford, CT



Tom Klendanz

Associate Scientist Peter Kelemen discusses his work following lunch with his Corporation partner, Dick Mintz.

- C. Russell McKee**
McKee Associates Old Greenwich, CT
- Dodge D. Morgan**
Cape Elizabeth, ME
- Joel Moses**
Massachusetts Institute of Technology Cambridge, MA
- Giles E. Mosher, Jr.**
Waban, MA
- Joyce L. Moss**
New York, NY
- Carolyn M. Osteen**
Ropes & Gray, Boston, MA
- Richard F. Pittenger**
Woods Hole Oceanographic Institution, Woods Hole, MA
- Robert M. Raiff**
Centurion New York, NY
- Anthony W. Ryan**
State Street Global Advisors Boston, MA
- Lisa F. Schmidt**
Cambridge, MA
- Carolyn W. Slayman**
Yale University, New Haven, CT
- William T. Speck**
Presbyterian Hospital, City of New York, New York, NY
- Peter J. Stein**
Scientific Solutions Inc., Hollis, NH
- Carol T. Stuart**
University of Massachusetts Boston, MA
- George E. Stuart**
National Geographic Society Washington, DC
- Kathryn D. Sullivan**
Ohio Center for Science and Industry Columbus, OH
- Stephen P. Swope**
Riverside, CT
- Richard F. Syron**
American Stock Exchange New York, NY
- Christopher R. Tapscott**
Exxon Production Research Co. Houston, TX
- Stephen E. Taylor**
The Boston Globe, Boston, MA
- Maurice Tempelsman**
Leon Tempelsman & Son New York, NY
- Geoffrey A. Thompson**
New York, NY
- Keith S. Thomson**
Oxford, England
- A. Robert Towbin**
C.E. Unterberg, Towbin New York, NY
- Charles M. Vest**
Massachusetts Institute of Technology, Cambridge, MA
- Malte von Matthiessen**
YSI Incorporated, Yellow Springs, OH
- Elizabeth S. Warner**
Osterville, MA
- John J. Wise**
Princeton, NJ
- Edmund B. Woollen**
Raytheon Company Lexington, MA
- Arthur Zeikel**
Westfield, NJ

Honorary Members of the Corporation

- Richard F. Alden**
Los Angeles, CA
- Marjorie Atwood**
Newport, RI
- Glenn W. Bailey**
Hammond, Kennedy, Whitney & Co. New York, NY
- George F. Bennett**
Falmouth, MA
- Charles A. Black**
Woodside, CA
- Randolph W. Bromery**
Springfield College Springfield, MA
- Richard W. Call**
Pasadena, CA
- Hays Clark**
Hobe Sound, FL
- James D. Ebert**
Baltimore, MD
- Charles Goodwin**
Baltimore, MD
- William P.E. Graves**
Chilmark, MA
- Donald R. Griffin**
Lexington, MA
- Richard D. Hill**
BankBoston Corporation Boston, MA
- D. Brainerd Holmes**
Wellesley Hills, MA
- Townsend Hornor**
Osterville, MA
- Kosaku Inaba**
Ishikawajima-Harima Heavy Industries Co., Ltd., Tokyo, Japan
- Mary Draper Janney**
Washington, DC
- George F. Jewett, Jr.**
San Francisco, CA
- Eugene H. Kummel**
McCann-Erickson Worldwide New York, NY
- A. Dix Leeson**
Westwood, MA
- Stanley Livingston, Jr.**
Bristol, RI
- Norman E. MacNeil**
Woods Hole, MA
- Francis K. McCune**
Bradenton, FL
- Renville H. McMann, Jr.**
New Canaan, CT
- Richard G. Mintz**
Boston, MA
- George L. Moses**
East Falmouth, MA
- Frank L. Nickerson**
Falmouth, MA

- Phyllis McKee Orb**
Greenwich, CT
- Susanne LaC. Phippen**
Wenham, MA
- Allen E. Puckett**
Hughes Aircraft Pacific Palisades, CA
- Willis B. Reals**
Falmouth, MA
- Elliot L. Richardson**
Milbank, Tweed, Hadley and McCloy, Washington, DC
- Walter N. Rothschild, Jr.**
New York, NY
- Anne W. Sawyer**
Woods Hole, MA
- David S. Saxon**
University of California, Los Angeles
- Charles W. Schmidt**
Weston, MA
- Charles N. Shane**
Wayland, MA
- Charles P. Slichter**
University of Illinois, Urbana, IL
- Hope Noyes Smith**
Turks & Caicos, BVI
- David B. Stone**
North American Management Corp. Boston, MA
- Wm. Davis Taylor**
Brookline, MA
- Richard F. Tucker**
Westport, CT
- Emily V. Wade**
Bedford, MA
- Henry G. Walter, Jr.**
New York, NY

1998/1999 Standing Committees

Audit Committee

- Stephen E. Taylor, Chair**
- Richard I. Arthur**
- Edward C. Brainard, II**
- J.H. Dow Davis**
- Kinniard Howland**

Development Committee

- James B. Hurlock, Chair**
- Frank W. Hoch**
- Robert L. James**
- John M. Stewart**
- Thomas J. Tierney**
- Sidney J. Weinberg, Jr.**

*Ex Officio committee member

Executive Committee

James E. Moltz, *Chair*
 Louis W. Cabot
 James M. Clark*
 Robert A. Frosch
 Robert B. Gagosian
 Robert D. Harrington, Jr.*
 Weston Howland, Jr.
 Robert L. James
 Peter H. McCormick*
 Nancy S. Milburn
 George K. Moss
 Robert M. Solow

Finance and Budget Committee

Peter H. McCormick, *Chair*
 Arthur Yorke Allen
 Paul Clemente*
 Robert A. Frosch
 Edwin W. Hiam
 Breene M. Kerr
 Reuben F. Richards
 Kenneth S. Safe, Jr.

Investment Committee

F. Thomas Westcott, *Chair*
 Daniel S. Gregory
 James B. Hurlock
 William J. Kealy
 Peter H. McCormick*
 James E. Moltz*
 Thomas D. Mullins

Member Orientation and Education Committee

Marjorie M. von Stade, *Chair*
 James A. Austin, Jr.
 Ruth P. Clark
 Charles Goodwin
 William P.E. Graves
 C. Russell McKee
 Joyce L. Moss
 Elizabeth S. Warner

Nominating Committee

John F. Magee, *Chair*
 James M. Clark*
 Trudy Coxe
 Robert B. Gagosian*
 Robert D. Harrington, Jr.*
 Lisina M. Hoch

Paul J. Keeler
 Richard G. Mintz
 James E. Moltz*
 Marjorie von Stade

Trustees of the Employees' Retirement Trust

Rodney B. Berens (2001)
 Newton P.S. Merrill (1999)
 John A. Scully (2000)

1998/1999 Ad Hoc Committees**Appointment and Promotion Policy Committee**

Keith S. Thomson, *Chair*
 Mildred S. Dresselhaus

Education Committee

Nancy S. Milburn, *Chair*
 Arnold B. Arons
 Lewis M. Branscomb
 Joel P. Davis
 Mildred S. Dresselhaus
 John W. Farrington*
 Lilli S. Hornig
 Karen G. Lloyd

Cecily C. Selby
 Robert M. Solow
 Carol T. Stuart
 Daniel H. Stuermer*
 Christopher R. Tapscott*
 Keith S. Thomson

Ships Committee

E. Kent Swift, Jr., *Chair*
 Richard I. Arthur
 Edwin D. Brooks, Jr.
 Louis W. Cabot
 James M. Clark
 Melvin A. Conant
 Joel P. Davis
 Thomas J. Devine
 Joseph Z. Duke, III
 Robert B. Gagosian*
 Charles Goodwin
 Robert D. Harrington, Jr.
 Robert L. James
 Paul J. Keeler
 Henry W. Kendall
 Peter H. McCormick
 James E. Moltz*
 Dodge D. Morgan
 George K. Moss

Thomas D. Mullins
 Guy W. Nichols
 Richard F. Pittenger*
 Kenneth S. Safe, Jr.
 Robert C. Seamans, Jr.
 David B. Stone
 Marjorie M. von Stade
 F. Thomas Westcott

1998/1999 Special Committee**Business Development Committee**

Robert A. Frosch, *Chair*
 Philip L. Bernstein
 Paul Clemente*
 Robert B. Gagosian*
 Daniel S. Gregory
 Harvey C. Krentzman
 James Luyten*
 Richard S. Morse, Jr.
 David G. Mugar

*Ex Officio committee member



Director's Council

As of December 31, 1998

Robert B. Gagosian
Director

James R. Luyten
*Senior Associate Director
 and Director of Research*

John W. Farrington
*Associate Director for Education
 and Dean of Graduate Studies*

Paul Clemente
*Associate Director for Finance
 and Administration*

Richard F. Pittenger
*Associate Director for
 Marine Operations*

Jacqueline M. Hollister
*Associate Director for
 Communications and Development*

Charles D. Hollister
Vice President of the Corporation

Pamela C. Hart
Executive Assistant to the Director

Karen P. Raus
Ombudsperson and EEO Officer



A main lab full of foul weather work suits attests to the state of the weather during *Oceanus* Voyage 333 in November 1998 for the Global Ocean Ecosystems Dynamics Georges Bank program.

Jim Irish



Applied Ocean Physics and Engineering Department

Timothy K. Stanton

Department Chair and Senior Scientist

Lane J. Abrams

Research Engineer

John J. Akens

Senior Engineer

Ben G. Allen

Research Engineer

Laurence A. Anderson

Research Associate II

Thomas C. Austin

Senior Engineer

Robert D. Ballard

Scientist Emeritus

Stacey E. Beaulieu

Postdoctoral Scholar

Erik J. Bock

Associate Scientist

Andrew D. Bowen

Research Specialist

Martin F. Bowen

Research Associate II

Albert M. Bradley

Principal Engineer

Neil L. Brown

Principal Engineer

Robert S. Brown

Research Associate II

Cheryl Ann Butman

Senior Scientist

Rodney M. Catanach

Engineer II

Dezhang Chu

Research Associate III

John A. Colosi

Assistant Scientist

Kenneth W. Doherty

Senior Engineer

James A. Doult

Research Associate III

Timothy F. Duda

Associate Scientist

Alan R. Duester

Engineer II

Robert L. Eastwood

Research Engineer

Calvert F. Eck

Research Engineer

James B. Edson

Associate Scientist

Robert L. Elder

Engineer II

Ned C. Forrester

Senior Engineer

Dudley B. Foster

Research Specialist

Janet J. Fredericks

Info. Systems Assoc. II

Lee E. Freitag

Research Engineer

George V. Frisk

Senior Scientist

Daniel E. Frye

Senior Research Specialist

Stephen R. Gegg

Informations Systems Associate II

Wayne R. Geyer

Associate Scientist

Denzel E. Gleason

Research Associate II

Robert G. Goldsborough

Research Engineer

Mark A. Grosenbaugh

Associate Scientist and J. Seward Johnson Chair as Education Coordinator

Matthew D. Grund

Engineer II

Robert T. Guza

Visiting Investigator

Terence R. Hammar

Research Associate II

Alan A. Hinton

Research Engineer

Edward L. Hobart

Engineer II

Jonathan C. Howland

Research Engineer

Kelan Huang

Research Associate III

James D. Irish

Research Specialist

Mark P. Johnson

Research Engineer

Gail C. Kineke

Adjunct Scientist

Richard L. Koehler

Senior Engineer

Valery K. Kosnyrev

Research Associate II

James R. Ledwell

Associate Scientist

Steven A. Lerner

Research Engineer

Stephen P. Liberatore

Research Engineer

Daniel R. Lynch

Adjunct Scientist

James F. Lynch

Senior Scientist

Ann Martin

Informations Systems Associate II

Glenn E. McDonald

Engineer II

Dennis J. McGillicuddy

Assistant Scientist

Wade R. McGillis

Assistant Scientist

David A. Mindell

Visiting Investigator

A. Todd Morrison

Visiting Investigator

Matthew L. Naiman

Engineer II

Arthur Newhall

Research Specialist

Walter H.B. Paul

Senior Engineer

Kenneth R. Peal

Senior Engineer

Donald B. Peters

Research Engineer

Robert A. Pettitt

Research Engineer

James C. Preisig

Assistant Scientist

Michael J. Purcell

Research Engineer

Edward K. Scheer

Informations Systems Associate III

Cynthia J. Sellers

Research Associate III

Arnold G. Sharp

Senior Engineer

Robin C. Singer

Engineer II

Hanumant Singh

Assistant Scientist

Sandipa Singh

Information Systems Associate II

Jean-Jacques E. Slotine

Visiting Investigator

Christopher K. Sommerfield

Postdoctoral Scholar

Victoria R. Starczak

Research Associate II

Charles A. Stock

Visiting Investigator

Roger P. Stokey

Senior Engineer

Xiaoou S. Tang

Postdoctoral Investigator

Eugene A. Terray

Research Specialist

Fredrik T. Thwaites

Research Engineer

Peter A. Traykovski

Postdoctoral Investigator

John H. Trowbridge

Associate Scientist

Christopher J. von Alt

Principal Engineer

Keith von der Heydt

Senior Engineer

Barrie B. Walden

Principal Engineer

Louis L. Whitcomb

Visiting Investigator

Albert J. Williams 3rd

Senior Scientist

Warren E. Witzell Jr.

Engineer II

Dana R. Yoerger

Associate Scientist

Jack Zhang

Engineer II

Biology Department

Laurence P. Madin

Department Chair and Senior Scientist

Philip Alatalo

Research Associate

Donald M. Anderson

Senior Scientist

Carin Ashjian

Assistant Scientist

Richard H. Backus

Scientist Emeritus

David A. Caron

Senior Scientist and Mary Sears Chair

Hal Caswell

Senior Scientist

James E. Craddock

Research Specialist

John W.H. Dacey

Associate Scientist

Cabell S. Davis III

Associate Scientist

Mark R. Dennett

Research Specialist

Michele D. DuRand

Visiting Investigator

Scott Gallager

Associate Scientist

Rebecca J. Gast

Assistant Scientist

Joel C. Goldman

Scientist Emeritus

Charles H. Greene

Visiting Investigator

Robert C. Groman

Information Systems Specialist

Mark E. Hahn

Associate Scientist

Kenneth M. Halanych

Assistant Scientist

George R. Hampson

Oceanographer Emeritus

G. Richard Harbison

Senior Scientist

Constance A. Hart

Postdoctoral Investigator

Robert Haselkorn

Adjunct Scientist

Erich F. Horgan

Research Associate

Heather L. Hunt

Postdoctoral Investigator

Sibel I. Karchner

Research Associate

Bruce A. Keafer

Research Associate

Darlene R. Ketten

Associate Scientist

Dale F. Leavitt

Research Associate

Frank J. Mather III

Scientist Emeritus

Judith E. McDowell

Senior Scientist and Sea Grant Coordinator

Zofia J. Mlodzinska

Research Associate

Michael J. Moore

Research Specialist

Lauren S. Mullineaux

Associate Scientist and J. Seward Johnson Chair as Education Coordinator

Michael G. Neubert

Assistant Scientist

Robert J. Olson

Associate Scientist

Jesús G. Pineda

Associate Scientist

Pamela Polloni

Visiting Investigator

John H. Ryther

Scientist Emeritus

Howard L. Sanders

Scientist Emeritus

Amélie Scheltema

Visiting Investigator

Rudolf S. Scheltema

Scientist Emeritus

Alexi Shalapyonok

Research Associate

Heidi M. Sosik

Peter H. Wiebe
Senior Scientist
and Adams Chair

Carl O. Wirsén, Jr.
Research Specialist

Bruce R. Woodin
Research Associate

Geology & Geophysics Department

William B. Curry
Department Chairman
and Senior Scientist

David G. Aubrey
Senior Scientist

Mary Bellino
Research Associate II

William A. Berggren
Scientist Emeritus

Karen Bice
Assistant Scientist

Jurek Blusztajn
Research Associate

Carl O. Bowin
Scientist Emeritus

James E. Broda
Research Specialist

Wilfred B. Bryan
Senior Scientist - Retired

Elizabeth T. Bunce
Scientist Emeritus

Joseph R. Cann
Adjunct Scientist

Alan D. Chave
Senior Scientist

Peter D. Clift
Assistant Scientist

John A. Collins
Research Associate III

Robert S. Detrick
Senior Scientist and
J. Seward Johnson Chair as
Education Coordinator

Henry J.B. Dick
Senior Scientist

Joanne C. Donoghue
Engineer I

Neal W. Driscoll
Assistant Scientist

Kathryn L. Elder
Research Associate II

Robert L. Evans
Associate Scientist

John I. Ewing
Scientist Emeritus

Daniel J. Fornari
Senior Scientist

Alan R. Gagnon
Research Associate III

Graham S. Giese
Oceanographer Emeritus

Stanley R. Hart
Senior Scientist and Columbus
O'Donnell Iselin Chair for Excellence
in Oceanography

John M. Hayes
Senior Scientist

James G. Hirth
Associate Scientist

W. Steven Holbrook
Associate Scientist

Susumu Honjo
Senior Scientist

Susan E. Humphris
Senior Scientist

Lloyd D. Keigwin
Senior Scientist

Peter B. Kelemen
Associate Scientist

Richard A. Krishfield
Research Specialist

Peter B. Landry
Engineer II

Graham D. Layne
Research Specialist

Peter Lemmond
Research Associate

Jian Lin
Associate Scientist

George P. Lohmann
Associate Scientist

Steven J. Manganini
Research Specialist

Daniel C. McCorkle
Associate Scientist

Jerry F. McManus
Assistant Scientist

Ann P. McNichol
Research Specialist

Peter S. Meyer
Adjunct Scientist

Richard D. Norris
Associate Scientist

Delia W. Oppo
Associate Scientist

Dorinda R. Ostermann
Research Associate III

John C. Peden
Information Systems Associate III

Gregory E. Ravizza
Associate Scientist

David A. Ross
Scientist Emeritus

Robert J. Schneider
Senior Research Specialist

Hans Schouten
Senior Scientist

Nobumichi Shimizu
Senior Scientist
and Van Alan Clark, Jr. Chair

Kenneth W.W. Sims
Assistant Scientist

Deborah K. Smith
Associate Scientist

Wayne D. Spencer
Research Specialist

Ralph A. Stephen
Senior Scientist

Stephen A. Swift
Research Specialist

Maurice A. Tivey
Associate Scientist

Brian E. Tucholke
Senior Scientist

Elazar Uchupi
Scientist Emeritus

Richard P. Von Herzen
Senior Scientist Emeritus

Karl F. Von Reden
Research Specialist

Cecily Wolfe
Assistant Scientist

Frank B. Wooding
Research Specialist

Marine Chemistry and Geochemistry Department

Michael P. Bacon
Department Chair
and Senior Scientist

John Andrews
Research Associate II

Lary A. Ball
Research Associate III

Peter G. Brewer
Adjunct Scientist

Ken O. Buesseler
Associate Scientist

Cynthia L. Chandler
Information Systems Associate I

Matthew Charette
Postdoctoral Fellow

Maureen H. Conte
Associate Scientist

Minhan Dai
Postdoctoral Investigator

Michael D. DeGrandpre
Adjunct Scientist

Werner G. Deuser
Scientist Emeritus

Geoffrey Eglington
Adjunct Scientist

Lorraine Eglinton
Research Associate III

Timothy I. Eglinton
Associate Scientist

Greg F. Eiseheid
Research Associate II

Alan P. Fleer
Research Associate III

Roger François
Associate Scientist

Nelson M. Frew
Senior Research Specialist

Raja Ganeshram
Postdoctoral Scholar

David M. Glover
Research Specialist

Catherine Goyet
Associate Scientist

Christine Hammond
Information Systems Specialist

Robyn Hannigan
Postdoctoral Scholar

Richard Healy
Research Associate II

Eric J. Hints
Assistant Scientist

Leah Houghton
Research Associate II

John M. Hunt
Scientist Emeritus

William J. Jenkins
Senior Scientist

Carl G. Johnson
Research Associate III

Karl Kreutz
Postdoctoral Scholar

Mark D. Kurz
Senior Scientist and
Edward W. and Betty J. Scripps Chair

Dempsey E. Lott III
Research Specialist

William R. Martin
Associate Scientist and
J. Seward Johnson Chair as
Education Coordinator

Thomas McCollom
Postdoctoral Fellow

Scott J. McCue
Information Systems Associate II

James W. Moffett
Associate Scientist

Manuel Moreira
Postdoctoral Scholar

Robert K. Nelson
Research Associate III

Silvio Pantoja
Postdoctoral Scholar

Edward T. Peltzer
Adjunct Oceanographer

Bernhard Peucker-
Ehrenbrink
Assistant Scientist

Steven Pike
Research Assistant III

Christopher Reddy
Postdoctoral Investigator

Daniel J. Repeta
Senior Scientist

Kathleen C. Ruttenberg
Assistant Scientist

Peter Sauer
Postdoctoral Investigator

Frederick L. Sayles
Senior Scientist
and Holger W. Jannasch Chair

David L. Schneider
Research Associate III

Jeffrey S. Seewald
Associate Scientist

Wayne C. Shanks
Adjunct Scientist

Edward R. Sholkovitz
Senior Scientist

Derek W. Spencer
Scientist Emeritus

Geoffrey Thompson
Scientist Emeritus

Margaret K. Tivey
Associate Scientist

Wei Wang
Postdoctoral Fellow

John C. Weber
Research Associate II

Jean K. Whelan
Senior Research Specialist

Oliver C. Zafriou
Senior Scientist

Physical Oceanography Department

Terrence M. Joyce
Department Chair
and Senior Scientist

Carol A. Alessi
Information Systems Associate II

Geoffrey P. Allsup
Engineer II

Steven P. Anderson
Associate Scientist

Frank Bahr
Research Associate III

Mark F. Baumgartner
Research Associate II

Robert C. Beardsley
Senior Scientist and Walter A. and
Hope Noyes Smith Chair

Amy S. Bower
Associate Scientist

Alvin L. Bradshaw
Research Specialist

Kenneth H. Brink
Senior Scientist

Michael J. Caruso
Information Systems Specialist

Claudia Cenedese
Postdoctoral Scholar

David C. Chapman
Senior Scientist

James H. Churchill
Research Specialist

Ruth G. Curry
Research Specialist

Jerome P. Dean
Oceanographer Emeritus



- Gidon Eshel
Assistant Scientist
- Nicholas P. Fofonoff
Scientist Emeritus
- David M. Fratantoni
Assistant Scientist
- Paula S. Fratantoni
Postdoctoral Investigator
- Paul D. Fucile
Research Engineer
- Peter W. Furey
Research Associate II
- Nancy R. Galbraith
Information Systems Associate III
- Glen G. Gawarkiewicz
Associate Scientist
- Melinda M. Hall
Research Specialist
- Karl R. Helfrich
Associate Scientist
- Nelson G. Hogg
Senior Scientist and W. Van Alan Clark, Sr., Chair for Excellence in Oceanography
- David S. Hosom
Senior Engineer
- Rui Xin Huang
Senior Scientist
- Joseph H. LaCasce
Assistant Scientist
- Sonya A. Legg
Assistant Scientist
- Steven J. Lentz
Associate Scientist
- Richard Limeburner
Research Specialist
- Craig D. Marquette
Engineer II
- Cecilie Mauritzen
Assistant Scientist
- Michael S. McCartney
Senior Scientist
- Robert C. Millard, Jr.
Senior Research Specialist
- Ellyn T. Montgomery
Research Specialist
- W. Brechner Owens
Senior Scientist
- Gwyneth H. Packard
Research Associate II
- Francesco Paparella
Postdoctoral Scholar
- Richard E. Payne
Research Specialist
- Joseph Pedlosky
Senior Scientist and Henry L. and Grace Doherty Oceanographer
- Robert S. Pickart
Associate Scientist
- Albert J. Plueddemann
Associate Scientist



Jeff Lord, Charlie Flagg (Brookhaven National Laboratory), and Will Ostrom, launch an acoustic Doppler current meter during Georges Bank Global Ocean Ecosystems Dynamics work.

- Kurt L. Polzin
Assistant Scientist
- Lawrence J. Pratt
Senior Scientist
- James F. Price
Senior Scientist and J. Seward Johnson Chair as Education Coordinator
- Philip L. Richardson
Senior Scientist
- Audrey M. Rogerson
Assistant Scientist
- Roger M. Samelson
Associate Scientist
- Raymond W. Schmitt
Senior Scientist
- William J. Schmitz, Jr.
Scientist Emeritus
- Alberto D. Scotti
Postdoctoral Scholar
- Vitalii Sheremet
Assistant Scientist
- Michael A. Spall
Associate Scientist
- H. Marshall Swartz, Jr.
Research Associate III
- John M. Toole
Senior Scientist
- Richard P. Trask
Research Specialist
- George H. Tupper
Research Associate II
- James R. Valdes
Senior Engineer
- Bruce A. Warren
Senior Scientist
- Robert A. Weller
Senior Scientist
- John A. Whitehead
Senior Scientist and Paul M. Fye Chair
- Geoffrey G. Whitney, Jr.
Research Associate II
- Jonathan Wylie
Postdoctoral Scholar
- Christine M. Wooding
Research Associate II

- Jiayan Yang
Associate Scientist
- Shuliang Zhang
Postdoctoral Investigator
- Marine Policy Center**
- Andrew R. Solow
Director and Associate Scientist
- Jesse H. Ausubel
Adjunct Scientist
- Grete Hovelsrud-Broda
Research Fellow
- Daniel A. Curran
Senior Research Fellow
- Scott Farrow
Senior Research Fellow
- Arthur G. Gaines, Jr.
Research Specialist
- Hillel Gordin
Senior Research Fellow
- Porter Hoagland III
Research Associate

- Denise M. Jarvinen
Assistant Scientist
- Di Jin
Associate Scientist
- Hauke L. Kite-Powell
Research Specialist
- Robert Repetto
Senior Research Fellow
- Leah Smith
Senior Research Fellow
- Woollcott Smith
Senior Research Fellow
- John H. Steele
Scientist Emeritus

Rinehart Coastal Research Center

- Bruce Tripp
Research Associate

Computer and Information Services

- Julie M. Allen
Information Systems Specialist
- Eric F. Cunningham
Information Systems Associate II
- Roger A. Goldsmith
Information Systems Specialist
- Hartley Hoskins
Research Associate
- Robert W. Katcher
Information Systems Associate II
- David J.E. Kershaw
Information Systems Associate II
- John Krauspe
Information Systems Associate III
- William S. Little
Information Systems Specialist
- Andrew R. Maffei
Information Systems Specialist
- Scott A. McIntyre
Information Systems Associate III
- Elizabeth B. Owens
Information Systems Associate II
- Warren J. Sass
Information Systems Specialist
- Patricia B. Savage
Information Systems Associate II

MBL/WHOI Library

- Margot Brown Garritt
Information Systems Associate II
- Colleen D. Hurter
Information Systems Associate III
- Melissa Lamont
Information Systems Associate II
- Margaret A. Rioux
Information Systems Associate III

Applied Ocean Physics and Engineering Department

Shirley J. Barkley
 Philip J. Bernard
 Anthony Berry
 Andrew S. Billings
 Paul R. Bouchard
 Dolores H. Chausse
 James M. Cooper
 Charles E. Corwin
 Thomas Crook
 Steven M. Cross
 Edward A. Denton
 Betsey G. Doherty
 Terence G. Donoghue
 James M. Dunn
 Joshua N. Eck
 Kenneth D. Fairhurst
 Kenneth S. Feldman
 Allan G. Gordon
 Matthew R. Gould
 Beven V. Grant
 Carlton W. Grant
 Susan M. Grieve
 Paula M. Harmon
 Sheila K. Hurst
 Thomas P. Hurst
 John N. Kemp
 Jeffrey B. Lord
 Christopher Lumping
 Marguerite K. McElroy



Tom Kleindinst

Monthly early morning coffees for employees were initiated in the fall of 1998 by the WHOI Women's Committee and organized by committee member Terry McKee of the Physical Oceanography Department.

Neil M. McPhee
 George A. Meier
 Stephen D. Murphy
 Anita D. Norton
 Stanley G. Rosenblad
 David S. Schroeder
 John J. Schwind, Jr.
 William J. Sellers
 John D. Sisson
 Gary N. Stanbrough
 Nancy W. Stedman
 Samuel W. Tolhoff
 Nancy Y. Trowbridge
 Karlen A. Wannop

Jonathan D. Ware
 Judith A. White
Biology Department
 Mari Butler
 Anne C. Canaday
 Marjorie K. Clancy
 Nancy J. Copley
 Scott R. Cramer
 Mary Ann Daher
 Matthew R. Dennett
 Sheri D. DeRosa
 Nancy A. DiMarzio
 Diana G. Franks
 Andrew P. Girard

Linda G. Hare
 Kristin E. Gribble
 David M. Kulis
 Bruce A. Lancaster
 Ethel F. LeFave
 Jane E. Marsh
 Susan W. Mills
 Stephen J. Molyneaux
 Dawn M. Moran
 Kristina M. Mullin
 Samuel H. Patterson III
 Daniel W. Smith
 Lisa G. Taylor
 Mary Jane Tucci
 Rebecca C. Vieira
 Margaret M. Walden

Geology & Geophysics Department

Linda Angeloni
 John W. Bailey
 Anthony H. Berry
 S. Thompson Bolmer
 Katherine W. Brown
 Emily Burns
 Karen L. Coluzzi
 Lori A. Dolby
 David L. DuBois
 Pamela V. Foster
 C. Eben Franks
 Charlene Gibson
 Parker Hackett
 C. Frances Halbrooks
 Robert E. Handy

Seth H. Hitchings
 Nathan Hobart
 Marleen H. Jeglinski
 Janet M. Johnson
 Huichan Lin
 Karen Littlefield
 Patricia Long
 Shannon McDaniel
 Tracey Morin
 Teresa A. Norris
 Carrie Odegaard
 Stephen P. O'Malley
 Anita M. Palm
 Julianne Palmieri
 Kira Pratt
 Susan Prew
 Rachel Richards
 William V. Robertson
 Ellen R. Roosen
 Erik Ross
 Dana R. Stuart
 Sean Syla
 Elaine A. Tulka
 Rochelle Ugstad
 LuPing Zou

Marine Chemistry & Geochemistry Department

Rebecca A. Belastock
 Scot P. Birdwhistell
 L. Susan Brown-Leger
 Sheila A. Clifford
 Nicole Colasacco
 Glenn Crossin



Tom Kleindinst

Karen Coluzzi extracts carbon dioxide from seawater for carbon isotope studies.



Joshua M. Curtice
Linda Davis
Marcia W. Davis
Martha A. Delaney
Justin DuMouchelle
Joanne E. Goudreau
Joanna F. Ireland
Lisa Max
Virginia McKinnon Howe
Jillian Norton
Anastasia Prapas
Nathan Ralph
Margaret M. Sulanowska
Carly H. Tarr
N. Joye Wirsen
Mary Zawoysky

**Physical
Oceanography
Department**

Kenton M. Bradshaw
Nancy J. Brink
Margaret F. Cook
Lawrence P. Costello
Jane A. Dunworth-Baker
David Fischella
Penny C. Foster
Rosanna R. Fucile
Barbara Gaffron
Veta M. Green
Brian J. Guest
William H. Horn
Heather D. Hunt
George P. Knapp III
Barbara P. LaCasce
Ellen Levy
Mary Ann Lucas
Theresa K. McKee
Gail McPhee
Anne-Marie Michael
William M. Ostrom
Maren Tracy Plueddemann
John B. Reese
John F. Salzig
R. David Simoneau
Susan A. Tarbell
Robert D. Tavares
Deborah A. Taylor
Daniel J. Torres
Bryan S. Way
W. David Wellwood
Scott E. Worriolow

Jeanne A. Young
Marguerite E. Zemanovic

Marine Policy Center

Andrew Beet
Gretchen McManamin
Mary E. Schumacher

**Rinehart Coastal
Research Center**

Olimpia I. McCall

**Computer and
Information Services**

Michael Bishop
Bruce R. Cole
Aganoris Collins
Edward F. Dow
Helen E. Gordon
Channing N. Hilliard, Jr.
Clara Y. Pires
Deborah K. Shafer

MBL/WHOI Library

Maureen E. Carragher
Nancy Kougeas
Lisa M. Raymond
Brenda Rocklage
Nancy Stafford
Francis H. Taylor

Administrative Staff

Rachel Barnard
*Institution Meetings and Office
Systems Coordinator*

Nancy E. Barry
*Assistant Human
Resources Manager*

Marie R. Basile
Procurement Representative II

Peggy A. Billings
*Communications and
Development Administrator*

Karin Bohr
*Department Administrator,
Physical Oceanography*

Jane R. Bradford
Director of Planned Giving

Stella A. Callagee
*Education Planning and
Finance Administrator*

Susan A. Casso
*Department Administrator, Marine
Chemistry & Geochemistry*

Linda L. Church
Accountant

Tracey I. Crago
Sea Grant Communicator

Vicky Cullen
*Manager of Information, Publications,
and Graphic Services*

Cheryl C. Daniels
Accountant

Kyle Eberle
Project Manager/Database Manager

Mary M. Evans
Development Officer

Judith Fenwick
Department Administrator, Biology

Susan Ferreira
Grants Administrator II

Karen E. Flaherty
Business Systems Representative

Larry D. Flick
*Center Administrator, Deep
Submergence Laboratory,
and Security Officer*

Annda W. Flynn
*Center Administrator, Computer
and Information Services*

Dennis J. Fox
Procurement Manager

David G. Gallo
Director of Special Projects

Justine Gardner-Smith
News Officer

Ellen Gately
*Center Administrator,
Marine Policy Center*

Janice Gildawie
*Management Information
Services Manager*

Monika Grinnell
Senior Grants Administrator

Susan K. Handwork
*Center Administrator, National
Ocean Sciences Accelerator Mass
Spectrometry Facility*

Frederic R. Heide
*Assistant Manager
of Graphic Services*

Ann C. Henry
*Department Administrator,
Applied Ocean Physics & Engineering*

Kathleen Hudock
*Administrator for Office of Finance
and Administration*

Kevin F. Hudock
Benefits Administrator

Michael Hurst
Senior Accountant II

Barbara J. Inzina
*Director of Computer and
Information Services*

Richard B. Kendall
Procurement Representative II

Judith L. Kleindinst
Center Administrator, Biology

Kathleen P. LaBernz
Human Resources Manager

Michael P. Lagrassa
Assistant Procurement Manager

Dennis Lander
Network Group Leader

Shelley M. Lauzon
Senior News Officer

Laurence S. Lippsett
Science Editor

Katherine A. Madin
Curriculum Coordinator

Stacey L. Medeiros
*Manager of Budgets
and Financial Analysis*

Laura A. Murphy
Payroll Manager

Steven M. Murphy
Grants Administrator II

Thomas G. Nemmers
Development Officer

Jane B. Neumann
Director of Principal Gifts

Catherine N. Norton
Director, MBL/WHOI Library

Maureen F. Nunez
Controller

Maryanne F. Pearcey
*Department Administrator,
Geology and Geophysics*

James Rakowski
Director of Major Gifts

Claire L. Reid
*Executive Assistant
to the Director of Research*

Leslie M. Reilly
Development Officer

Patricia E. Remick
Administrator for Office Programs

R. David Rudden, Jr.
Assistant Controller

Sandra A. Sherlock
*Senior Procurement
Representative*

Marcella R. Simon
*Registrar and Education
Office Administrator*

David Stephens
Manager of Accounts Receivable

Maurice J. Tavares
Manager, Grant and Contract Services

Donna Weatherston
*Manager of Government
Regulations*

Julia G. Westwater
Assistant Registrar

Patrick Wheeler
Desktop Systems Analyst

Mary Ann White
Procurement Representative II

Elaine M. Wilcox
Retirement Benefits Administrator

John A. Wood, Jr.
Procurement Representative II

Dianna M. Zaia
Manager of Treasury Operations



Bob Tavares sets up a PALACE float. (PALACE stands for Profiling Autonomous Lagrangian Circulation Explorer.)

Shelley Lauzon

Administrative Support Staff

Pierrette M. Ahearn
 Steven W. Allsopp
 Mary Andrews
 Lisa A. Arnold
 Linda Benway
 Marsha Bissonette
 Suzanne M. Bolton
 Eleanor Botelho
 Marilyn Brooks
 Gail F. Caldeira
 Lee A. Campbell
 James J. Canavan
 Maureen E. Carragher
 Sherry H. Carton
 Leonard Cartwright
 John E. Cook
 Katherine M. Davis
 Pearl R. Demello
 Dina M. DiCarlo
 Jayne H. Doucette
 Stacey Drange
 Kittie E. Elliott
 Lynne M. Ellsworth
 Glenn R. Enos
 Gloria B. Franklin
 Jennifer Garcia
 Ruth E. Goldsmith
 Kristen Gordon
 Pamela J. Goulart
 David L. Gray
 Deborah Hamel
 Mark V. Hickey
 Jane A. Hopewood
 Robin L. Hurst
 Katherine Joyce
 Thomas N. Kleindinst
 Lynn M. Ladetto
 Dennis E. Ladino
 William D. Lambert
 Donna L. Lamonde
 Samuel J. Lomba
 Hélène J. Longyear
 Richard C. Lovering
 Molly M. Lumping
 Fay L. McIntyre
 Patricia A. McKeag
 Donna Mortimer
 Oliver J. Muldoon
 Sandra E. Murphy
 E. Paul Oberlander



Oceanus is loaded for a June 1998 cruise.

Sharon J. Omar
 Kathleen Patterson
 Wendy Patterson
 Isabel M. Penman
 Jeanne A. Peterson
 Jeannine M. Pires
 John Porteous
 Lisa M. Raymond
 May A. Reed
 Tariesa Reine
 Dena Richard
 Brenda Rocklage
 Peggy A. Rose
 Emily H. Schorer
 Sandra L. Sherlock
 Nancy Stafford
 Michele Stokes-Mattera
 June E. Taft
 Mildred Teal
 Judith A. Thrasher
 Alison Tilghman
 Susan F. Tomeo
 Joanne Tromp

Dacia Tucholke
 Susan E. Vaughan
 Carlos Velez III
 Shirley Waskilewicz
 Robert J. Wilson

Facilities, Services, Alvin and Marine Operations Staff

Jonathan Alberts
Marine Operations Coordinator
 Lawrence T. Bearse
Master, R/V Oceanus
 Richard S. Chandler
Submersible Operations Coordinator
 Ernest G. Charette
Assistant Facilities Manager
 Gary B. Chiljean
Master, R/V Atlantis
 Arthur D. Colburn III
Master, R/V Knorr
 Joseph L. Coburn, Jr.
Marine Operations Manager
 William A. Eident
Chief Engineer, R/V Oceanus

Stephen M. Faluotico
Deep Submergence Vehicle Pilot
 Kevin C. Fisk
Chief Engineer, R/V Atlantis
 Richard E. Galat
Facilities Engineer
 Matthew C. Heintz
Deep Submergence Vehicle Pilot
 J. Patrick Hickey
Deep Submergence Vehicle Pilot
 Lewis E. Karchner
Safety Officer
 Barbara J. Martineau
Marine Operations Administrator
 William E. McKeon
Facilities Manager
 Donald A. Moller
Marine Operations Coordinator
 Theophilus Moniz III
Marine Engineer
 Richard F. Morris
Chief Engineer, R/V Oceanus
 David I. Olmsted
Boat Operator
 Terrence M. Rioux
Diving Safety Officer
 Manuel A. Subda
Marine Personnel Coordinator
 Barrie B. Walden
Manager, Operational Science Services
 Steven A. Walsh
Chief Engineer, R/V Knorr
 Ernest C. Wegman
Port Engineer
 Robert L. Williams
Deep Submergence Vehicle Pilot

Facilities, Services, Alvin and Marine Operations Support Staff

Michael T. Aiguier
 Esmail Ali
 Douglas H. Andrews III
 Kenneth Antis
 Wayne A. Bailey
 Courtenay Barber III
 Linda J. Bartholomee
 Harold A. Bean
 Richard C. Bean
 Jeffrey Benitz
 Marc Blanco
 Robert Bossardt
 Thomas A. Bouche
 John R. Bracebridge
 Allan Brierley
 John Broadford
 Edmund K. Brown
 Mark Buccheri

Michael B. Butler
 Barbara Callahan
 Uriel Carpenter
 Andrew Carter
 John Cartner
 Gary S. Caslen
 John A. Cawley
 Richard Chase
 John P. Clement
 Charles Clemishaw
 Jeffrey D. Clemishaw
 Alberto Collasius, Jr.
 Torii M. Corbett
 Gregory Cotter
 John A. Crobar
 Donald A. Croft
 William B. Cruwys
 Rowland Cummings
 Judith O. Cushman
 Sallye A. Davis
 Elizabeth Delaney
 Mark DeRoche
 Craig D. Dickson
 John Donovan
 Francis J. Doohan
 Gardiner S. Doughty
 James H. Dufur, Jr.
 William J. Dunn, Jr.
 Daniel B. Dwyer
 Geoffrey K. Ekblaw
 Deidra L. Emrich
 Anthony Ferreira
 John Fetterman
 Michael J. Field
 Robert Flynn
 Joseph Giacobbe
 Edward S. Good
 David Graham
 Edward F. Graham, Jr.
 Jerry M. Graham
 Robert J. Greene
 Derek Greenwood
 Billy Guest
 Cecile Hall
 K.I. Faith Hampshire
 Carol Harrington
 Patrick J. Harrington
 Craig Henderson
 Robert W. Hendricks
 Patrick J. Hennessey
 Penelope Hilliard
 Marjorie M. Holland

Tom Kleindinst




Alan J. Hopkins
 Sharon L. Hunt
 Phillip M. Hurlbutt
 J. Kevin Kay
 Paul A. Kay
 Fred W. Keller
 Andrew King
 Sara J. Kustan
 Marc Leandro
 Donald C. LeBlanc
 Paul E. LeBlanc
 Charles Lewis
 Jeffrey Little
 Tim Logan
 Glen R. Loomis
 James MacConnell
 Brett Maloney
 Piotr Marczak
 Kenneth Martin
 Paul Martin
 Eduigez L. Martinez
 Douglas L. Mayer
 Joseph Mayes
 Robert A. McCabe
 Napoleon McCall, Jr.
 Robert H. McMurray
 Horace M. Medeiros
 Anthony D. Mello
 Mirth N. Miller
 Maureen E. Moan
 Patrick S. Mone
 Christopher D. Morgan
 Jaimie Morlett
 Norman E. Morrison
 Jose E. Mota
 David Motto
 Jay R. Murphy
 John R. Murphy, Jr.
 Bruce Mushet
 Tim Nagle
 Matthew G. O'Donnell
 Charles A. Olson
 Brian M. O'Nuallain
 Michael O'Toole
 Sheila T. Payne
 David C. Peterson
 Patrick M. Pike
 Vasco Pires
 Douglas R. Quintiliani
 Dennis Reardon
 John P. Romiza
 Matthew Rooney

Steven Rossetti
 James R. Ryder
 Lewis J. Saffron
 Michael J. Sawyer
 Emily Sheasley
 Kent D. Sheasley
 George P. Silva
 Timothy M. Silva
 Daniel Slevin
 Debra A. Snurkowski
 Steven P. Solbo
 Andrew E. Solkolowski
 William F. Sparks
 Robert G. Spenle
 Mark L. St. Pierre
 Jeffrey M. Stolp
 Wayne A. Sylvia
 William R. Tavares, Jr.
 Anne M. Taylor
 Kevin D. Thompson
 Maeve Thurston
 Anne Toal
 Phil M. Treadwell
 Marcel Vieira
 Herman Wagner
 Colin Walcott
 Robert Wichterman
 Eileen R. Wicklund
 Lance Wills
 Kathleen D. Wilson
 Carl O. Wood
 Bonnie L. Woodward


1998 Retirees

Pamela R. Barrows
 Martin Bartlett
 Richard J. Carter
 James E. Coddington
 Robert Hessler
 Janet M. Johnson
 Adrianus J. Kalmijn
 William R. McBride
 Zofia J. Mlodzinska
 Patrick O'Malley
 Robert W. Schreiter
 Brian W. Schroeder
 David L. Shores
 John K. Sweet, Jr.
 Robert J. Thayer
 William A. White
 Elaine M. Wilcox

Employee Recognition 1998



Tom Kleindinst



Tom Kleindinst



Jayne Doucette



Tom Kleindinst

Hartley Hoskins, top left, received the 1998 Vetlesen Award for exceptional contributions to the WHOI community over a long period of time. Jean Whelan, top right, received the Linda Morse-Porteous Award for leadership, mentoring, dedication to work, and involvement in the WHOI community. The Penzance Award, for a group characterized by overall exceptional performance, WHOI spirit, and contributions to the personal and professional lives of Institution staff, went to the Telecommunications Group; in the middle photo, from left, Isabel Penman, Dennis Ladino, Linda Benway celebrate their award. In the bottom photo, Director Bob Gagossian addresses the large crowd gathered for the recognition ceremony.

**Massachusetts Institute of Technology/Woods Hole Oceanographic Institution
Joint Program in Oceanography/Applied Ocean Science and Engineering**

Doctor of Philosophy

Jess F. Adkins

BS, Haverford College
Special Field: Chemical Oceanography
Dissertation: Deep-Sea Corals:
A New Oceanic Archive

Katherine A. Barbeau

BS, Long Island University
Special Field: Chemical Oceanography
Dissertation: Influence of Protozoan Grazing on
the Marine Geochemistry of Particle Reactive
Trace Metals

Ewann A. Berntson

BS, University of Washington
Special Field: Biological Oceanography
Dissertation: Evolutionary Patterns within the
Anthozoa (Phylum Cnidaria) Reflected in
Ribosomal Gene Sequences

Deana L. Erdner

BS, Carnegie Mellon University
Special Field: Biological Oceanography
Dissertation: Characterization of Ferredoxin and
Flavodoxin as Molecular Indicators of Iron
Limitation in Marine Eukaryotic Phytoplankton

Derek A. Fong

MS, Stanford University
BS, Stanford University
Special Field: Physical Oceanography
Dissertation: Dynamics of Freshwater Plumes:
Observations and Numerical Modeling of the
Wind-forced Response and Alongshore Freshwater
Transport

Daniel R. Goldner

BA, Harvard University
Special Field: Physical Oceanography
Dissertation: Steady Models of Arctic Shelf-Basin
Exchange

Robert J. Greaves

BA, Boston University
MS, Stanford University
Special Field: Marine Geology & Geophysics
Dissertation: Seismic Scattering of Low-Grazing-
Angle Acoustic Waves Incident on the Seafloor

Constance Ann Hart

BA, College of St. Catherine
Special Field: Biological Oceanography
Dissertation: Feminization in Common Terns
(*Sterna hirundo*): Relationship to Persistent
Organic Contaminants

E. Maria Hood

BS, Texas A&M University
Special Field: Chemical Oceanography
Dissertation: Characterization of Air-Sea Gas
Exchange Processes and Dissolved Gas/Ice
Interactions Using Noble Gases

Youngsook Huh

MS, Korea University, Korea
BS, Korea University, Korea
Special Field: Chemical Oceanography
Dissertation: The Fluvial Geochemistry of the
Rivers of Eastern Siberia and Implications for the
Effect of Climate on Weathering

Stefan A. Hussenoeder

BS, St. Louis University
Special Field: Marine Geology & Geophysics
Dissertation: Seismic and Magnetic Constraints
on the Structure of Upper Oceanic Crust at Fast
and Slow Spreading Ridges

Rafael Katzman

MS, Tel-Aviv University, Israel
BS, Tel-Aviv University, Israel
Special Field: Marine Geology & Geophysics
Dissertation: Structure And Dynamics of the
Pacific Upper Mantle

Linda V. Martin Traykovski

BASC, University of Waterloo, Canada
Special Field: Biological Oceanography
Dissertation: Acoustic Classification
of Zooplankton

Elizabeth C. Minor

BS, College of William & Mary
Special Field: Chemical Oceanography
Dissertation: Compositional Heterogeneity Within
Oceanic POM: A Study Using Flow Cytometry
And Mass Spectrometry

Marjorie F. Oleksiak

BS, Massachusetts Institute of Technology
Special Field: Biological Oceanography
Dissertation: Diversity and Characterization of
Novel Cytochrome P450 2 Genes in the Marine
Teleost *Fundulus heteroclitus*

Francois W. Primeau

MSc, University of Alberta, Canada
Bmath, University of Waterloo, Canada
Special Field: Physical Oceanography
Dissertation: Multiple Equilibria and
Low-Frequency Variability of Wind-Driven Ocean
Models

James M. Pringle

BA, Dartmouth College
Special Field: Physical Oceanography
Dissertation: Cooling and Internal Waves on the
Continental Shelf

Bonnie J. Ripley

BA, Occidental College
Special Field: Biological Oceanography
Dissertation: Life History Traits
and Population Processes in Marine
Bivalve Molluscs

Gorka A. Sancho

Licenciado, Universidad Autonoma Madrid, Spain
Special Field: Biological Oceanography
Dissertation: Behavioral Ecology of Coral Reef
Fishes at Spawning Aggregation Sites

Jennifer J. Schlezinger

BS, Boston College
Special Field: Biological Oceanography
Dissertation: Involvement of Cytochrome P450
1A in the Toxicity of Aryl Hydrocarbon Receptor
Agonists

Miles A. Sundermeyer

BA, University of California, Santa Cruz
Special Field: Physical Oceanography
Dissertation: Studies of Lateral Dispersion
in the Ocean

Gaspar Taroncher Oldenburg

License, Universidad Autonoma Madrid, Spain
Special Field: Biological Oceanography
Dissertation: Cell Cycle Dynamics and the
Physiology of *Saxitoxin* Biosynthesis in
Alexandrium fundyense (Dinophyceae)

Peter A. Traykovski

BS, Duke University
Special Field: Oceanographic Engineering
Dissertation: Observations and Modeling
of Sand transport in a Wave
Dominated Environment

Jubao Zhang

MS, Institute of Atmosphere and Physics, Chinese
Academy of Science
BS, University of Science and Technology
of China
Special Field: Physical Oceanography
Dissertation: Impacts of Double-diffusive
Processes on the Thermohaline Circulation

Master of Science

Jeffrey N. Berry

BS, Pacific Lutheran University
Special Field: Chemical Oceanography
Dissertation: Sulfate in Foraminiferal Calcium
Carbonate: Investigating a
Potential Proxy For Sea Water Carbonate Ion
Concentration

Vikas Bhushan

BS, University of Toronto, Canada
MS, University of British Columbia, Canada
Special Field: Physical Oceanography
Dissertation: Modeling Convection in the
Greenland Sea

Carrie T. Friedman

BA, University of California, Berkeley
Special Field: Marine Geology & Geophysics
Dissertation: Analysis of Stable Sulfur Isotopes and
Trace Cobalt on Sulfides From the TAG Hydrother-
mal Mound

Michiko Martin

BS, US Naval Academy
MSEd, Troy State University
Special Field: Ocean Engineering
Dissertation: An Investigation of Momentum
Exchange Parameterizations and Atmospheric
Forcing for the Coastal Mixing and Optics
Program

Mary Ann Schlegel

BA, University of Vermont
MA, University of Vermont, Burlington
Special Field: Marine Geology & Geophysics
Dissertation: Paleooceanographic Variability on a
Millennial Scale: A High Resolution Record of the
Latest Deglaciation From the Blake Outer Ridge,
Western North Atlantic

Alexandra H. Techet

BSE, Princeton University
Special Field: Oceanographic Engineering
Dissertation: Vortical Patterns Behind Tapered
Cylinders

Wen Xu

BS, University of Science and Technology, China
MS, Institute of Acoustics, China
Special Field: Oceanographic Engineering
Dissertation: Signal Amplitude and DOA
Estimation for a Multiple-row Bathymetric
Sidescan Sonar

Xiayoun Zang

BS, Nanjing Institute of Meteorology, PRC
MS, Institute of Atmospheric Physics, PRC
Special Field: Physical Oceanography
Dissertation: Space and Time Scales of Low
Frequency Variability in the Ocean

Yanwu Zhang

BS, Northwestern Polytechnic University
MS, Northwestern Polytechnic University
Special Field: Ocean Engineering
Dissertation: Current Velocity Profiling from an
Autonomous Underwater Vehicle with the
Application of Kalman Filtering

Master of Engineering in Ocean Engineering

Elizabeth J. Bruce

BS, University of Washington
Special Field: Ocean Engineering
Dissertation: The Characterization of Particle
Clouds Using Optical Imaging Techniques

Kurtis W. Crane

MS, Virginia Tech
BS, University of Michigan
Special Field: Ocean Engineering
Dissertation: Probabilistic Assessment of Ship
Damage in Collisions

Charles E. Rawson

BS, US Coast Guard Academy
Special Field: Ocean Engineering
Dissertation: A Probabilistic Method for
Predicting Damage and Oil Outflow from
Grounded Tankships



MIT/WHOI Joint Program

1998-1999 Fall Term

AmyMarie Accardi
Rensselaer Polytechnic Institute

Robert P. Ackert
*University of Maine
University of Maine, MS*

Lihini I. Aluwihare
Mt. Holyoke College

Erik J. Anderson
Gordon College

Brian K. Arbic
University of Michigan

Juli K. Atherton
McGill University

Michael S. Atkins
University of California, Santa Cruz

Jay A. Austin
California Polytechnic Institute, San Luis Obispo

Shannon M. Bard
*Stanford University
Université de Nantes*

Kyle M. Becker
*Boston University
Pennsylvania State University, MS*

Mark D. Behn
Bates College

Natalia Y. Beliakova
Moscow State University, Russia

Susan M. Bello
Michigan State University

Claudia R. Benitez-Nelson
University of Washington

Bridget A. Bergquist
University of Wisconsin

Katie R. Boissonneault
*University of Massachusetts,
Dartmouth*

Juan Botella
*La Universidad Autonoma de Baja California, Mexico
CICESE, Mexico, MSc*

Melissa M. Bowen
*Stanford University
Stanford University, MS*

Patricia A. Bradshaw
Willamette University

Michael G. Braun
Brown University

Sean M. Callahan
Princeton University

Susan J. Carter
Harvard University

Michael Y. Chechelnitsky
Uppsala College

Yu-Harn Chen
Stanford University

Rebecca A. Coverdale
*Humboldt State University
Humboldt State University, MA*

Anna M. Cruse
*University of Missouri
University of Missouri, MS*

Heather E. Deese
Georgetown University

Amy G. Draut
Tufts University

Yuriy V. Dudko
Moscow Physical Technical Institute

Benjamin K. Evans
Williams College

Albert S. Fischer
Massachusetts Institute of Technology

Anna G. Fortunato
Massachusetts Institute of Technology

Baylor T. Fox-Kemper
Reed College

Annette M. Frese
*University of Connecticut, MS
University of Connecticut, BS*

J. Steve Fries
Carnegie Mellon University

Deborah M. Fripp
Stanford University

Masami Fujiwara
*University of Alaska
University of Alaska, MS*

Alexandre S. Ganachaud
Universite Paul Sabatier, France

Elizabeth D. Garland
Florida Institute of Technology

Geoffrey A. Gebbie
University of California, Los Angeles

Sam R. Geiger
Louisiana Technical University

Jennifer E. Georgen
University of Virginia, Charlottesville

Jason I. Gobat
Colorado School of Mines

Jared V. Goldstone
*Yale University
Massachusetts Institute of Technology, SM*

Carolyn M. Gramling
Florida International University

Rebecca E. Green
California Institute of Technology

Lara K. Gulmann
University of California, Berkeley

Benjamin T. Gutierrez
College of William & Mary

M. Robert Hamersley
*University of Victoria, Canada
University of Calgary, Canada, ME*

Jennifer A. Hammock
Massachusetts Institute of Technology

Heather M. Handley
James Cook University, Australia

Adam T. Harter
Yale University

Deborah R. Hassler
*University of Kansas
University of Georgia, MS*

Christie L. Hauptert
University of Minnesota

Eli V. Hestermann
Purdue University

Mark F. Hill
*University of Massachusetts, Boston
University of Massachusetts, Boston, MS*

Fernanda G. Hoefel
Universidade Federal do Rio De Janeiro, Brazil

Michael J. Horowitz
*Oberlin College
University of Massachusetts, Amherst, BS*

Allegra Hosford
Brown University

Steven R. Jayne
Massachusetts Institute of Technology

Brenda A. Jensen
Eckerd College

Gwenaelle C. Jeunhomme
École Nationale Supérieure de Techniques Avancées, France

Markus Jochum
Universität Des Saarlandes, Germany

Kelsey A. Jordahl
Eckerd College

Robyn K. Kelly
University of South Carolina

Timothy C. Kenna
Vassar College

Daniel B. Kilfoyle
*Massachusetts Institute of Technology
University of California, San Diego, MS
Massachusetts Institute of Technology, SM*

Vanya Klepac
Beloit College

Kenneth T. Koga
Rensselaer Polytechnic Institute

Jun Korenaga
*University of Tokyo
University of Tokyo, MSc*

Elizabeth Kujawinski
Massachusetts Institute of Technology

Astri Kvassnes
University of Bergen, MS and BS

Kirsten L. Laarkamp
Pennsylvania State University

Emily Leinonen DuFresne
Smith College

Rachel H. Levine
Wesleyan University

Xingwen Li
University of Science and Technology of China

Ana L. Lima
*Universidad Politecnica de Catalunya, Spain, MS
Universidade do Estado do Rio de Janeiro*

Daniel G. MacDonald
University of New Hampshire

Elizabeth L. Mann
Bowdoin College

Thomas Marchitto
Yale University

Sarah Marsh
Rice University

Sean P. McKenna
Rensselaer Polytechnic Institute

Amy R. McKnight
Colgate University

Patrick J. Miller
Georgetown University

Douglas P. Nowacek
Ohio Wesleyan University

Payal P. Parekh
University of Michigan

Susan E. Parks
Cornell University

James W. Partan
University of Cambridge, UK

Yale J. Passamaneck
University of California, Santa Cruz

Ann Pearson
Oberlin College

Oscar R. Pizarro
*Universidad de Concepcion, Chile, MS
Universidad de Concepcion, Chile, BS*

Nicole Poulton
Virginia Polytechnic Institute

Timothy J. Prestero
University of California, Davis

Linda L. Rasmussen
*California State University
New Mexico State University, MA*

D. Benjamin Reeder
Clemson University

Matthew K. Reuer
Carleton College

Gabrielle Rocap
*Massachusetts Institute of Technology
Massachusetts Institute of Technology, SM*

Sarah L. Russell
Pomona College

James J. Ruzicka
*Oregon State University
University of Hawaii, MS*

Alberto E. Saal
*Massachusetts Institute of Technology
University Nacional de Cordoba, Spain, Ph.D.*

Makoto Saito
Oberlin College

Paulo Salles
National Autonomous University of Mexico

Mario R. Sengco
Long Island University, Southampton

William J. Shaw
Princeton University

Li Shu
*The Cooper Union
The Cooper Union, ME*

Edward R. Snow
*Cornell University
MIT/WHOI Joint Program, SM*

Mikhail A. Solovov
Moscow State University

Luiz A. Souza
*Faculdade da Cidade, Brazil
Naval Postgraduate School, Brazil, MS*

Brian J. Sperry
University of Iowa

Louis C. St. Laurent
University of Rhode Island

Matthew B. Sullivan
Long Island University

Nicole M. Suoja
Washington State University

Erin N. Sweeney
Virginia Polytechnic Institute

Alexandra H. Techet
Princeton University

Rebecca E. Thomas
Duke University

John D. Tolli
San Diego State University

Carlos H. Trevino
Instituto Tecnológico y de Estudios Superiores de Monterrey, Mexico

Caroline B. Tuit
Beloit College

Kathleen E. Wage
*University of Tennessee, Knoxville
MIT/WHOI Joint Program, SM*

Alison E. Walker
*Flinders University, Australia, MS
University of Sydney, Australia*

Qiang Wang
University of Science & Technology of China, PRC

Caixia Wang
*Ocean University of Qingdao, China
Ocean University of Qingdao, China, MS*

Richard M. Wardle
University of York, England

Joseph D. Warren
Harvey Mudd College

Stephanie L. Watwood
University of Nebraska, Lincoln

Judith R. Wells
*University of Massachusetts, Boston
University of California, Berkeley, MCP*

Sandra R. Werner
*Dartmouth College
Technical University of Aachen, Germany, MS*

MIT/WHOI Joint Program, SM

Sheri N. White
Purdue University

Joanna Y. Wilson
*McMaster University, Canada
University of Victoria, Canada, MS*

Jonathan D. Woodruff
Tufts University

Kevin Xu
*Harbin Shipbuilding Engineering Institute
Chinese Academy of Sciences, MS*

Wen Xu
*University of Science and Technology of China
Institute of Acoustics, MS*

Xiaoyun Zang
*Nanjing Institute of Meteorology,
Institute of Atmospheric Physics, MS*

Yanwu Zhang
*Northwestern Polytechnic University
Northwestern Polytechnic University, MS*

Summer Student Fellows

Kate M. Achilles
St. Lawrence University

C. Jane Canulette
University of New Mexico

Kathleen M. Carrigan
Northwestern University

Kimberly A. Casey
Washington University

Heather E. Deese
Georgetown University

Anthony C. Dvarskas
Washington and Lee University

Matthew S. Elliott
Harvard University

Erin A. Frey
Boston College

Heidi L. Fuchs
University of Wyoming

Tatiana Gomez
Stanford University

Darren S. Greninger
Muhlenberg College

Eran Karmon
Pomona College

Jessica A. Kelleher
University of Colorado

Amy E. Kinner
Middlebury College

Alison L. LaBonte
University of California, Los Angeles

Jessica D. Lundquist
University of California, Davis

Nathan B. Mah
University of Virginia

Carrie L. Miller
Widener University

Rajesh R Nadakuditi
Lafayette College

Tracy M. Quan
University of California, San Diego

Candice Schachter
University of Manitoba

Amena M. Siddiqi
Lafayette College

Sheri L. Simmons
Princeton University

Joanna B. Siudak
Gdansk University, Poland

Nicholas J. Switanek
University of Arizona

Llyd E. Wells
Johns Hopkins University

Rhea K. Workman
University of Missouri, Rolla

Minority Trainees

Zobeida Monserrate Cruz
University of Puerto Rico

Patricia G. Hines
Williams College

Elka Serrano
Stephens College

Geophysical Fluid Dynamics Seminar Fellows

Sarah L. Dance
Brown University

Andrew R. Jacobson
Pennsylvania State University

Aaron C. Birch
Stanford University

Panayotis Kevrekidis
Rutgers University

Blanca Gallego
University of California, Los Angeles

Andrew E. Kiss
*Australian National University,
Australia*

Claudia Pasquero
Istituto di Cosmogeofisica, Torino, Italy

Mark S. Roulston
California Institute of Technology

Amy Qing Shen
University of Illinois, Urbana-Champaign

Carolyn R. Mockett
*Scripps Institution of Oceanography,
University of California, San Diego*

Geophysical Fluid Dynamics Participants

Alistair Adcroft
Massachusetts Institute of Technology

James L. Anderson
Stevens Institute of Technology

Steven D. Antinucci
Columbia University

Steven Balbus
University of Virginia

Neil J. Balmforth
University of California, San Diego

Andrew J. Bernoff
Harvey Mudd College

Joseph A. Biello
University of Chicago

Annalisa Bracco
Istituto di Cosmogeofisica, Italy

J. Robert Buchler
University of Florida

Alexander Casti
Columbia University

Paola Cessi
University of California, San Diego

Eric P. Chassignet
University of Miami

Jon Xinzhong Chen
Columbia University

Stephen W. Childress
New York University

Chad Coulliette
California Institute of Technology

Richard Craster
Imperial College, England

Diego B. del Castillo-Negrete
University of California, San Diego

Charles Doering
University of Michigan

Robert J. Douglas
University of Reading, England

Jinqiao Duan
Clemson University

Glenn Flierl
Massachusetts Institute of Technology

Rupert Ford
Imperial College, England

Peter Goldreich
California Institute of Technology

Jerry Gollub
Haverford College

Jost-Diedrich Graf von Hardenberg
Istituto di Cosmogeofisica, Germany

Rainer Hollerbach
University of Glasgow

Louis N. Howard
Florida State University

James W. Hurrell
National Center for Atmospheric Research

Andrew P. Ingersoll
California Institute of Technology

Edward R. Johnson
University College of London, England

Christopher Jones
Brown University

Keith Julien
University of Colorado, Boulder

Joseph B. Keller
Stanford University

Sergey Kravtsov
Florida State University

Juergen Kurths
Universitat Potsdam

Yochanan Kushnir
*Lamont-Doherty Earth Observatory,
Columbia University*

Norman R. Lebovitz
University of Chicago

Stefan G. Llewellyn Smith
University of Cambridge, England

Willem V.R. Malkus
Massachusetts Institute of Technology

Aldo Manfro
University of California, San Diego

Stephen Meacham
Massachusetts Institute of Technology

Ian Melbourne
University of Houston

Patrick D. Miller
Stevens Institute of Technology

Philip J. Morrison
University of Texas, Austin

Edward Ott
University of Maryland

Matheos P. Papadakis
University of Miami

Francesco Paparella
Woods Hole Oceanographic Institution

Andrew Poje
Brown University

Vakhtang Poutkaradze
University of Chicago

Joana Prat
*Universidad Politecnica de Catalunya,
Spain*

Kevin Prendergast
Columbia University

Michael Proctor
University of Cambridge, England

Antonello Provenzale
Istituto di Cosmogeofisica, Italy

Vered Rom-Kedar
Weizmann Institute of Science, Israel

Claes G. Rooth
University of Miami

Alastair Rucklidge
University of Cambridge, England

Michael J. Shelley
New York University

Leonard Smith
University of Oxford, England

Michel Speetjens
*Eindhoven University of Technology,
Netherlands*

Edward A. Spiegel
Columbia University

Melvin Stern
Florida State University

Harry Swinney
University of Texas at Austin

Ronald Taam
Northwestern University

Patrick Tabeling
Ecole Normale Supérieure, France

Louis Tao
Columbia University

Roger M. Temam
Indiana University

Jean-Luc Thiffeault
University of Texas, Austin

Charles Tresser
T.J. Watson Research Labs

Eli Tziperman
Weizmann Institute of Science, Israel

George Veronis
Yale University

Martin Visbeck
*Lamont-Doherty Earth Observatory,
Columbia University*

Jeffrey Weiss
University of Colorado

John A. Whitehead
Woods Hole Oceanographic Institution

Steve Wiggins
California Institute of Technology

Sean M. Winkler
Brown University

Rodney A. Worthing
University of Michigan

Philip A. Yecko
University of Florida

William R. Young
University of California, San Diego

Yuan-Nan Young
University of Chicago

Postdoctoral Scholars/Fellows

Andrew H. Barclay
*University of Oregon
Postdoctoral Fellow in Seismology*

Stace E. Beaulieu
*Scripps Institution of Oceanography,
University of California, San Diego
EXXON Foundation Postdoctoral Scholar*

Claudia Cenedese
*University of Cambridge, UK
Doherty Foundation Postdoctoral Scholar*

Matthew A. Charette
*University of Rhode Island
Postdoctoral Fellow in Marine Chemistry and Geochemistry*

Robyn E. Hannigan
*University of Rochester
Devonshire Associates Postdoctoral Scholar*

Kai-Uwe Hinrichs
*University of Oldenburg, Germany
Deutsche Forschungsgemeinschaft
Postdoctoral Fellow*



Grete K. Hovelsrud-Broda
Brandeis University
 Marine Policy and Ocean Management Fellow

Heather Hunt
Dalhousie University, Canada
 Natural Sciences and Engineering Research Council Postdoctoral Fellow

Matthew G. Jull
University of Cambridge, England
 Natural Sciences and Engineering Research Council Postdoctoral Fellow

Daniel Clay Kelly
University of North Carolina, Chapel Hill
 Doherty Foundation Postdoctoral Scholar

Raquel Olguin Kelly-Jaakkola
Massachusetts Institute of Technology
 National Science Foundation Minority Postdoctoral Fellow

Karl J. Kreutz
University of New Hampshire
 Devonshire Associates Postdoctoral Scholar

James Leichter
Stanford University
 Exxon Foundation Postdoctoral Scholar

Thomas McCollom
Washington University, St. Louis
 National Science Foundation Postdoctoral Fellow

Anna Metaxas
Dalhousie University
 Doherty Foundation Postdoctoral Scholar

Laura J. Moore
University of California, Santa Cruz
 Andrew W. Mellon Foundation Postdoctoral Scholar

Manuel Moreira
University of Paris, France
 J. Seward Johnson Postdoctoral Scholar

Othmar Muntener
Swiss Federal Institute of Technology, Switzerland
 Eidgenössische Technische Hochschule Postdoctoral Fellow

Kalle Olli
University of Tartu, Estonia
 National Science Foundation-Atlantic Treaty Organization Postdoctoral Fellow

Silvio C. Pantoja
State University of New York, Stony Brook
 J. Seward Johnson Postdoctoral Scholar

Francesco Paparella
University of Genova, Italy
 Doherty Foundation Postdoctoral Scholar

Mircea Podar
University of Texas Southwestern Medical Center
 Townsend Postdoctoral Scholar

Wade H. Powell
Emory University
 National Institute of Health Marine Toxicology Postdoctoral Fellow

Christopher Reddy
University of Rhode Island
 J. Seward Johnson Postdoctoral Scholar

Peter E. Sauer
University of Colorado, Ph.D.
 UCAR and NOAA Climate and Global Change Postdoctoral Fellow

Christoffer Schander
Göteborg University, Sweden
 National Science Foundation Partnership for Enhancing Expertise in Taxonomy Postdoctoral Fellow

Alberto Scotti
Johns Hopkins University
 J. Seward Johnson Postdoctoral Scholar

Christopher Sommerfield
State University of New York, Stony Brook
 US Geological Survey-WHOI Postdoctoral Scholar

Wei Wang
Brandeis University
 Marine Chemistry and Geochemistry Postdoctoral Fellow

Jonathan J. Wylie
King's College, Cambridge, UK
 Devonshire Associates Foundation Postdoctoral Scholar

Wenlu Zhu
State University of New York, Stony Brook
 J. Seward Johnson Postdoctoral Scholar

Guests Students

Eric Antonissen
Oregon State University

Courtney Blickarz
University of North Carolina

Rachel Bright
Haverford College

Kris Broderick
Salem State College

Amy Bronzino
Southampton College

Sam Butler
University of Toronto

Jo-Anne Cavanagh
James Cook University, Australia
University of Tasmania, Tasmania

Coralie Cebran de Lisle
Faculté des Sciences et Techniques, France

Matthew Collette
WEBB Institute of Architecture

Delphine Desalos
Institut National Agronomique, France

Erik Erlingsson
Bates College

Jeff Evans
Hamilton College

William Flender
University of Maine, Orono

Eric Haase
University of Massachusetts, Dartmouth

Stephanie Healey
Salem State College

Juan Jose Izquierdo
University of Malaga, Spain

Andrew D. Jacobson
Dartmouth College

Stephanie Katz
Franklin and Marshall College

Stuart Kiely
Brown University

Cecilia Lane
Northeastern University

Susan Lang
Massachusetts Institute of Technology

Thomas Leatherbee
Dartmouth College

Guthrie Linck
Brown University

Kevin McKenney
Massachusetts Institute of Technology

Kurtis McKenney
Massachusetts Institute of Technology

Jared Miller
Middlebury College

Nicky Moody
Colby College

Elizabeth Nicholson
Duke University

Elise Ohayon
Clark University


Caroline Patten
Princeton University

Maya Said
Massachusetts Institute of Technology

Nhi Tan
Massachusetts Institute of Technology

Matthew Watt-Smith
St. Edwards School

Sarah Webster
Massachusetts Institute of Technology



Tom Kleindinst

Bernard Peucker-Ehrenbrink discusses mass spectrometer sample preparation with Corporation Member and Joint Program Alumni/ae Association President Jamie Austin.



Shelley Lauzon

The deck of R/V *Oceanus* is crammed with gear for a November GLOBEC cruise.



Christopher Knight

The *Alvin* group works into the night preparing the sub for the next day's work during a March 1998 cruise.

The 1998 audited financial statements reflect another strong year for the Woods Hole Oceanographic Institution. Although government sponsored research declined in 1998 from 1997 levels, the Institution fully recovered its overhead expenses and achieved an operating surplus.

The financial markets remained strong during 1998 and WHOI's endowment showed an 8 percent return, increasing in market value to \$231.6 million compared to \$215.5 million at the end of 1997. During 1997 and 1998, the Investment Committee changed its asset allocation targets to more closely mirror those of the most successful university endowment funds. The disappointing performance in 1998 can be attributed to the transition of assets toward private equity investments, which have not yet begun to experience returns, and to the performance of WHOI's investments in emerging markets and value funds, both of which are expected to recover in 1999. It is anticipated that endowment performance in future periods will improve as a result of the asset allocation changes that have been made.

A financial milestone for 1998 was the approval of a modest increase in distributions from the endowment to support current operations. This increase, which provides a total of \$1.5 million in additional resources for science, education, and unrestricted accounts, was made possible by the performance of the endowment over the last few years. In another milestone, the Board of Trustees, for the first time, approved the issuance of debt to fund capital projects. Although the projects could have been funded internally, the use of debt has a substantial financial benefit to WHOI based on the application of government regulations and the low cost of borrowing.

Total sponsored research revenue was \$73.3 million in 1998 compared with \$76.4 million in 1997, while government sponsored research, excluding ship and submersible operations, was \$49.1 million in 1998 compared to \$53.6 million in 1997. Although these results represented declines of 4 percent and 8 percent, respectively, the Institution's labor bases, against which fringe benefits and overhead are recovered, finished the year ahead of budget, resulting in a modest overrecovery of overhead expenses. Overrecoveries are like "money in the bank" and help to reduce future overhead rates, contributing to WHOI's continued competitiveness. The Institution is in full compliance with all federal regulations, and in 1998, for the fourth consecutive year, all government audits are current.

Unrestricted income from gifts and pledges was in line with budget while "bridge support" for scientists between funding again came in under budget, contributing to the operating surplus. This surplus allowed WHOI to set aside reserves for a major cost sharing commitment for advanced ocean instrumentation. In 1995 and 1996, reserves

were established in anticipation of a planned 1998 regulatory change that eliminated including graduate student tuition as part of overhead. In 1998, as expected, these reserves were substantially drawn down, and it is anticipated that the drawdown will continue in 1999. Clearly, funding of the education program represents a major challenge for the near future.

Gifts, grants, and pledges from private sources totaled \$8.5 million in 1998, making it the best non-capital-campaign year ever. Outstanding pledges at the end of 1998 were \$4.8 million, as compared to \$3.8 million in 1997 and \$6.4 million in 1996.

During 1998, WHOI personnel implemented mission critical Year 2000 human resource and payroll systems and in 1999 are concentrating efforts toward Y2K testing of these and other administrative systems. WHOI is confident of its ability to meet Y2K compliance issues.

Progress continues on the projects initiated and supported by the ad hoc Trustee Committee on Business Development such as the licenses to Turnstone Publications, Inc. and BBH, Inc. (see Director's report). In addition, plans are being developed to establish a for-profit entity that will produce REMUS (Remote Environmental Measuring UnitS) vehicles. Presently the proposed entity has contracts completed or in process for approximately \$5 million including a project for the City of New York to survey the condition of 45 miles of water pipe.



To remain competitive in both the conduct of research and the recruitment of the best scientists, research facilities must be replaced and modernized. Future plant needs are under review and a campus plan and financing strategy are being developed. The planning process is made more complex by the disappointing trends in government research support and, accordingly, WHOI must continue to build endowment, seek other sources of funding, aggressively pursue nongovernment

projects, and generate unrestricted revenues from business development and other activities.

Management is continuing to follow a strategy of improving service to science while reducing administrative costs. An "Internet strategy" has been developed that seeks to provide information, transactions, and services over the Intranet and Internet. The results have been very satisfactory to date.

In summary, WHOI continues to meet its financial goals and remains financially strong. In the future, cost sharing, the need for major new and renovated facilities, maintaining a state-of-the-art technology infrastructure, and funding the education program will be the biggest challenges.

—Paul Clemente, Associate Director for Finance & Administration



Statements of Activities

for the year ended December 31, 1998 (with comparative totals for 1997)

	Unrestricted			1998	1997
	Operating	Sponsored Research	Temporarily Restricted		
Operating:					
Revenues:					
Fees	\$ 373,399			\$ 373,399	\$ 540,998
Sponsored research:					
Government		\$ 62,809,830		62,809,830	64,794,094
Nongovernment		10,463,521		10,463,521	11,641,133
Sponsored research assets released to operations	73,273,351	(73,273,351)		-	-
Education:					
Tuition	2,652,371			2,652,371	2,688,826
Endowment income	3,231,553		\$ 444,967	3,676,520	3,482,927
Sponsored research	11,284			11,284	175,466
Gifts and transfers			867,189	867,189	180,208
Education funds released from restriction	1,628,996		(1,628,996)	-	-
Investment return designated for current operations	2,541,019			2,541,019	2,263,024
Contributions and gifts	2,622,178			\$ 3,941,755	4,262,739
Contributions and gifts released from restriction	(1,094,047)		1,094,047	-	-
Rental income	774,880			774,880	718,875
Communication and publications	318,615			318,615	180,299
Other	565,387			565,387	76,258
Total revenues	<u>86,898,986</u>		<u>777,207</u>	<u>3,941,755</u>	<u>91,617,948</u>
Expenses:					
Sponsored research:					
National Science Foundation	38,488,430			38,488,430	37,710,475
United States Navy	17,840,136			17,840,136	20,461,324
Subcontracts	5,835,413			5,835,413	6,050,770
Advanced Research Projects Agency	189,894			189,894	485,487
National Oceanic & Atmospheric Administration	3,277,420			3,277,420	2,585,965
Department of Energy	778,412			778,412	1,205,005
United States Geological Survey	546,070			546,070	536,324
National Aeronautics & Space Administration	992,714			992,714	1,310,075
Other	5,324,862			5,324,862	6,089,802
Education:					
Faculty expense	2,238,580			2,238,580	2,182,244
Student expense	2,953,751			2,953,751	1,748,679
Postdoctoral programs	510,402			510,402	384,319
Other	495,287			495,287	596,387
Business development	527,467			527,467	205,635
Rental expenses	418,649			418,649	431,851
Communication publications and development	2,592,063			2,592,063	2,927,893
Un-sponsored programs	2,178,658			2,178,658	1,398,379
Other expenses	1,670,942			1,670,942	2,633,221
Total expenses	<u>86,859,150</u>			<u>86,859,150</u>	<u>88,943,835</u>
Change in net assets from operating activities	<u>39,836</u>		<u>777,207</u>	<u>3,941,755</u>	<u>4,758,798</u>
Nonoperating income:					
Investment return in excess of amounts designated for sponsored research, education and current operations	3,412,713		8,566,212	11,978,925	23,857,473
Other nonoperating revenue			899,808	899,808	337,505
Nonoperating expenses:					
Other nonoperating expenses	100,776		574,489	675,265	91,862
Change in net assets from nonoperating activities	<u>3,311,937</u>		<u>8,891,531</u>	<u>12,203,468</u>	<u>24,103,116</u>
Total change in net assets	3,351,773		9,668,738	16,962,266	26,164,128
Net assets at beginning of year	<u>92,625,768</u>		<u>138,205,953</u>	<u>29,237,444</u>	<u>233,905,037</u>
Net assets at end of year	<u>\$ 95,977,541</u>	<u>-</u>	<u>\$ 147,874,691</u>	<u>\$ 33,179,199</u>	<u>\$ 260,069,165</u>

The accompanying notes are an integral part of the financial statements.



Report of Independent Accountants

To the Board of Trustees of Woods Hole Oceanographic Institution:

In our opinion, the accompanying statement of financial position and the related statements of activities and of cash flows present fairly, in all material respects, the financial position of Woods Hole Oceanographic Institution (the "Institution") at December 31, 1998 and the changes in its net assets and its cash flows for the year then ended, in conformity with generally accepted accounting principles. We previously audited and reported upon the financial statements of the Institution for the year ended December 31, 1997; totals for the year are shown for comparative purposes only. These financial statements are the responsibility of the Institution's management; our responsibility is to express an opinion on these financial statements based on our audit. We conducted our audit of

these statements in accordance with generally accepted auditing standards which require that we plan and perform the audit to obtain reasonable assurance about whether the financial statements are free of material misstatement. An audit includes examining, on a test basis, evidence supporting the amounts and disclosures in the financial statements, assessing the accounting principles used and significant estimates made by management, and evaluating the overall financial statement presentation. We believe that our audit provides a reasonable basis for the opinion expressed above.

March 12, 1999

PricewaterhouseCoopers

A. Background:

Woods Hole Oceanographic Institution (the "Institution") is a private, independent not-for-profit research and educational institution dedicated to working and learning at the frontier of ocean science and attaining maximum return on intellectual and material investments in oceanographic research located in Woods Hole, Massachusetts. The Institution was founded in 1930.

The Institution is exempt from federal income tax as an organization described in Section 501(c)(3) of the Internal Revenue Code of 1954 as it is organized and operated exclusively for education and scientific purposes.

B. Summary of Significant Accounting Policies:

Basis of Presentation

The accompanying financial statements are presented on the accrual basis of accounting and have been prepared to focus on the Institution as a whole and to present balances and transactions according to the existence or absence of donor-imposed restrictions. The presentation follows the provisions of Statement of Financial Accounting Standards ("SFAS") No. 116, *Accounting for Contributions Received and Contributions Made*, and No. 117, *Financial Statements of Not-for-Profit Organizations*. SFAS No. 116 generally requires that contributions received, including unconditional promises to give, be recognized as increases in net assets in the period received at their fair values. SFAS No. 117 requires that the Institution display its activities and net assets in three classes as follows: unrestricted, temporarily restricted, and permanently restricted. Additionally, it requires the presentation of a statement of cash flows.

The financial statements include certain prior-year summarized comparative information in total, but not by net asset class. The prior-year information presented does not include sufficient detail to constitute a presentation in conformity with generally accepted accounting principles. Accordingly, such information should be read in conjunction with the organization's financial statements for the year ended December 31, 1997, from which the summarized information was derived.

Net assets, revenues, and realized and unrealized gains and losses are classified based on the existence or absence of donor-imposed restrictions and legal restrictions imposed under Massachusetts State law. Accordingly, net assets and changes therein are classified as follows:

Permanently Restricted Net Assets

Permanently restricted net assets are subject to donor-imposed stipulations that they be maintained permanently by the Institution. Generally the donors of these assets permit the Institution to use all or part of the income earned and capital appreciation, if any, on related investments for general or specific purposes.

Temporarily Restricted Net Assets

Temporarily restricted net assets are subject to donor-imposed stipulations that may or will be met by actions of the Institution and/or the passage of time. Unspent endowment gains are classified as temporarily restricted until the Institution appropriates and spends such sums in accordance with the terms of the underlying endowment funds at which time they will be reclassified to unrestricted revenues.

Unrestricted Net Assets

Unrestricted net assets are not subject to donor-imposed stipulations. Revenues are reported as increases in unrestricted net assets unless use of the related assets is limited by donor-imposed restrictions. Expenses are reported as decreases in unrestricted net assets. Gains and losses on investments and other assets or liabilities are reported as increases or decreases in unrestricted net assets unless their use is restricted by explicit donor stipulations or law. Expirations of temporary restrictions on net assets, that is, the donor-imposed stipulated purpose has been accomplished and/or the stipulated time period has elapsed, are reported as reclassifications between the applicable classes of net assets. Amounts received for sponsored research (under exchange transactions) are reflected in unrestricted sponsored research until spent for the appropriate purpose.

Contributions

Contributions, including unconditional promises to give, are recognized as revenues in the period received. Contributions subject to donor-imposed stipulations that are met in the same reporting period are reported as unrestricted support. Promises to give that are scheduled to be received after the balance sheet date are shown as increases in temporarily restricted net assets and are reclassified to unrestricted net assets when the purpose or items' restrictions are met. Promises to give, subject to donor-imposed stipulations that the corpus be maintained permanently, are recognized as increases in permanently restricted net assets. Conditional promises to give are not recognized until they become unconditional, that is, when the conditions on which they depend are substantially met. Contributions other than cash are generally recorded at market value on the date of the gift (or an estimate of fair value), although certain noncash gifts, for which a readily determinable market value cannot be established, are recorded at a nominal value until such time as the value becomes known. Contributions to be received after one year are discounted at the appropriate rate commensurate with risk. Amortization of such discount is recorded as additional contribution revenue in accordance with restrictions imposed by the donor on the original contribution, as applicable. Amounts receivable for contributions are reflected net of an applicable reserve for collectibility.

The Institution reports contributions in the form of land, buildings, or equipment as unrestricted operating support unless the donor places restrictions on their use.

Dividends, interest and net gains on investments of endowment and similar funds are reported as follows:

- as increases in permanently restricted net assets if the terms of the gift or the Institution's interpretation of relevant state law require that they be added to the principal of a permanent endowment fund;
- as increases in temporarily restricted net assets if the terms of the gift or the Institution's interpretation of relevant state law impose restrictions on the current use of the income or net realized and unrealized gains; and
- as increases in unrestricted net assets in all other cases.

Operations

The statements of activities report the Institution's operating and nonoperating activities. Operating revenues and expenses consist of those attributable to the Institution's current annual research or educational programs, including a component of endowment income appropriated for operations (see Note C). Unrestricted endowment investment income and gains over the amount appropriated under the Institution's spending plan are reported as nonoperating revenue as investment return in excess of amounts designated for sponsored research, education and current operations.

Cash and Cash Equivalents

Cash and cash equivalents consist of cash, money market accounts and overnight repurchase agreements which are stated at cost, which approximates market value. At times the Institution maintains amounts at a single financial institution in excess of federally insured limits.

Included in cash at December 31, 1998 and 1997 is \$1,694,628 and \$1,512,294, respectively, representing advances received from the United States Navy and other U.S. Government and state agencies (the sponsored research prepayment pool). Such amounts are restricted as to use for research programs. Interest earned on unspent funds is remitted to the federal government. Cash and cash equivalents also include uninvested amounts from each classification of net assets (e.g., endowment).

Investments

Investment securities are carried at market value determined as follows: securities traded on a national securities exchange are valued at the last reported sales price on the last business day of the year; securities traded in the over-the-counter market and listed securities for which no sales

prices were reported on that day are valued at closing bid prices. For investments in venture capital and investment partnerships, the Institution relies on valuations reported to the Institution by the managers of these investments except where the Institution may reasonably determine that additional factors should be considered.

Purchases and sales of investment securities are recorded on a trade date basis. Realized gains and losses are computed on a specific identification method. Investment income, net of investment expenses, is distributed on the unit method. Unrestricted investment income is recognized as revenue when earned and restricted investment income is recognized as revenue when it is expended for its stated purpose.

Options and Futures

An option is a contract in which the writer of the option grants the buyer the right to purchase from (call option) or sell to (put option) the writer a designated instrument at a specified price within a period of time. Premiums received on written options are recorded as negative cost basis until the contract is closed. The liability representing the Institution's obligation under a written option or the Institution's investment in a purchase option is valued at the last sale price or, in the absence of a sale, the mean between the closing bid and asked price or at the most recent asked price (bid for purchase option) if no bid and asked price are available. Over-the-counter written or purchased options are valued using dealer supplied quotations. Over-the-counter options have the risk of the potential inability of counterparties to meet the terms of their contracts. The Institution's maximum exposure for purchased options is limited to the premium initially paid.

A futures contract is an agreement between a buyer or seller and an established futures exchange or clearinghouse in which the buyer or seller agrees to take (or make) delivery of an amount of an item at a specific price on a specific date (settlement date). Upon entering into a futures contract, the Institution deposits with a financial intermediary an amount ("initial margin") equal to a percentage of the face value of the futures contract. Subsequent payments are made or received by the Institution each day, dependent on the daily fluctuations in the value of the underlying security, and are recorded as unrealized gains or losses. The Institution will realize a gain or loss equal to the difference between the value of the futures contract to sell and the futures contract to buy at settlement date or by closing the contract. Futures contracts are valued at the most recent settlement price.

Investment Income Utilization

The Institution's investments are pooled in an endowment fund and the investments and allocation of income are tracked on a unitized basis. The Institution distributes to operations for each individual fund an amount of investment income earned by each of the fund's proportionate share of investments based on a total return policy (a percentage of the prior three years' endowment market values).

The Board of Trustees has appropriated all of the income and a specified percentage of the net appreciation (depreciation) to operations as prudent considering the Institution's long and short-term needs, present and anticipated financial requirements, expected total return on its investments, price level trends, and general economic conditions. Under the Institution's current endowment spending policy, which is within the guidelines specified under state law, between 4 percent and 5.5 percent of the average of the market value of qualifying endowment investments at September 30 of each of the previous three years is appropriated. This amounted to \$7,588,902 and \$6,945,710 for the years ending December 31, 1998 and 1997, respectively, and is classified in operating revenues (research, education, and operations). The Institution has interpreted relevant state law as generally permitting the spending of gains on endowment funds over a stipulated period of time.

Inventories

Inventories are stated at the lower of cost or market. Cost is determined using the first-in, first-out method.

Contracts and Grants

Revenues earned on contracts and grants for research are recognized as related costs are incurred.

Property, Plant and Equipment

Property, plant and equipment are stated at cost. Depreciation is provided on a straight-line basis at annual rates of 2% to 12 1/2% on buildings and improvements, 3 1/2% on vessels and dock facilities, and 20% to 33 1/3% on laboratory and other equipment. Depreciation expense on property, plant, and equipment purchased by the Institution in the amounts of \$2,834,460 and \$3,531,568 in 1998 and 1997, respectively, has been charged to operating activities.

Depreciation on certain government-funded facilities (the Laboratory for Marine Science and the dock facility) amounting to \$100,776 and \$91,862 in 1998 and 1997, respectively, has been charged to nonoperating expenses as these assets are owned by the Government. There were no gains on the disposal of property, plant and equipment in 1998 and 1997.

Use of Estimates

The preparation of the financial statements in conformity with generally accepted accounting principles requires management to make estimates and assumptions that affect the reported amounts of assets and liabilities and the disclosure of contingent assets and liabilities as of December 31, 1998 and 1997, as well as the reported amounts of revenues and expenses during the years then ended. Actual results could differ from the estimates included in the financial statements.

Reclassification of Amounts

Certain prior year amounts have been reclassified to conform to the December 31, 1998 presentation.

C. Investments:

The cost and market value of investments held at December 31, are as follows:

	1998		1997	
	Cost/(Premium Received)	Market	Cost/(Premium Received)	Market
U.S. Government and government agencies	\$ 9,455,685	\$ 9,569,265	\$ 13,173,280	\$ 13,610,082
Corporate bonds	15,655,157	16,014,417	13,124,913	13,556,058
Other bonds	5,374,862	5,093,275	3,053,621	3,086,994
Equity securities and mutual funds	100,109,271	123,803,114	104,656,472	144,559,252
International mutual funds	56,647,950	50,363,401	9,420,852	9,549,820
Venture Capital and Investment Partnerships	19,103,213	25,219,328	17,843,263	21,800,471
Other	1,121,854	1,284,992	1,338,363	1,430,362
Subtotal investments	207,467,992	231,347,792	162,610,764	207,593,039
Purchased call options	57,203	23,311	-	-
Written call options	(25,625)	(783,701)	-	-
Written put options	(21,000)	(35,905)	-	-
Total investments	\$207,478,570	\$230,551,497	\$162,610,764	\$207,593,039

Amounts held in Venture Capital and Investment Partnerships and other investments are invested in securities or other assets for which there is not necessarily a publicly-traded market value or which are restricted as to disposition. The return on such investments was \$2,241,146 and \$841,848 for the years ended December 31, 1998 and 1997, respectively, including dividends, distributions and changes in the estimated value of such investments.

At December 31, 1998, open future contracts sold short were as follows:

Futures	Expiration Date	Aggregate Face Value	Market Value
10 Year U.S. Treasury Note	3/22/99	\$834,461	\$834,093
30 Year U.S. Treasury Bond	3/22/99	\$260,621	\$255,563

The following schedule summarizes the investment return and its classification in the statements of activities:

	Unrestricted	Temporarily Restricted	1998	1997
			Total	Total
Dividend & interest income	\$ 6,270,710	\$ 444,967	\$ 6,715,677	\$ 6,137,111
Investment management costs	(692,340)		(692,340)	(663,787)
Net realized gains	10,121,557	26,033,722	36,155,279	27,876,237
Change in unrealized appreciation	(4,446,442)	(17,467,510)	(21,913,952)	(1,942,725)
Total return on investments	11,253,485	9,011,179	20,264,664	31,406,836
Investment return designated for:				
Sponsored research	(2,068,200)		(2,068,200)	(1,803,412)
Education	(3,231,553)	(444,967)	(3,676,520)	(3,482,927)
Current operations	(2,541,019)		(2,541,019)	(2,263,024)
	(7,840,772)	(444,967)	(8,285,739)	(7,549,363)
Investment return in excess of amounts designated for sponsored research, education and current operations	\$ 3,412,713	\$ 8,566,212	\$11,978,925	\$23,857,473



Endowment income is allocated to each individual fund based on a per unit valuation. The value of an investment unit at December 31, is as follows:

	1998	1997
Unit value, beginning of year	\$3.6785	\$3.3191
Unit value, end of year	<u>3.9089</u>	<u>3.6785</u>
Net change for the year	.2304	.3594
Investment income per unit for the year	<u>.0868</u>	<u>.0918</u>
Total return per unit	<u>\$.3172</u>	<u>\$.4512</u>

D. Pledges Receivable:

Pledges receivable consist of the following at December 31:

	1998	1997
Unconditional promises expected to be collected in:		
Less than one year	\$2,615,729	\$1,577,977
One year to five years	<u>2,198,333</u>	<u>2,233,000</u>
	<u>\$4,814,062</u>	<u>\$3,810,977</u>

E. Deferred Fixed Rate Variance:

The Institution receives funding or reimbursement from federal government agencies for sponsored research under government grants and contracts. The Institution has negotiated with the federal government fixed rates for the recovery of certain fringe benefits and indirect costs on these grants and contracts. Such recoveries are subject to carryforward provisions that provide for adjustments to be included in the negotiation of future fixed rates. The deferred fixed rate variance accounts represent the cumulative amount owed to or due from the federal government. The Institution's rates are negotiated with the Office of Naval Research (ONR), the Institution's cognizant agency.

The composition of the deferred fixed rate variance is as follows:

Deferred Fixed Rate Variance (liability), December 31, 1996	<u>\$ (1,717,821)</u>
1997 indirect costs	31,584,174
1997 adjustment	67,108
Amounts recovered	<u>(31,690,073)</u>
1997 (over)/under recovery	<u>(38,791)</u>
Deferred Fixed Rate Variance (liability), December 31, 1997	<u>(1,756,612)</u>
1998 indirect costs	30,307,084
1998 adjustments	11,669
Amounts recovered	<u>(32,130,533)</u>
1998 (over)/under recovery	<u>(1,811,780)</u>
Deferred Fixed Rate Variance (liability), December 31, 1998	<u>\$ (3,568,392)</u>

As of December 31, 1998, the Institution has recovered a cumulative amount in excess of expended amounts of \$3,568,392 which will be reflected as a reduction of future year recoveries. This amount has been reported as a liability of the Institution.

F. Retirement Plans:

The Institution maintains a noncontributory defined benefit pension plan covering substantially all employees of the Institution, as well as a supplemental benefit plan which covers certain employees. Pension benefits are earned based on years of service and compensation received. The Institution's policy is to fund at least the minimum required by the Employee Retirement Income Security Act of 1974.

The aggregate benefit obligation, fair value of assets and funded status of the plans at December 31 were as follows:

	1998	1997
Fair value of plan assets	\$ 158,790,517	\$ 149,537,244
Benefit obligation	<u>(120,973,195)</u>	<u>(110,576,618)</u>
Funded status	<u>\$ 37,817,322</u>	<u>\$ 38,960,626</u>
Prepaid pension cost	<u>\$ 1,422,497</u>	<u>\$ 1,086,742</u>
Accrued benefit liability	<u>\$ (3,553,592)</u>	<u>\$ (3,570,725)</u>

At December 31, 1998, the defined benefit plan assets listed above are held in the Woods Hole Oceanographic Retirement Trust. The Institution has accrued a liability sufficient to fund future supplemental plan benefits at December 31, 1998 and 1997. During 1997, the Institution transferred \$6,060,000 related to the Supplemental Benefit Plan to a segregated account available to fund Supplemental Plan benefits. The assets of the Retirement Trust are comprised primarily of common stock and fixed income securities, while the Supplemental Plan assets are invested primarily in common stock.

The supplemental benefit plan had projected benefit obligations of \$3,685,379 and \$3,576,307 and accumulated benefit obligations of \$2,929,876 and \$2,728,074 at December 31, 1998 and 1997, respectively. Income related to the plans amounted to \$141,392 in 1998 and \$462,891 in 1997. For the year ended December 31, 1998 and 1997, there were no employer contributions to the plans and the benefits paid in 1998 and 1997 were \$4,847,597 and \$4,489,540, respectively. For both December 31, 1998 and 1997, the funded status was determined using a discount rate of 6.75%, a rate of increase in future compensation of 4.5%, and an expected return on plan assets of 9%.

G. Other Post Retirement Benefits:

In addition to providing retirement plan benefits, the Institution provides certain health care benefits for retired employees and their spouses. Substantially all of the Institution's employees may become eligible for the benefits if they reach normal retirement age (as defined) or elect early retirement after having met certain time in service criteria.

The Institution has adopted the delayed recognition method as permitted by Statement of Financial Accounting Standards No. 106, "Employer's Accounting for Postretirement Benefits Other Than Pensions." As such the Institution is amortizing the accumulated postretirement benefit over 20 years.

The plan's benefit obligation, fair value of assets and funded status at December 31 were as follows:

	1998	1997
Benefit obligation	\$(21,998,913)	\$(18,675,643)
Fair value of plan assets	<u>13,731,020</u>	<u>11,621,126</u>
Funded status	<u>\$ (8,267,893)</u>	<u>\$ (7,054,517)</u>
Prepaid postretirement cost	<u>\$ 788,826</u>	<u>\$ 846,474</u>

Expenses related to the plan amounted to \$1,011,648 in 1998 and \$1,211,597 in 1997. For the year ended December 31, 1998 and 1997, employer contributions to the plan were \$954,000 and \$1,366,620 and the benefits paid in 1998 and 1997 were \$753,358 and \$640,533, respectively.

For December 31, 1998 and 1997, the funded status was determined using a discount rate of 6.75% for both years. The expected long-term rate of return on plan assets used in determining the net periodic postretirement benefits cost was 9.00% in 1998. The rate of increase in the per capita costs of covered health care benefits is assumed to be 5.0% in 1998 and in future years.

H. Commitments and Contingencies:

The Defense Contract Audit Agency (DCAA) is responsible for auditing both direct and indirect charges to grants and contracts on behalf of the ONR. The Institution and the ONR had settled the years through 1997. The current indirect costs recovery rates, which are fixed, include the impact of prior year settlements. While the 1998 direct and indirect costs are subject to audit, the Institution does not believe settlement of this year will have a material impact on its results of operations (change in net assets) or its financial position.

The Institution is a defendant in certain legal proceedings incidental to the nature of its operations. The Institution believes that the outcome of these proceedings will not materially affect its financial position.



Woods Hole Oceanographic Institution

Woods Hole, MA 02543 • 508-457-2000 • www.whoi.edu

