

INDEX

- Abietic acid, 289, 302-306, 308-309
Abrasion, 217, 296, 299, 304
Accelerated tests (*see* Tests)
Acid-alkali accelerated leaching test, 332, 336-337
Acorn barnacles (*see* Barnacles)
Actinaria, 167-168, 170
Aglaothenia, 170
Algae, 10, 14-15, 38-40, 42, 45-46, 54, 91-93, 102-104, 107, 109, 112-113, 155-162, 167-169, 231, 236, 243, 344-345
 blue-green, 156-157, 167-169
 brown, 112, 156-157, 160-162, 167-169
 coralline, 93
 green, 93, 112, 156-159, 167-169
 red, 112, 157-160, 167-169
Aluminum, 224, 226, 242, 350, 354-355, 357, 360, 362
Amaroucium, 149, 151
Amphineura, 131, 135, 139, 167-168
Amphipods, 55, 57, 92, 94, 128-131, 167-168, 173
Anchors, 8, 41, 110, 113
Anemones (*see* Sea anemones)
Angle of exposure, 233-235
Annelids, 50, 137-141, 167-168, 345
Anomia, 56-57, 133, 136, 174, 346
Antedon, 154-155
Anticorrosive coatings, 30, 211, 217, 226, 313-314, 318, 321, 335, 366
Antifouling compositions (*see* Antifouling paints)
Antifouling devices, 226-228
Antifouling paints, 6, 211, 230, 236-237, 241
 adhesion, 313, 323
 application, 218, 314, 316-317, 323, 331-332, 335-336
 availability, 315
 characteristics of, 313-322
 color, 315
 design of, 323-330
 drying time, 314, 316, 335
 durability, 313, 316-317, 323, 326-327, 329, 333
 expense, 315, 317
 history, 216-218
 interaction with steel, 365-380
 matrix, solution of, 302-312
 patents, 224-227
 physical performance, 323, 325-331, 333-336
 storage, 310, 325, 328
 surface preparation, 335-336
 tests of, 331-348
 toxic loading, 323-326, 328-330
 toxic, release of, 277-300
 toxicity of, 252-261
Antimony, 215, 224-225
Arca, 134, 136
Ark shell (*see* *Arca*)
Arsenic, 216-217, 226-227, 241-242
 compounds, 225, 241-242, 319, 320-321
Arthropods, 121-131, 167-168
Ascidia, 45-46, 174, 232 (*see also* Tunicates)
Astrangia danae, 147-148
Atacamite, 266-267
Attachment (*see* Fouling in relation to)
- B.C.C. (*see* Basic cupric carbonate)
Bacteria, 13, 16, 38, 88, 110, 166-167, 174-175 (*see also* Slime films)
Balanus, 40, 172, 232, 346 (*see also* Barnacles)
 algicola, 236
 amphitrite, 51, 54, 93, 95-96, 102, 112, 123, 125, 127, 243
 balanoides, 46, 48, 54, 93, 99, 100, 102, 112-113, 123, 125-127, 245
 crenatus, 40, 93, 95, 112, 125-126, 128
 eburneus, 51, 93, 102, 112-113, 115, 126, 128, 234-235, 243, 245
 glandula, 112, 125-126, 128
 improvisus, 40, 42, 51, 93, 102, 112, 124-128, 231, 244-245
 psillacus, 91
 tintinnabulum, 45, 92-93, 95, 100-102, 112, 125-127
Baltic area, 105
Barnacles (*see also* *Balanus*)
 breeding conditions, 50-51, 53
 description of, 121-129
 effect of slime films, 260-261
 effect on frictional resistance, 23, 29
 effects of toxics, 242-245, 247, 249-254
 factors influencing attachment, 231-239
 occurrence of, 7-10, 37-41, 42-46, 48-74, 87-88, 91-94, 96, 99-101, 102-116
 quantity of, 55-57, 77-84, 87-88
 species recorded from fouling, 167-168, 172-173, 194-196
Barrier coats, 378, 380
Barytes, 237, 321, 329, 365
Basic cupric carbonate, 264-269, 274, 285, 295, 297-298, 320, 359
Bimera franciscana, 104
Binders, 315, 318, 319, 330, 371
Biogeography, 91-101
Biological tests, 334-335
Biotic provinces, 94-96
Bituminous coatings, 18
Blennies, 155
Blistering, 368-374, 380
Blood clam (*see* *Arca*)
Botrylloides, 151, 174
Botryllus, 149, 151, 174, 250
Bowerbankia gracilis, 102, 141
Brass, 238, 351, 354, 357-358, 362-363, 370, 373, 380
Brittle stars, 152, 154
Bronze, 238, 357, 363, 380
Bronze yacht paints (*see* paints)
Bryozoa, 8, 10, 13, 15, 37, 42, 45-46, 54-55, 77, 93-94, 102, 104, 113, 115, 140-143, 167-168, 170-171, 173, 231-232, 236, 321
 (*see also* *Bugula*)
 encrusting, 15, 56-57, 78, 104-105, 140-143, 171, 231, 237, 243, 345
 erect, 45, 140-142, 171
 filamentous, 15, 237, 245
 stolonate, 141-143
Buffers
 alkaline, 306-307, 310-312
 borate, 271, 307, 309-310
 glycinate, 308, 311
 synthetic, 272
Bugula, 23, 48, 52, 54, 56-57, 140-141, 170-171, 232, 234, 242-243, 246-248, 250, 252-254, 256, 261, 358 (*see also* Bryozoa)
 avicularia, 52
 neritina, 45, 52, 54, 95, 141, 234-235, 244
 irrorita, 245-246
Buoys (*see* Navigation buoys)
- Cables, 7-8, 40-41, 102, 107-113, 161, 165, 169, 174
Cadmium, 242, 355
Callithamnion, 158-160, 169
Calothrix, 156, 158, 169
Campanularia, 110, 170
Caprella, 130-131, 173
Carbamate method, 333, 341
Castor oil, 327
Cathodic protection, 18
Cavitation noise, 9

- Celite, 241, 265, 281–282, 286–288 (see also Diatomaceous silica)
 Cellulose, 315, 319, 328
 Cementiferous coatings, 321
 Cephalopods, 131
Ceramium, 160, 169
 Chain (see Cables)
Chama, 133–134
 Chemical tests, 331–334
 Chironomid larvae, 131–132
 Chitons (see *Amphineura*)
 Chlorinated diphenyl, 327
 Chlorinated rubber, 19, 315, 318, 328
 Chlorinated styrene, 19
 Chlorine, 12–14
 toxicity of, 249–250
Chthamalus, 114, 125–127, 172
 Ciliates, 167–169
Ciona, 40, 45–46, 149, 151, 174
 Cirripecta (see Barnacles)
 Citrate (copper complex), 267, 285, 286, 297–299
Cladophora, 93, 112, 158–159, 169, 346
 Clams (see *Myra*)
 Climax community, 43, 45–46, 87
Clytia, 147, 170
 Coelenterates, 143–151, 167–168
 Cold flow, 328, 335–336, 346
 Cold plastic paints, 31, 218, 254–255, 260, 278, 280, 283, 289, 292, 296, 299, 314 (see also Formula 105, Formula 143E)
Conchoderma, 128–129, 172
 Contact of particles (see Continuous contact)
 Continuous contact, 285–288, 297–298, 315–316, 323–324, 369 (see also Leaching rate)
 Continuous contact paints, 285, 298–300, 316, 318–319, 325–326
 Copepods, 167–168, 250
 Copper (see also Leaching rate metallic copper)
 in slime films, 219, 259–261
 oxidation, 269–273, 275
 paints, 216–217, 224–226 (see also Antifouling paints)
 pigments, 319–320
 resinate, 289, 294–295, 306, 310, 318
 solubility, 244, 264–268, 273–275, 355
 solution rate, 269–273, 279, 342, 355, 359, 362–363
 toxicity, 241–249, 253
Corallina, 157, 160
 Coral patches, 147
 Corals, 78, 143, 147–148, 170
Cordylophora lacustris, 104, 145
Corophium, 130, 173
 Corrosion
 antifouling paints and, 313–314, 316, 320, 355–358, 365–380
 effects of fouling on, 14–19
 electrical prevention of, 236
 galvanic action, 212, 214–218, 238, 349, 359–363
 products of, 266–267, 352, 358–359
 Coumarone indene, 310, 316, 327–328
 Coupling (see Galvanic couples)
 Crabs, 130–132, 173
 Crinoids, 152, 154–155, 167–168
Crisia, 171
Cryptosula, 141, 143
 Cupric chloride, 284
 Cupric citrate, 244–245, 268, 284
 Cupric hydroxide, 266–268, 274
 Cupric oxide, 264, 266–268, 274, 317, 319–220
 Cupric oxychloride, 266–267, 297–298
 Cupric phosphide, 267
 Cuprous chloride, 264, 266, 268–269, 274, 284
 Cuprous iodide, 267
 Cuprous oxide (see also Copper)
 leaching, 278, 323–326, 328–330
 paints (see Antifouling paints)
 pigment, 319–320
 surface exposed, 279–281
 Cuprous sulfide, 267
 Cuprous thiocyanate, 267
 Current density, 362–363, 368
 Currents (see Electric currents, Fouling in relation to currents, Galvanic action, Tidal currents)
 Cyclized rubber, 318, 328
 Cyprids, 44–45, 78–81, 124, 233–236, 241, 243–244, 247, 261 (see also Larvae)
- DDT (see Dichloro-diphenyl-trichloroethane)
Dasya, 156, 159, 169
Dasychone, 171–172, 231
 Davy, Sir Humphry, 218–219, 241, 355, 359–360
 Decapods, 130–132, 167–168, 173
 Deposit formation, 294, 297–299
 Derris extract, 250
 Detritus, 88, 90, 105, 118, 239, 295
Diadumena, 147, 170
Diandrocarpa, 53
 Diatomaceous silica, 320, 324–325, 328–329
 Diatoms, 29, 42, 45, 88, 118–120, 167–169, 239, 243, 254, 294
 Dichloro-diphenyl-trichloroethane, 250, 321
Dictyota, 157, 161
Didemnum, 149, 151, 174, 346
 Diffusion, 282–284, 367, 378
 Discoloration, 373–376
 Dissolution (see Copper, Matrix, Mercury)
 Dithizone method, 341
 Dock gates, 165, 167–168, 170, 172–174
 Docking, 4–6, 218, 314–315, 335–336, 359
 d-pimaric acid, 302
Dreissensia polymorpha, 13
 Drying oils, 318–319
- Echeneis*, 211
 Echinoderms, 152–155, 167, 168
Ectocarpus, 160, 169, 346
 Ekman's provinces, 94–96
 Electric currents, 227, 230, 236, 238 (see also Galvanic action)
 Electric fields, 297, 378
 Electro-chemical potentials, 360–363, 377
 Endemic species, 94–95
Enteromorpha, 46, 93, 112, 158–159, 169, 346
 Erosion, 12–13, 282, 290, 294, 296–297, 299–300, 313–314, 316–317, 329, 340, 346, 349, 359 (see also Corrosion, Exfoliation)
 Erosion resistance tests, 336, 346–347
 Ester gum, 289, 293–294, 303, 308, 311, 318
 Esters (see Rosin esters, also common or trade name)
 Estuaries, 102–107, 307
Eteone, 172
 Ethyl bromoacetate, 250
Eudendrium, 145, 147, 170
Euplotes, 121–122
Eupomatus dianthus, 139, 171
 Excretion of toxics, 246–247
 Exfoliation, 215, 225, 227, 230, 237–239, 254, 258, 354–355 (see also Corrosion, Erosion)
 Extender pigments, 329 (see also Nontoxic pigments)
- Feather stars (see Crinoids)
 Ferric hydrate, 16
 Ferrous hydroxide, 267
 Ferrous ions, 378
 Fish oils, 319, 327
 Fishes, 155, 167–168, 211
 Flagellates, 167–169
 Flatworms, 138, 141, 167–168
 Flexalyn, 303, 311
 Flexibility, 316, 332–333
 Foraminifera, 167–169
 Formulae

- AF6, 265, 295
 AF12, 370, 377
 AF23, 365, 369-373, 380
 PT10, 371
 1B8, 295
 15A, 30
 15RC, 5, 30-32, 235, 261, 317
 16A, 252, 258
 16X, 219, 281, 295, 317, 326-329
 16XM, 317, 329
 105, 317
 143E, 290, 296, 366
- Fouling**
 bulk of, 77-78, 82-83, 85-87, 89, 113
 definition of, 37, 40-41
 depth, 8, 107-108, 110-115
 destructive effects, 14-19
 effect on speed, 3, 5, 22-24
 expense of, 3-4, 13-14, 22
 intensity of, 113-114, 231, 233, 334-335
 layers, 77-78, 86-87
 rate of, 6-7, 10, 13, 78-80, 85-86, 89, 232, 352-354, 356-357
 resistance of metals, 349-364
 resistance of paints, 325, 327-329, 334-335
 weight of, 7-8, 13, 23, 55, 57, 62, 69, 72, 83, 85-87, 90, 113, 119, 147
- Fouling distribution**
 bays, harbors, estuaries, 102-107, 307
 geographical, 91-101, 230-231
 on fixed installations, 95, 113-115, 134, 139, 152, 165-174, 232
 on floating installations, 113-115, 165-174
 on ships, 3-7, 38-39, 84, 91, 93, 96-97, 137, 143, 165, 167-174
 seasonal, 42, 48-76
- Fouling in relation to (see also Larvae)**
 currents (electric), 236
 currents (water), 96-97, 231-232
 distance from shore, 107-112
 duty of ships, 5-6, 9, 231
 gravity, 233-234
 light, 234-236
 local factors, 102-117
 season of year, 42, 48-76
 slime film, 44-46, 219, 230, 253, 260-261
 surface character, 233, 236, 237-239
 temperature, 11, 14, 81, 85-87, 119, 144, 230
 toxics, 241-263, 319, 328, 355
- Fouling organisms, 118-164, 165-210 (see also common or generic name)**
 colonial aspects, 120, 139-151
 community aspects, 37-41, 42-46, 77-87, 89-90
 macroscopic, 121-162
 microscopic, 118-121
 nutrition, 88-90
 quantitative differences, 38-40
 reproduction, 48-54, 98, 100, 119, 123-124, 133, 139, 141, 143-144, 147-148, 151-152, 156, 159
- Fragmentation, 156**
Frictional resistance, 3, 13, 21, 24-33, 233, 314
Froude's formula, 24-28, 31
***Fucus*, 46, 156-157, 160**
Fuel consumption, 3, 5, 32-33
Fungi, 167-168
- Galvanic action, 11-12, 16, 19, 211, 214, 216, 224-226, 352, 355, 359-363, 365, 367-368, 373, 377**
 cells, 367, 377
 circuit, 368, 373, 378
 couples, 11, 360-363, 365-380
 currents, 362-376
 series, 361-362
- Galvanized iron**
 fouling, 12, 233, 351, 358
 galvanic effects, 355, 361-362, 369-371
 reaction with paints, 369-371, 373-376, 379
- Gastropods, 131, 139, 167-168, 173-174 (see also Snails)**
Gebers' formula, 25-28
Geographical distribution of fouling, 91-101, 230-231
German silver, 350
Glass surfaces, 233, 235, 244, 260
Glycerine tall oil, 327
Glycinate buffers, 308, 311
Glycine extractions, 291-292
Glycine tests, 332-333, 337
Goose barnacles (see Barnacles)
***Gracilaria*, 160, 169**
***Grantia*, 152, 170 (see also Sponges)**
Gulfweed (see *Sargassum*)
- H.M.S. *Alarm*, 213, 216, 220-221, 224, 349, 358-359**
Halowax, 19
Hempel paint, 218
Hercolyn, 281, 288-289, 293-295, 304, 308, 310-311, 326
Hiraga's formula, 26, 28-30
Holzappel paint, 218
Horse mussel (see *Modiolus*)
Hot melt paints (see Hot plastic paints)
Hot plastic paints, 4-5, 11, 16, 31, 217-219, 225, 242, 260, 267, 296, 314, 316-318, 320 (see also McInnes composition, Moravian antifouling paint)
***Hydra*, 104**
Hydrazine, 227
Hydrogen ion concentration
 copper dissolution, 265-275
 leaching rate, 279, 342
 matrix dissolution, 289-291, 305-307, 332
 sea water, 106, 342
 slime films, 260
Hydrogen sulfide, 16, 106
Hydrogenated ethyl abietate, 311, 318
Hydrogenated methyl abietate, 318, 326-328
***Hydroides*, 54, 171-172, 232 (see also Tube worms)**
hexagona, 139, 172, 234-235
norvegica, 138-139
Hydroids, 8, 10, 13, 37, 45, 54-55, 91, 93-94, 102-104, 107-108, 110-114, 144-147, 170, 232, 234, 236-237, 243, 345 (see also *Tubularia*)
Hydrophobic surfaces, 236-237
Hydroxyl ion, 303, 380 (see also Hydrogen ion concentration)
Hydrozoa (see Hydroids)
- Inactivation**
 of metals, 359-363
 of paints, 370-380
Indian red, 217, 322, 329
Inert pigments, 324-326
Initial leaching rate, 277-281
Insects, 131, 167-168
Insoluble matrix paints, 283-288, 315-316, 319, 323-326, 330
Intertidal zone, fouling in, 113-115
Iron
 compounds in paints, 216, 217, 224-225, 316, 321
 corrosion, 16, 211, 214-216, 224, 236, 238, 349, 365
 fouling, 12, 241-242, 350-351, 354-355
 galvanic effects, 238, 355, 360-363
 in copper alloys, 350-352, 357
 oxide, 217, 225, 316, 321
 reaction with paints, 365-380
 ships, 211, 214-216, 224, 349, 365
 sulfide, 216, 225
 toxicity, 241-242
Isopods, 128, 130-131, 167-168, 173
Italian Moravian (see Moravian antifouling paint)
- Jingle shell (see *Anomia*)**

- Kelp, 40, 89, 92-93, 102-103, 112, 159-162, 169
 Kempf's roughness coefficient, 27-29
- Laminaria*, 7, 156-157, 160, 169
Laomedea, 53, 170
- Larvae (see also Fouling in relation to)
 barnacle, 78-81, 123-125
 bryozoa, 141-143, 253-256, 260-261
 coelenterate, 144
 effect of toxics on, 241, 243-244, 246-248, 253-254, 256, 260-261
 mussel, 84, 133
 sea anemones and corals, 147
 sponges, 152
 tunicates, 148, 151
- Leaching rate
 effect of deposits, 297-298
 effect of slime film, 259-261, 294-296
 initial, 277-281
 mercury, 258-259, 320, 341
 of metals, 355-359
 relation to fouling, 255-259
 steady-state, 282-294, 302, 312
 test, 332-334, 336-343
 toxic loading, 323-326, 328-329
- Lead, 242, 350
 sheathing, 212-213, 215, 224, 226, 349
- Leeches, 104, 138, 141, 167-168, 171
- Lepas*, 107, 111-113, 123, 125, 128-129, 172 (see also Barnacles)
- Lepidonotus*, 171
- Lethal concentrations, 241-252, 254, 259, 273
- Leucosolenia*, 152-153, 170
- Levopimaric acid, 302
- Lewisol 33, 304, 308, 311
- Libinia*, 132
- Licmophora*, 120, 167, 169
- Light and illumination, 234-236
- Lightships, 90, 165, 167-173, 231
- Liljeregren's formula, 25, 28
- Limnoria*, 319
- Linseed oil, 19, 217, 226, 319, 327
- Longevity
 barnacles, 83
 mussels, 87
- Luminous paints, 236
- Lyngbya*, 156
- Madreporaria*, 167-168, 170 (see also Corals)
- Magnesium, 355
 effect on matrix dissolution, 289, 294, 297, 305-308
 silicate, 255, 283, 293, 316, 320-322, 329
- Mare Island hot plastic paint, 32, 218
- Matrix
 bacterial attack of, 261, 282, 294-296
 dissolution of, 282-283, 289-294, 302-312
 effect on leaching rate, 280-281, 282-283, 289-294, 297-300
 ingredients, 317-319
 insoluble matrix paints, 283-288, 315-316, 323-326
 mechanical erosion of, 296-297
 permeability of, 283-284
 soluble matrix paints, 288-294, 299-300, 316-318, 326-330
 tests of solubility of, 332-333, 336-337, 343
- McInnes composition, 217, 226
- Megalasma*, 113, 172
- Membranipora*, 54, 104, 141, 171
- Mercuric chloride, 225, 247, 268, 317, 320
- Mercuric oxide, 217-218, 225-226, 267-268, 275
- Mercurous chloride, 225, 268, 275, 317, 320
- Mercurous sulfide, 268
- Mercury
 antifouling paints, 217, 219, 225, 316, 317, 319-320
 leaching rate, 258-259, 320, 333-334, 341
 organic compounds of, 251
 pigments, 319-320
 solubility of, 268, 275
 test for, 341
 toxicity of, 241-243, 246-249, 251
- Metallic copper (see also Copper, Leaching rate)
 alloys, 12, 39, 226, 238, 350-362
 corrosion of, 314, 355-363
 deposits on, 258, 266, 267, 297
 effect on corrosion of steel, 365-380
 exfoliation of, 354-355
 flake, 242, 248, 320, 322
 fouling of, 349-355
 paints, 256, 314, 319-320, 324-325, 356-357
 sheathing, 211-216, 218, 220-221, 224, 241, 349, 358-361, 365-380
 solution of, 264, 273
 toxic properties, 242, 248, 320, 322, 349-364
- Metridium*, 144, 147-148, 170
- Mitella*, 128-129
- Modiolus*, 134-135, 139
- Molgula*, 149, 151, 174, 249-252
- Molluscs, 105, 131-139, 167-168, 173-174, 198-201, 231, 237, 345
- Monel metal, 233, 238, 351, 362
- Mooring cables (see Cables)
- Mooring chains (see Cables)
- Moravian antifouling paint, 30-32, 217-218
- Muntz metal, 215, 224-225, 238, 349, 362, 380
- Mussels (see also *Modiolus*, *Mytilus*)
 breeding conditions, 46, 48, 51-53, 84
 community, 40, 46, 77-78, 84-90
 description of, 131-133, 134-139
 effects of toxics, 242-245, 247-252
 factors influencing attachment, 52, 232
 growth of, 84-85
 occurrence, 7-14, 40-41, 48, 51-54, 58-74, 92-94, 96, 100-101, 102-104, 107-114, 125
 quantity of, 77-78, 84-90
 species recorded from fouling, 167-168, 173-174, 200-201
- Mya*, 46, 105, 173
- Mytilus* (see also Mussels)
californianus, 46, 93, 95, 112, 139, 232
edulis, 13, 52, 54, 93, 100-101, 105, 109, 112-113, 134, 139, 143, 232, 254
hamatus, 139
obscurus, 54
- Naptha, 217, 225, 251, 321
- Navicula*, 120, 169, 254
- Navigation buoys, 7-8, 39-40, 78, 81-87, 89, 92-94, 96, 102-104, 107-114, 146, 161
- Nematodes, 141
- Nemertean, 94, 138, 141, 167-168
- Neolyn20, 308, 310-311
- Neolyn40, 304, 308, 311
- Nereis*, 138, 141, 171
- Neville G, 311
- Neville R-29, 311
- Nickel alloys, 15, 215, 224, 233, 238, 350-351, 354, 357, 362
- Nickel-copper alloys, 15
- Nickel-silver alloys, 354, 362
- Nitrocellulose lacquers, 319
- Nitzschia*, 169
- Nonmetallic sheathings, 215
- Nontoxic pigments, 249, 287-288, 317, 319, 321-322, 324-326, 329-330
- Nontoxic surfaces, 226-227
- Nudibranchs, 94, 136, 167-168, 173-174
- Oarweed (see *Laminaria*)
- Obelia*, 54, 144-145, 147, 170, 346
- Oleoresin, 302-303
- Oligochaetes, 138, 141, 167-168

- Opercular plates, 121, 126
 Ophiuroidea, 167-168
 Organic toxics, 250-252, 321, 378
 Ortmann's zones, 96-98
Oscillatoria, 156-157, 169
 Ostracods, 167-168
Ostrea, 104, 134-135, 173-174, 233 (see also Oysters)
 Oxidation, 106, 269-273, 275, 303-304, 308-310, 378
 Oxygen, 106-107
 Oysters, 8, 17, 38, 44, 51, 94, 104-105, 107, 134, 136, 143, 232 (see also *Ostrea*, Rock oysters)
- Paints (see Anticorrosive coatings, Antifouling paints, Protective coatings)
Paludicella, 104
 Panel tests, 334-335, 343-346
 Paraffin, 233, 236, 281, 295, 316
 Paris Green, 219, 225, 242, 320-321
 Patents, 224-229
Pecten, 13, 134-135, 173-174, 232
Pedicellina, 54
 Pelagic plants, 89
 Pelecypods, 131-139, 167-168, 173-174, 234-235 (see also Mussels, Oysters)
 Pentachlorophenol, 237, 251
 Pentalyne, 289, 303, 308, 310-311
 Permeability of paint, 283-284, 288
 Petrelatum, 236-237
 pH (see Hydrogen ion concentration, Hydroxyl ion)
Phallusia, 174, 232, 234
 Phenyl-mercury compounds, 250
 Phototropism, 234-236
 Physical tests, 332
 Pigment volume, 248, 328-330, 371, 374, 376-377
 Pigments
 nontoxic, 249, 287-288, 317, 319, 321-322, 324-326, 329-330
 toxic, 314, 315-316, 317, 319-320, 325-326, 328-329
 Pipe systems (see Salt water pipe systems)
 Pitch, 211-213, 216, 226, 319
 Pitting, 15, 17, 365, 368, 378 (see also Corrosion)
 Plasticizers, 312, 316-318, 323, 326-328, 330
Plumatella, 104
Plumularia, 54, 147, 170
 Plymouth, England, 102, 104, 115
 Pollution, 87, 105-107, 119
 Poly-Pale resin, 289, 304, 310, 311
Polycarpa, 53
 Polychaetes, 167-168, 171-172, 234
 Polyps, 144-147
Polysiphonia, 158-159, 169
 Polyvinyl butyral, 285, 319
 Polyvinyl resins, 315, 319, 323
 Polyzoa (see Bryozoa)
Pomatoceros, 138-139, 171, 346
 Porifera, 170
 Potentials (see Electro-chemical potentials)
 Precipitated chalk, 329
 Preliminary elimination tests, 331-333
 Primers and priming, 318, 320, 365-368, 377-378
 Propellers, 22, 32-33, 137, 139, 231, 350, 359-360, 363
 Propulsive force, 22, 32
 Protective coatings, 5-6, 17-19, 24-25, 30-32, 313-322 (see also Anticorrosive coatings, Antifouling paints)
 Protozoa, 42, 118, 121-122, 167-169
 Provinces (see Biotic provinces)
 Pseudosaturation effect, 272-273
Pteria (see Rock oysters)
 Pteropods, 167-168
Putnam, U. S. destroyer, 23-24, 29
 Pycnogonids, 130-132, 167-168
- Rahtjen's paint, 217-218, 225-226
 Rating systems, 335, 345-346
 Red iron oxide, 321
 Red lead, 366
 Red oxide, 366
Remora, 155, 211
Reniera, 153, 170, 232, 234-235 (see also Sponges)
 Residual resistance, 21, 25-26
 Resins, 212, 216-217, 224, 226, 283-284, 289, 291, 306, 308, 310-312, 315-317, 326-327, 330, 346 (see also Rosin)
 acid, 289, 291-292, 294, 302, 306-307, 310 (see also Abietic acid)
 alkyd, 19, 284, 315, 318
 natural, 302, 317-318
 neutral, 293-294, 308, 326
 phenolic, 19, 284
 rubber, 318
 synthetic, 227, 315, 318-319, 323
 vinyl, 316-317, 319, 324-325
 Vinylite, 265, 298, 324
 Reynolds number, 25, 27
 Rock oysters, 8, 92-93
 Ropes, 167-168, 170-171
 Rosin (see also Resins)
 and solubility of cuprous oxide, 265-266
 as paint ingredient, 315-319, 323-324, 326-327
 bacterial attack on, 19, 261, 282, 294-296
 dissolution of, 302-312
 esters, 303, 308, 318, 327
 in antifouling paints, 217-218, 225, 255-256, 280-282, 284, 286, 288-289, 293, 295
 Rotating discs, 328, 340, 346
 Rotifers, 104, 121-122, 167-168
 Roughness coefficient (see Kempf's roughness coefficient)
 Rubber, 18, 224, 226 (see also Chlorinated rubber, Cyclicized rubber)
 Rust, 370, 377-378, 380
- Sabellarid worms, 138-139, 232, 234-235
 Sabellid worms, 138-139
Salmacina, 137, 139, 172
 Salt water pipe systems, 11-14, 87, 90, 125, 143, 165, 167-171, 173-174, 249, 350
Sargassum, 157, 160
Saxicava, 134-135
 Scaleworms, 138-139, 171
 Scallops, 13, 134-135, 173-174, 232
Scalpellum, 113, 128-129, 172
Schizonema, 167, 169
Schizoporella, 54, 141, 235
Scrupocellaria, 171
 Sea anemones, 94, 143-144, 147, 170, 249-252
 Sea bream, 155
 Sea cradles (see *Amphineura*)
 Sea cucumbers, 154-155
 Sea lilies (see Crinoids)
 Sea spiders, 130-132
 Sea stars (see Starfish)
 Sea urchins, 154-155
 Sea water conduits (see Salt water pipe systems)
 Seasonal breeding behavior, 48-53, 57, 79 (see also Fouling in relation to)
 Seasonal conditions, 46, 48-74, 98-100, 230-231
 Sedentary polychaetes, 167-168, 171-172
 Selective survey tests, 331, 333-335
 Sensitivity factor, 346
 Serpent stars (see Brittle stars)
 Serpulid worms, 91, 137-139, 231, 358
 Sewage, 105-106
 Shaft horsepower, 22-24, 31-32
 Shark suckers, 155
 Sheathing (see Lead, Metallic copper, Wooden sheathing, Zinc)
 Shellac, 226, 302, 318
- Quartering test, 336

- Shellac type paints, 217-218, 314 (*see also* Rahtjen's paint)
- Ship fouling, 3-7, 38-39, 84, 91, 93, 96-97, 137, 143, 165, 167-174
- Ship worms, 211-216 (*see also* Teredos)
- Shrimps, 105, 131-132
- Siderastraea*, 148
- Silica, 316, 321-322, 329 (*see also* Celite, Diatomaceous silica)
- Silver, 224-225, 241-242, 350, 352-353
- Slime films (*see also* Bacteria)
- composition of, 118-121, 166-169, 239
 - copper in, 219, 259-260
 - effect of toxics on, 242, 251
 - fouling and, 44-46, 219, 230, 253, 260-261
 - frictional resistance and, 29-30
 - leaching rate and, 256, 259-261
 - matrix and, 19, 261, 282, 294-296
- Snails, 105, 254
- Sodium alginate, 267
- Sodium pentachlorophenate, 13, 252
- Soft coral, 147-148
- Solenia*, 169
- Solubility (*see* Copper, Matrix, Mercury)
- Soluble matrix paints, 288-294, 299-300, 316-318, 326-330
- Sound domes, 8-11, 350
- Sound transmission, 9-11
- Spawning and settling, 77-81, 84 (*see also* Fouling)
- Sponges, 46, 94, 104, 107-108, 151-153, 167-168, 170, 232, 243, 345
(*see also* *Reniera*)
- Starfish, 94, 152, 154
- Staybelite, 289, 303, 308
- Steady-state leaching rate, 277-300, 302, 311
- Stearin pitch lubricant, 236
- Steel, 351 (*see also* Corrosion)
- Styela*, 54, 149-151, 174
- Suctoria, 167-169
- Sulfonated aliphatic compounds, 236
- Surface characteristics
- effect on fouling, 230-239
 - effect on surface resistance, 26-28, 30-33
- Takata composition, 30-31
- Tall oil, 327
- Tar, 211-212, 217, 224-225, 319
- Temperature
- effect on fouling, 81, 84-85, 96-101, 119
 - of leaching bath, 336, 338, 342
 - seasonal variations, 58-74
- Temporal sequences, 42-43, 46, 54-57, 83, 87
- Tennessee, U. S. battleship, 23-24, 29
- Teredos, 211-216, 319, 345
- Tests
- acid-alkali, 332, 336-337
 - biological, 334-335, 343-346
 - carbamate, 333, 341
 - chemical, 331-334
 - dithizone, 341
 - erosion resistance, 336, 346-347
 - glycine, 332-333, 337
 - leaching rate, 332-334, 336-343
 - panel, 334-335, 343-346
 - physical, 332
 - preliminary elimination, 331-333
 - selective survey, 331, 333-335
 - service, 336
- Tetrachita*, 125-127, 172
- Therapon*, 51, 53
- Thiokol, 17-18
- Thiourea derivatives, 250
- Tidal currents, 7-8, 86, 88, 232
- Tide levels, 81, 83, 113-116
- Tideman's constants, 27
- Ti-nic-o-sil, 354
- Tin, 214-216, 224-225, 242, 350, 354
- Total resistance, 21-26
- Tougheners, 312, 317-319, 323, 326-330
- Toxic paints (*see* Antifouling paints)
- Toxicity, 241-261
- comparative, 241-243
 - copper, 241-249, 253
 - index, 250
 - mercury, 241-243, 246-249, 251
 - organic compounds, 250-252, 321, 378
- Toxics, 216-219, 225-226, 237
- prevention of fouling with, 241-261
 - release from paints, 277-301
 - tests for, 331-340
 - use in paints, 313-322, 323-330
- Tricresyl phosphate, 316, 327-328
- Tube worms, 8, 11, 15, 33, 57, 87-88, 91, 93-94, 137-143, 171-172, 231, 243, 252 (*see also* *Hydroïdes*)
- Tubularia*, 53-54, 93, 110, 144-145, 147, 170, 232, 243, 346
- Tung oil, 319
- Tunicates (*see also* *Ascidia*)
- description of, 147-151
 - effect on barnacles, 83-84
 - effect on mussels, 87
 - factors influencing attachment, 234-243
 - occurrence of, 8, 10, 13, 37-39, 42-44, 56-74, 93-94, 115, 231
 - species recorded from fouling, 167-168, 174
- Ulothrix*, 156-157, 159, 169, 346
- Ulva*, 93, 112, 158-159, 169, 346
- Underwater sound equipment, 8-11
- Utilization efficiency, 298-299
- Varnish, 216-217, 225, 315, 318-319, 323-325 (*see also* Matrix)
- Varnish type paints, 316, 324-325
- Vehicle (*see* Matrix)
- Venetian red, 329
- Veneziani composition, 30-31
- Victorella pavidata*, 104, 141-142
- Vinylite, 256, 270, 278, 280, 282, 284-287
- Vinylite paints, 281, 284-286, 288, 290, 297, 324
- Watersipora*, 141-143, 243, 249, 358
- Wax, 211-212, 216, 236, 316
- Wood borers, 18-19 (*see also* *Limnoria*, Teredos)
- Wood bottom paints (*see* Formula 16A, Formula 16X)
- Wooden sheathing, 212-217, 349
- Wooden ships, 214, 217, 363, 379
- Worms, 137-141 (*see also* Annelids, Sabellid worms, Serpulid worms)
- Wrecks, 165, 167-174
- Yacca gum, 318
- Yudachi*, 22-28
- Zinc, 217, 224
- chromate, 284
 - fouling resistance, 350-354, 358
 - galvanic effects, 359-360, 362, 368, 370, 373-375, 380
 - oxide, 217, 225, 241, 248, 321-322, 329
 - reactions with copper, 267, 275
 - sheathing, 215, 349
 - toxicity of, 241-243
- Zoobotryon*, 141-143