

Sample and treatment information from NMR assays of metabolite experiments on *Thalassiosira pseudonana* 1335 inoculated with three bacterial strains

Website: <https://www.bco-dmo.org/dataset/826583>

Data Type: experimental

Version: 1

Version Date: 2020-10-14

Project

» [Metabolic Currencies of the Ocean Carbon Cycle](#) (Metabolic Currencies)

Contributors	Affiliation	Role
Edison, Arthur	University of Georgia (UGA)	Principal Investigator
Holderman, Nicole R.	University of Georgia (UGA)	Contact
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

This dataset includes information about samples and treatments analyzed with NMR. Bacteria *Ruegeria pomeroyi* DSS-3, *Stenotrophomonas* sp. SKA14, and *Polaribacter dokdonensis* MED152 were collected 48 hours after individual inoculation into a diatom *Thalassiosira pseudonana* culture and the resulting metabolites were analyzed. Raw data files are located at Metabolights, MetaboLights accession number MTBLS1544. Raw data files are located at Metabolights, MetaboLights accession number MTBLS1544.

Table of Contents

- [Dataset Description](#)
 - [Acquisition Description](#)
 - [Processing Description](#)
- [Related Publications](#)
- [Related Datasets](#)
- [Parameters](#)
- [Instruments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Temporal Extent: 2018 - 2018

Dataset Description

The study examined the ability of bacteria to draw down exometabolites from the culture medium as detected by novel approaches using magnetic resonance (NMR) analysis. See related dataset on parallel experiments using mass spectrometry (MS). This dataset includes information about samples and treatments analyzed with NMR. Bacteria *Ruegeria pomeroyi* DSS-3, *Stenotrophomonas* sp. SKA14, and *Polaribacter dokdonensis* MED152 were collected 48 hours after individual inoculation into a diatom *Thalassiosira pseudonana* culture and resulting metabolites were analysed.

Raw data files are located at Metabolights, MetaboLights accession number MTBLS1544;

<https://www.ebi.ac.uk/metabolights/MTBLS1544/files>
<https://www.ebi.ac.uk/metabolights/MTBLS1544/samples>

Acquisition Description

An axenic *Thalassiosira pseudonana* 1335 culture (National Center for Marine Algae) was grown in 500 ml of L1 +Si medium[1] in a 600 ml vented tissue culture flask at 18 °C under 16 h light at 160 $\mu\text{mol photons/m}^2/\text{s}$ and 8 h dark. After the diatom cultures had been growing for 7 d, bacteria pre-grown in 1/2 YTSS medium at 30 °C (*Ruegeria pomeroyi* DSS-3 (treatment A) and *Stenotrophomonas* sp. SKA14 (treatment D)) or 1/10 YTSS medium at 25 °C (*Polaribacter dokdonensis* (treatment E)) were washed 5 times in sterile L1 medium and inoculated into the diatom cultures and glucose controls at $\sim 10^6$ (*Stenotrophomonas* sp. and *P. dokdonensis*) or $\sim 10^7$ (*R. pomeroyi*) cells/ml. 3 or 4 replicates were collected for each co-culture. Axenic *T. pseudonana* and unamended L1+Si medium were maintained and sampled alongside the co-cultures as controls (treatment X and C). Samples were collected after 48 h.

Microbial cells were removed from co-cultures by filtration through 0.2 μm pore-size filters. Uninoculated medium served as the blank. Metabolites in the 48 h samples were lyophilized, homogenized dry, reconstituted in dimethyl-sulfoxide-d₆ (DMSO-d₆), and re-homogenized. The supernatant was analyzed using two-dimensional HSQC-NMR using acquisition parameters modified from a Bruker hsqcetgpsisp2.2 pulse program (TopSpin V4.0.6).

Processing Description

BCO-DMO Processing Notes:

- data submitted in Excel file "MTBLS1544 for BCO-DMO.xlsx" sheet "Sheet1" extracted to csv
- added conventional header with dataset name, PI name, version date
- modified parameter names to conform with BCO-DMO naming conventions

[[table of contents](#) | [back to top](#)]

Related Publications

Ferrer-González, F. X., Widner, B., Holderman, N. R., Glushka, J., Edison, A. S., Kujawinski, E. B., & Moran, M. A. (2020). Resource partitioning of phytoplankton metabolites that support bacterial heterotrophy. *The ISME Journal*. doi:[10.1038/s41396-020-00811-y](https://doi.org/10.1038/s41396-020-00811-y)
Results

[[table of contents](#) | [back to top](#)]

Related Datasets

IsSupplementTo

Frank X Ferrer-Gonzalez, Brittany Widner, Nicole R Holderman, John Glushka, Arthur S Edison, Elizabeth B Kujawinski, Mary Ann Moran (2020) MTBLS1544: Resource Partitioning of Diatom Metabolites that Support Bacterial Heterotrophy in the Ocean (NMR assay). In: *MetaboLights* [Internet], EMBL-EBI, Wellcome Genome Campus, Hinxton, Cambridgeshire, CB10 1SD, UK. Available from: <https://www.ebi.ac.uk/metabolights/MTBLS1544/descriptors>, *MetaboLights* study: MTBLS1544.
<https://www.ebi.ac.uk/metabolights/MTBLS1544/samples>

Parameters

Parameter	Description	Units
Source_Name	sample name	unitless
Organism	identification of organism sampled	unitless
Organism_part	description of the part of the organism sampled	unitless
Treatment	treatment type	unitless
Time_elapsed_hrs	time of sample collection	hours
Replicate	replicate number	unitless
MetaboLights_accession_number	accession number for data access at Metabolights	unitless

Instruments

Dataset-specific Instrument Name	Bruker 800 MHz NEO with 1.7 mm cryoprobe
Generic Instrument Name	Nuclear Magnetic Resonance Spectrometers
Generic Instrument Description	Instruments that identify and quantify magnetically active chemical entities by subjecting a sample to orthogonal magnetic and electrical fields.

Project Information

Metabolic Currencies of the Ocean Carbon Cycle (Metabolic Currencies)

NSF Award Abstract: The roles of microbes in cycling carbon and nutrients in the ocean - the largest biological system on Earth - were initially described about 40 years ago. Now, it is known that half of Earth's primary production is carried out by marine phytoplankton, and half of that is recycled within weeks by marine bacteria. This proposal is a collaboration between microbiologists and chemists to identify the specific compounds that pass between phytoplankton and bacteria in surface ocean waters. Identifying the key chemicals of the ocean's microbial food web will provide insights into how the marine carbon cycle is regulated, generate data to improve ocean carbon models, and train new scientists at the interface of microbiology and chemistry. Hands-on learning opportunities in microbial ecology will be provided for high school students, both in the classroom and in marine ecosystems of the Georgia coast. Phytoplankton metabolites that sustain the flow of carbon between microbial autotrophs and heterotrophs in the surface ocean carbon cycle will be identified in this project. A matrix of model systems consisting of bacteria-phytoplankton co-cultures will be used as biological assays for key metabolites based on expression patterns of bacterial transporter genes. The chemical identity of candidate metabolites and evaluation of their potential ecological role will be carried out by exometabolomic analysis of co-cultures with bacterial transporter mutants. Both advanced mass spectrometry and NMR will be used for metabolomics analysis, taking advantage of the sensitivity and compound identification strengths of each. The distribution of

candidate metabolites in the ocean microbiome and other microbial systems will be characterized by mining environmental sequence datasets for orthologous transporter genes. This project represents a novel approach to identifying metabolites important in microbiome function, compounds often difficult to address with standard chemical approaches because of their low concentrations and high biological demand.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Integrative Organismal Systems (NSF IOS)	IOS-1656311
Gordon and Betty Moore Foundation (GBMF)	GBMF5503

[[table of contents](#) | [back to top](#)]