

Woods Hole Oceanographic Institution



Surface Drifter Measurements in the Western Equatorial Pacific Ocean Circulation Study (WEPOCS III)

June 1988–December 1989

by


Christine M. Wooding,
Philip L. Richardson,
Curtis A. Collins

June 13, 1990

Technical Report

Funding was provided by the National Science Foundation
through Grant No. OCE 87-16509.

Approved for public release; distribution unlimited.



WHOI-90-37

**Surface Drifter Measurements in the Western
Equatorial Pacific Ocean Circulation Study
(WEPOCS III)
June 1988–December 1989**

by

Christine M. Wooding*,
Philip L. Richardson*,
and Curtis A. Collins†

*Woods Hole Oceanographic Institution
Woods Hole, Massachusetts 02543

†Naval Postgraduate School
Monterey, California 93943

June 13, 1990

Technical Report



Funding was provided by the National Science Foundation through
Grant No. OCE 87-16509.

Reproduction in whole or in part is permitted for any purpose of the
United States Government. This report should be cited as:
Woods Hole Oceanog. Inst. Tech. Rept., WHOI-90-37.

Approved for publication; distribution unlimited.

Approved for Distribution:

A handwritten signature in black ink, which appears to read 'James R. Luyten', is written over a horizontal line.

James R. Luyten, Chairman
Department of Physical Oceanography

Abstract

Forty freely drifting drogued buoys were tracked by satellite in the western tropical Pacific from June 1988 to January 1, 1990, as part of the Western Pacific Ocean Circulation Study (WEPOCS III). The data consist of buoy trajectories and sea surface temperature and velocity along trajectories. The main results presented here are the collection of figures which show trajectories and time series data in the South Equatorial Current, the North Equatorial Countercurrent, the Mindanao Current, and the North Equatorial Current. One striking result is that we obtained the first quasi-synoptic map of surface velocity in this region that shows the major currents and their interconnections.

Table of Contents

Abstract	i
List of Figures	iii
List of Tables	iv
1 Introduction	1
2 Buoys	2
3 Data	4
Acknowledgements	12
References	12
Summary of Figures	12

List of Figures

1	Total displacement vectors for all drifters.	3
2	Drifter trajectories during the first three months.	5
3	Average velocities in $1^\circ \times 1^\circ$ bins from drifters during first three months.	6
4	Lifetimes of transmitters that failed at sea.	7
5	Lifetimes of drogues that failed at sea.	8
6	Useful lifetimes of drifters up to drogue or transmitter failure except for three shown by an asterisk (78, 90, 93) still operating as of March 31, 1990.	9
7	All drifter trajectories for duration of experiment.	17
8	Trajectories for duration of experiment with functioning drogues. . .	18
9	Trajectories for duration of experiment without functioning drogues. .	19
10	Seasonal plot — All May to October trajectories (drogued).	20
11	Seasonal plot — All November to April trajectories (drogued). . . .	21
12	First six months' trajectories of drifters launched in the vicinity of New Guinea.	22
13	First six months' trajectories of drifters launched between Palau Island and Tobi Island.	23
14	First six months' trajectories of drifters launched in the vicinity of Mindanao.	24
15	First six months' trajectories of a second group of drifters in the vicinity of Mindanao.	25
16	First six months' trajectories of drifters launched in October 1988. .	26
17	Drifter trajectories for November 1988 through January 1989.	27
18	Trajectories of drifters in the Indonesian Sea.	28
19	Trajectories of drifters in the Halmahera Eddy.	29
20	Trajectories of drifters in the eastward equatorial jet (arrowheads at 5-day intervals).	30

21	Trajectories of drifters in the North Equatorial Current (December 1988 through May 1989).	31
22	Trajectories of drifters in the Luzon region.	32
23-40	Monthly plots of trajectories from July 1988 through December 1989 (dashed trajectories have no drogues).	33
41-117	Individual drifters' trajectories and time-series plots.	51

List of Tables

Table I:	LCD Buoy Lifetimes	14
Table II:	LCD Launch and End Positions	15
Table III:	Tristar Launch and End Positions	16

1 Introduction

This report describes results from freely drifting drogued buoys that were tracked by satellite in the western tropical Pacific over an 18 month period from June 1988 to January 1990. The drifters are part of the Western Pacific Ocean Circulation Study (WEPOCS). Thirty-five of the drifters were launched from the WEPOCS III cruise on the *R/V Moana Wave* from 18 June–31 July 1988. Other cruise observations included 117 CTD–O₂ casts plus bottle samples for tracers (including tritium and freon), XBTs, and acoustic Doppler current profiles along the cruise track. Five additional drifters were launched from the *R/V Xiangyanghong #14* in October 1988.

The overall objective of WEPOCS III was to measure the low latitude boundary currents of the Pacific Ocean, their connection with the equatorial circulation, and their water mass properties. A specific objective was to measure how the South Equatorial Current and Mindanao Current merge and form the North Equatorial Countercurrent and Indonesian Seas throughflow. The drifters component of WEPOCS is closely related to the Pan Pacific Surface Current Study in which drifters are being deployed (more sparsely) to measure aspects of the tropical velocity and temperature fields across the whole Pacific.

The WEPOCS current profiles along the ship's track and the drifter trajectories and velocity series were found to be highly complementary. The combined data provide a quasi-synoptic picture of the dominant circulation over a wide region of the western tropical Pacific including the swift narrow currents along the western boundary. In addition some aspects of the seasonal variation of velocity and higher frequencies are revealed by the drifters. A summary of preliminary results from the drifters and other components of WEPOCS III has been described by Lukas *et al.* (submitted).

2 Buoys

Thirty-four of the buoys were Low Cost Drifters (LCDs) made by Draper Laboratory in Cambridge, Massachusetts (see Dahlen, 1986), and six of the buoys were mini-Tristar buoys made by Technocean Associates in La Jolla, California (see Niiler *et al.*, 1987). Both buoys consist of a small surface float with a thermometer and drogue sensor and both have a large attached drogue centered at a depth of 15 m. The ratio of the drogue drag area to that of the tether plus buoy hull is around 50:1 which means the buoys are well coupled to the water. The LCD float is 0.37 m in diameter, 0.2 m high and contains a Toyocom transmitter and a strain-gauge drogue sensor; the drogue is a holey sock 0.41 m in diameter and 12.5 m long, connected to the float with a 1 cm diameter polypropylene line containing a 0.16 cm diameter wire rope core. The mini-Tristar float is a 0.28 m diameter sphere containing a Telonics transmitter; the drogue consists of three intersecting planes like a radar reflector, each plane being 2.6 m square. Since most buoys were LCDs and since the six mini-Tristars have already been described (Carpenter, 1989), this report concentrates on the LCDs.

Buoys were launched in three general areas (Figure 1):

1. thirteen (8 in June, 5 in October 1988) in the South Equatorial Current north of New Guinea between 1.5N and 2.5S and along 141.5E and 143E,
2. ten in the North Equatorial Countercurrent, Halmahera Eddy and South Equatorial Current along a line from Palau toward Tobi Island near Halmahera (7N to 2.5N),
3. seventeen in the vicinity of the Mindanao Current off the coast of Mindanao from 5N to 10N (two died at launch and never worked).




Figure 1: Total displacement vectors for all drifters.

All but the 5 launched in October 1988 were launched within a 32 day period from June 23 to July 25. During the first 2–3 months of drift, these buoys swept out a large portion of the western tropical Pacific giving a good picture of the dominant circulation patterns (Figures 2 and 3).

The useful lifetime of drogued buoys at sea depends on the transmitter continuing to transmit in order to track the buoy and the drogue remaining attached to couple the buoy to the water. A summary of launch information and lifetimes is given in Table I. Seventeen of the LCDs died at sea (2 at launch), 14 grounded, and 2 were stolen at sea. Some buoys that died could have been stolen or vandalized at sea. The average transmitter lifetime of the buoys at sea up to the end of March 1990, and including the two buoys that quit at launch and three buoys still transmitting on March 31, 1990, is 306 days (Table I, Figure 4). The LCD drogues remained attached for a minimum of 234 days and an average of 337 days (Figure 5). The average useful lifetime of the LCD buoys at sea that were not stolen or did not ground is 226 days (Figure 6). The primary failure mode for lifetimes less than 260 days is transmitter failures; the primary failure mode for lifetimes longer than 260 days is the drogues falling off. Overall the mean useful lifetime of all LCD buoys in WEPOCS is 201 days.

3 Data

The buoys were tracked by Service ARGOS at the Centre National d'Études Spatiale in Toulouse, France. Buoy positions were calculated from their Doppler shifted signals received by polar orbiting NOAA satellites. On average, around 6 fixes were received per buoy when it transmitted all day. The LCDs were programmed to transmit continually for the first 90 days, then every other day in order to save on tracking costs. To make sure the data fell into one ARGOS




Figure 2: Drifter trajectories during the first three months.

MEAN VELOCITY, DRIFTERS JULY-SEPT 1988




Figure 3: Average velocities in 1° × 1° bins from drifters during first three months.




Figure 4: Lifetimes of transmitters that failed at sea.




Figure 5: Lifetimes of drogues that failed at sea.




Figure 6: Useful lifetimes of drifters up to drogue or transmitter failure except for three shown by an asterisk (78, 90, 93) still operating as of March 31, 1990.

tracking day and also to conserve power, the buoys were programmed to transmit to satellite passes for around 8 hours every other day. After 90 days the original data contained daily gaps over which positions, velocity and temperature were interpolated as described below. Two gaps of 6–10 days occurred in the transmissions of buoy 88 and these portions of the trajectory are omitted (in the Halmahera Eddy).

Data were transmitted on the Global Telecommunications System (GTS) and were also obtained monthly on diskettes from Service ARGOS. D. Meldrum calculated polynomial fits to the LCD temperature calibrations and arranged to have the data on GTS. Processing the data consisted of the following steps:

1. Positions and temperatures were plotted and edited for obviously erroneous values.
2. All but the lowest temperature in each 24-hour period were removed.
3. Values of position and temperature were linearly interpolated in time at a 6-hour spacing.
4. Values were smoothed with a $\sigma = 0.5$ day Gaussian shaped filter to reduce high frequency oscillations and noise due to measurement errors. Portions of the beginning and end of trajectories were lost by this technique.
5. A cubic spline function was used to calculate velocity at final positions.
6. Trajectories and time series of velocity and temperature were plotted.

The LCD thermistor is located approximately 10 cm below the sea surface. Daily cycles in temperature up to 2–3°C were observed by both types of buoys suggesting that the near surface layer warmed during the day. Daily temperature cycles of a few degrees were also observed by other techniques in the western

tropical Pacific by B. King and J. Godfrey (personal communications) which tend to confirm the buoy measurements. However, one can imagine that the surface float could have been heated in the strong tropical sun especially when the wind and waves were low, and this could have biased the measured temperatures. In order to test this hypothesis J. Dahlen conducted some laboratory tests at Draper in which he heated a LCD buoy with a 250 W heat lamp directly overhead and recorded internal and external temperatures. The LCD measured a temperature around 0.5°C higher than the nearby water temperature at 10 cm depth after 6 hours of heating, reaching a maximum of 0.6°C. Dahlen says that over the period of hours necessary to cause a significant error, the average solar power input would be much less than half of what he used in the test. The implications are (1) the 2–3°C daily cycle in observed temperature is not explained by the heating of surface float and (2) there is the possibility of a small (few tenths of a degree) but significant mid-day bias by the buoys. A calibration of buoy temperature at sea under high sun and low wind conditions is required to rule out this possible temperature error. Because of this possible error and because of the intermittent measurement of temperature every other day, we decided to retain the lowest temperature measured during each day as being representative of the upper mixed layer that day. The buoy time series plots show interpolated temperatures from the series of lowest values.

D. Bitterman detected a quantizing of temperatures between 29–31°C where resolution was degraded from the usual 0.02°C to around 0.35°C for these drifters. J. Dahlen traced this problem to the voltage-to-frequency converter which was locking on to certain discrete frequencies in this temperature range. This problem is being corrected on future LCDs.

Acknowledgements

Funds were provided by National Science Foundation Grant OCE87-16509. Most of the drifters were launched on the WEPOCS III cruise aboard the *R/V Moana Wave*; Roger Lukas, Chief Scientist. Five drifters were launched by John Toole from the *R/V Xiangyanghong #14*. M. A. Lucas typed the manuscript.

References

- Carpenter, H., 1989. Surface circulation associated with the Mindanao and Halmahera Eddies. Naval Postgraduate School, Monterey, California, *NPS-68-89-005*, 112 pages.
- Dahlen, J. M., 1986. The Draper LCD, a calibrated, low cost lagrangian drifter. The Charles Stark Draper Laboratory, Inc., Cambridge, Massachusetts, *CSDL-P-2670*, March 1986, 14 pages.
- Lukas, R., E. Firing, P. Hacker, P. L. Richardson, C. A. Collins, R. Fine, R. Gammon. Observations of the Mindanao Current during the Western Equatorial Pacific Ocean Circulation Study (WEPOCS). *Journal of Geophysical Research*, submitted.
- Niiler, P. P., R. E. Davis, and H. J. White, 1987. Water following characteristics of a mixed layer drifter. *Deep-Sea Research*, **43**, 1867-1881.

Summary of Figures

A summary of the WEPOCS drifting buoy data is shown in the series of figures which follows. The first set of figures (Figures 7-22) shows trajectories grouped in different ways. Arrowheads are spaced at 10-day intervals except for Figure 20 in which the spacing is 5 days. Trajectories are of drogued buoys unless

monthly plots of all trajectories (dashed trajectories are undrogued). The final set (Figures 41–117) shows individual trajectories and time series of velocity and temperature for each buoy (including undrogued — “D” marks date of drogue loss).

Table I: LCD Buoy Lifetimes

Buoy ID	Launch Date	End Date	Drogue Off Date	Lifetime Buoy	Lifetime Drogue	Comments
65	88 07 25	88 07 25		0		Quit at launch
66	88 07 22	88 10 15		83		Stolen
67	88 07 16	88 12 13		147		Died at sea
68	89 01 21	89 04 12		81		Originally stolen after a few days at sea, ransomed, relaunched, grounded Palawan Island
69	88 07 09	88 07 09		0		Quit at launch
70	88 07 24	89 05 06		282		Grounded Japan
71	88 07 25	88 08 21		26		Grounded Mindanao
72	88 07 08	88 11 20		131		Grounded small island
73	88 06 27	89 09 15		445	?	Died at sea; bad values drogue & temperature
74	88 07 23	89 04 08		255		Grounded Philippines
75	88 07 07	90 02 13	89 08 01	586	390	Died at sea
76	88 07 08	89 05 30		326		Grounded Philippines
77	88 07 08	89 05 04		326		Grounded near Taiwan
78	88 07 06	90 03 31	89 05 20	633*	318	Dec. 90: three-week gap
79	88 07 21	88 12 23		152		Died at sea
80	88 07 05	89 03 26		261		Died at sea
81	88 06 27	89 12 21	89 05 21	542	328	Died at sea
82	88 07 16	88 07 26		10		Grounded Sangi Island
83	88 07 08	90 01 13	89 05 25	554	321	Grounded
84	88 07 09	88 08 31		52		Grounded Makassar Strait
85	88 10 29	89 09 24	89 06 20	330	234	Grounded north of New Guinea
86	88 06 25	89 03 04		249		Grounded Philippines
87	88 07 06	89 03 19		253		Died at sea
88	88 07 07	88 11 08		121	?	Died at sea, bad values drogue & temperature; one-week gaps in July '88 & Aug. '88
89	88 06 25	88 11 08		133		Died at sea
90	88 07 07	90 03 31	89 06 03	632*	331	
91	88 06 23	90 03 09	89 09 28	624	462	Died at sea; Sept. '89: two-week gap
92	88 06 24	89 02 07		223		Died at sea, found on Truk Island July '89
93	88 06 24	90 03 31	89 07 16	645*	387	Data after 89 09 30 missing during report preparation
94	88 06 27	88 08 23		56		Grounded Halmahera Island
95	88 10 27	89 01 17		80		Died at sea
96	88 10 28	89 06 15		230		Died at sea
97	88 10 28	89 02 17		109		Died at sea; Nov. '88: 10-day gap
98	88 10 29	89 09 18	89 07 20	324	264	Grounded Woodlark Island

* Still operating as of March 31, 1990.

Table II: LCD Launch and End Positions

Buoy ID	Launch Date	Launch Position		End Date	Last Position	
91	88 06 23	1.51N	143.00E	90 03 09	25.41N	122.00E
93	88 06 24	0.52N	143.00E	90 03 31	*6.32N	161.17E
92	88 06 24	0.49S	143.00E	89 02 07	6.90N	152.73E
89	88 06 25	1.48S	142.97E	88 11 08	3.27N	152.97E
86	88 06 25	2.49S	143.00E	89 03 04	15.34N	124.21E
73	88 06 27	1.02S	141.52E	89 09 15	12.60N	130.63E
94	88 06 27	0.00	141.52E	88 08 23	1.54N	128.75E
81	88 06 27	1.00N	141.50E	89 12 21	2.59N	104.32E
80	88 07 05	6.99N	134.00E	89 03 26	18.89N	121.37E
87	88 07 06	6.00N	133.36E	89 03 19	10.42N	129.11E
78	88 07 06	5.01N	132.71E	90 03 31	*2.17S	157.99E
75	88 07 07	4.02N	132.05E	90 02 13	8.20N	104.03E
88	88 07 07	3.50N	131.72E	88 11 08	6.30N	143.65E
90	88 07 07	3.01N	131.40E	90 03 31	*28.70N	131.01E
83	88 07 08	2.52N	131.06E	90 01 13	1.61N	124.86E
72	88 07 08	3.01N	130.24E	88 11 20	6.98N	152.79E
76	88 07 08	3.42N	129.40E	89 05 30	4.73N	125.48E
77	88 07 08	3.84N	128.60E	89 05 04	21.70N	121.27E
69	88 07 09	4.99N	126.20E	88 07 09	4.99N	126.20E
84	88 07 09	5.36N	125.80E	88 08 31	5.04S	116.96E
82	88 07 16	6.51N	126.80E	88 07 23	3.79N	125.59E
67	88 07 16	7.01N	127.09E	88 12 13	9.73N	142.35E
79	88 07 21	7.01N	127.97E	88 12 23	8.63N	147.59E
66	88 07 22	7.48N	127.97E	88 10 15	6.08N	139.87E
74	88 07 23	9.52N	126.69E	89 04 08	10.91N	125.97E
70	88 07 24	9.98N	126.93E	89 05 06	32.72N	132.99E
65	88 07 25	10.02N	127.55E	88 07 25	10.02N	127.55E
71	88 07 25	10.00N	128.58E	88 08 21	5.92N	124.77E
96	88 10 28	0.88N	141.61E	89 06 15	1.74S	140.47E
85	88 10 29	1.11S	142.50E	89 09 24	4.09N	126.82E
97	88 10 30	0.53S	142.47E	89 02 17	1.42S	154.22E
98	88 10 30	2.02S	142.40E	89 09 18	9.29S	153.69E
95	88 11 01	0.79N	141.91E	89 01 17	1.38S	146.58E
68	89 01 29	8.18N	126.36E	89 04 12	8.60N	117.85E

* Still operating as of March 31, 1990.

Table III: Tristar Buoy Lifetimes

Buoy ID	Launch Date	Launch Position	Lifetime	Comments
50	88 07 23	7.96N 126.56E	48	Lost drogue
51	88 07 16	6.98N 127.30E	33	Lost drogue
52	88 07 16	6.94N 126.62E	53	Lost drogue
53	88 07 22	7.98N 127.96E	220	Grounded
54	88 07 22	7.99N 126.97E	17	Picked up at sea
55	88 07 16	6.86N 126.86E	63	Grounded

From Table I given by Carpenter (1989).




Figure 7: All drifter trajectories for duration of experiment.




Figure 8: Trajectories for duration of experiment with functioning drogues.




Figure 9: Trajectories for duration of experiment without functioning drogues.




Figure 10: Seasonal plot — All May to October trajectories (drogued).




Figure 11: Seasonal plot — All November to April trajectories (droged).




Figure 12: First six months' trajectories of drifters launched in the vicinity of New Guinea.




Figure 13: First six months' trajectories of drifters launched between Palau Island and Tobi Island.




Figure 14: First six months' trajectories of drifters launched in the vicinity of Mindanao.




Figure 15: First six months' trajectories of a second group of drifters in the vicinity of Mindanao.




Figure 16: First six months' trajectories of drifters launched in October 1988.




Figure 17: Drifter trajectories for November 1988 through January 1989.




Figure 18: Trajectories of drifters in the Indonesian Sea.

HALMAHERA EDDY JULY 1988




Figure 19: Trajectories of drifters in the Halmahera Eddy.




Figure 21: Trajectories of drifters in the North Equatorial Current (December 1988 through May 1989).






Figure 22: Trajectories of drifters in the Luzon region.


WEPOCS DRIFTERS JUNE-JULY 1988




WEPOCS DRIFTERS AUGUST 1988




WEPOCS DRIFTERS SEPTEMBER 1988




WEPOCS DRIFTERS OCTOBER 1988




WEPOCS DRIFTERS · NOVEMBER 1988




WEPOCS DRIFTERS DECEMBER 1988




WEPOCS DRIFTERS JANUARY 1989




WEPOCS DRIFTERS FEBRUARY 1989




WEPOCS DRIFTERS MARCH 1989




WEPOCS DRIFTERS APRIL 1989




WEPOCS DRIFTERS JUNE 1989




WEPOCS DRIFTERS JULY 1989




WEPOCS DRIFTERS AUGUST 1989




WEPOCS DRIFTERS SEPTEMBER 1989




WEPOCS DRIFTERS OCTOBER 1989




WEPOCS DRIFTERS NOVEMBER 1989







WEPOCS DRIFTERS DECEMBER 1989








WEPOCS DRIFTER 566











WEPOCS DRIFTER 567





















WEPOCS DRIFTER 571









WEPOCS DRIFTER 573




573





WEPOCS DRIFTER 574










WEPOCS DRIFTER 575










WEPOCS DRIFTER 576






WEPOCS DRIFTER 577







WEPOCS DRIFTER 578







578








WEPOCS DRIFTER 579






WEPOCS DRIFTER 580







WEPOCS DRIFTER 581







581




WEPOCS DRIFTER 582






WEPOCS DRIFTER 583








583

D





WEPOCS DRIFTER 584







WEPOCS DRIFTER 585







WEPOCS DRIFTER 586










WEPOCS DRIFTER 587







WEPOCS DRIFTER 588






WEPOCS DRIFTER 589







WEPOCS DRIFTER 590




590




WEPOCS DRIFTER 591




591 A




591 B





WEPOCS DRIFTER 592










WEPOCS DRIFTER 593










WEPOCS DRIFTER 594







WEPOCS DRIFTER 595










WEPOCS DRIFTER 596







WEPOCS DRIFTER 597










WEPOCS DRIFTER 598










WEPOCS DRIFTER 150










WEPOCS DRIFTER 151










WEPOCS DRIFTER 152










WEPOCS DRIFTER 153










WEPOCS DRIFTER 154





WEPOCS DRIFTER 155





DOCUMENT LIBRARY

January 17, 1990

Distribution List for Technical Report Exchange

Attn: Stella Sanchez-Wade
Documents Section
Scripps Institution of Oceanography
Library, Mail Code C-075C
La Jolla, CA 92093

Hancock Library of Biology &
Oceanography
Alan Hancock Laboratory
University of Southern California
University Park
Los Angeles, CA 90089-0371

Gifts & Exchanges
Library
Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, NS, B2Y 4A2, CANADA

Office of the International
Ice Patrol
c/o Coast Guard R & D Center
Avery Point
Groton, CT 06340

NOAA/EDIS Miami Library Center
4301 Rickenbacker Causeway
Miami, FL 33149

Library
Skidaway Institute of Oceanography
P.O. Box 13687
Savannah, GA 31416

Institute of Geophysics
University of Hawaii
Library Room 252
2525 Correa Road
Honolulu, HI 96822

Marine Resources Information Center
Building E38-320
MIT
Cambridge, MA 02139

Library
Lamont-Doherty Geological
Observatory
Columbia University
Palisades, NY 10964

Library
Serials Department
Oregon State University
Corvallis, OR 97331

Pell Marine Science Library
University of Rhode Island
Narragansett Bay Campus
Narragansett, RI 02882

Working Collection
Texas A&M University
Dept. of Oceanography
College Station, TX 77843

Library
Virginia Institute of Marine Science
Gloucester Point, VA 23062

Fisheries-Oceanography Library
151 Oceanography Teaching Bldg.
University of Washington
Seattle, WA 98195

Library
R.S.M.A.S.
University of Miami
4600 Rickenbacker Causeway
Miami, FL 33149

Maury Oceanographic Library
Naval Oceanographic Office
Stennis Space Center
NSTL, MS 39522-5001

Marine Sciences Collection
Mayaguez Campus Library
University of Puerto Rico
Mayaguez, Puerto Rico 00708

Library
Institute of Oceanographic Sciences
Deacon Laboratory
Wormley, Godalming
Surrey GU8 5UB
UNITED KINGDOM

The Librarian
CSIRO Marine Laboratories
G.P.O. Box 1538
Hobart, Tasmania
AUSTRALIA 7001

Library
Proudman Oceanographic Laboratory
Bidston Observatory
Birkenhead
Merseyside L43 7 RA
UNITED KINGDOM

REPORT DOCUMENTATION PAGE	1. REPORT NO. WHOI-90-37	2.	3. Recipient's Accession No.
4. Title and Subtitle Surface Drifter Measurements in the Western Equatorial Pacific Ocean Circulation Study (WEPOCS III) June 1988– December 1989		5. Report Date June 13, 1990	
7. Author(s) Christine M. Wooding, Philip L. Richardson, and Curtis A. Collins		6.	
9. Performing Organization Name and Address Woods Hole Oceanographic Institution Woods Hole, Massachusetts 02543		8. Performing Organization Rept. No. WHOI-90-37	
12. Sponsoring Organization Name and Address National Science Foundation		10. Project/Task/Work Unit No.	
		11. Contract(C) or Grant(G) No. (C) OCE 87-16509 (G)	
		13. Type of Report & Period Covered Technical Report	
15. Supplementary Notes		14.	
16. Abstract (Limit: 200 words) Forty freely drifting drogued buoys were tracked by satellite in the western tropical Pacific from June 1988 to January 1, 1990, as part of WEPOCS III. the data consist of buoy trajectories and sea surface temperature and velocity along trajectories. The main results presented here are the collection of figures which show trajectories and time series data in the South Equatorial Current, the North Equatorial Countercurrent, the Mindanao Current, and the North Equatorial Current. One striking result is that we obtained the first quasi-synoptic map of surface velocity in this region that shows the major currents and their interconnections.			
17. Document Analysis a. Descriptors drifters Western Equatorial Pacific currents b. Identifiers/Open-Ended Terms c. COSATI Field/Group			
18. Availability Statement Approved for publication; distribution unlimited.		19. Security Class (This Report)	21. No. of Pages 129
		20. Security Class (This Page)	22. Price

